









धादिङ जिल्लाको आ.व. २०८०/२०८१  
को ज्याला तथा निर्माण सामग्रीहरूको  
स्वीकृत दररेट


















२०८० असार २९ गते

आज मिति २०८० साल असार २९ गतेका दिन सार्वजनिक खरिद नियमावली, २०६४ को नियम १४८ बमोजिम आगामी आ.व. २०८०/०८१ का लागि निर्माण सामग्री, ढुवानी दररेट, मेशिन तथा उपकरणको भाडा तथा कामदारको ज्याला निर्धारण गर्ने प्रयोजनका लागि जिल्ला दररेट निर्धारण समितिका अध्यक्ष प्रमुख जिल्ला अधिकारी श्री बन्दीनाथ गैहेज्यूको अध्यक्षतामा जिल्ला प्रशासन कार्यालयमा निम्न बमोजिमको उपस्थितिमा बैठक बसी तपशिल बमोजिमका निर्णय गरियो ।

### उपस्थिति

- |  |              |
|--|--------------|
|  प्रमुख जिल्ला अधिकारी श्री बन्दीनाथ गैहे               | - अध्यक्ष    |
|  जिल्ला समन्वय अधिकारी श्री चेतनाथ अर्याल               | - सदस्य      |
|  जिल्ला समन्वय समिति सदस्य श्री राम प्रसाद रिजाल        | - सदस्य      |
|  प्रमुख कोष नियन्त्रक श्री रेशम कुमार खत्री             | - सदस्य      |
|  प्रतिनिधि निर्माण व्यवसायी महासंघ श्री धर्म लोहनी      | - सदस्य      |
|  प्रतिनिधि धादिङ उद्योग वाणिज्य संघ श्री रोहित भण्डारी | - सदस्य      |
|  आयोजना प्रमुख श्री सुनिल कुमार ठाकुर- सदस्य सचिव      | - सदस्य सचिव |


### आमन्त्रित

- |   |  |
|---|--|
|  स.प्र.जि.अ. श्री हरि प्रसाद अधिकारी (जिल्ला प्रशासन कार्यालय)           |  |
|  प्र.उ. श्री गौतम मिश्र (जिल्ला प्रहरी कार्यालय)                         |  |
|  स.प्र.नि. श्री गणेश दत्त पाण्डे (सशस्त्र प्रहरी बल नेपाल, आश्रित गुल्म) |  |
|  श्री रोशन पाठक (प्रदेशिक सडक कार्यालय)                                  |  |
|  श्री भेक बहादुर क्षेत्री (खानेपानी तथा सरसफाई डिभिजन नं.२)              |  |
|  श्री विजेन्द्र प्रसाद श्रेष्ठ (जलस्रोत तथा सिंचाई विकास डिभिजन)         |  |
|  श्री अजय विक्रम मानन्धर (डिभिजन वन कार्यालय)                            |  |
|  श्री लोकनाथ लम्साल (डिभिजन वन कार्यालय)                                 |  |
|  श्री जय राम अधिकारी (नागढुङ्गा मुग्लिङ सडक योजना (पूर्वी खण्ड)          |  |
|  श्री मेनुका लामिछाने मगर (प्रधानमन्त्रि कृषि आधुनिकीकरण परियोजना)       |  |
|  श्री दिनेश आचार्य (कृषि ज्ञान केन्द्र)                                  |  |
|  श्री विकाश पौडेल (नयाँ शहर आयोजना)                                      |  |
|  श्री डा. सन्दीप सिलवाल (भेटेरिनरी अस्पताल तथा पशु सेवा विज्ञान केन्द्र) |  |
|  श्री बलराम प्रजापती (भू-जलाधार व्यवस्थापन कार्यालय)                     |  |
|  श्री विजया अर्याल (नीलकण्ठ नगरपालिका)                                   |  |






विषय सुची



क्र. सं.	विषय	पृष्ठ संख्या	
		देखे	सम्म
<b>क</b>	<b>सिभिल ( CIVIL )</b>		
१	कामदार	1	
२	ढुवानी	1	2
३	भवन निर्माणमा प्रयोग हुने सामग्री	3	13
	सिमेन्ट/ Concrete / Stainless Steel/ सिसा	3	4
	Plaster of Parish (POP) / मार्बल / ग्रेनाइट / कोटा स्टोन / टाइल्स / रंगरोगनका समान	4	9
	UPVC Profile Door and Window/ Wall partition / False Ceiling	9	13
४	सडक कालो पत्रे गर्ने कामको सामग्री	14	
५	विभिन्न किसिमका काठहरु	14	17
६	CGI Sheets/ UPVC Sheets	17	20
७	माटो तथा ढुङ्गाबाट निर्मित परम्परागत निर्माण सामग्रीहरु	21	28
८	Cement Concrete Block	29	
९	फलाम जन्य निर्माण सामग्री	30	33
१०	Water Proofing Chemicals & Treatment works	34	38
११	Structural Strengthening & Seismic Retrofitting	39	40
१२	Aluminium Doors and Windows	41	43
१३	छाना छाउने अन्य निर्माण सामग्री	44	
१४	भ्याल ढोकामा प्रयोगहुने फिक्सचरहरु	45	47
१५	Security System	48	
१६	स्थानीय निर्माण सामग्रीहरु	49	
१७	Non Destructive Test for Forensic Engineering	50	51
१८	Tools and Occupational Health and Safety Equipments	52	
<b>ख</b>	<b>विधुतिय सामग्रीहरु (ELECTRICAL)</b>		
१	Switch Socket / Junction Box	53	57
२	Distribution Board/ MCB/ RCCB	58	59
३	Dome Lights/ Roadway Luminaries/ Ceiling Fan & Exhaust Fan/ Earthing Material	59	61
४	CFL Lights/ Down Lights/ System Sensor/ Luminaries Accessories	62	65
५	Wire & Cable/ Panel Board	65	77
६	Motor Operator/ Earthing materials/ Ligthing Arrestor/ Insulator/ Isolator	77	79
७	LED Lights	79	100
८	Power Controller/ Power Supplies/ UPVC Conduit Pipe/ Fittings	100	103
९	Solar Power & Supplies	104	105
<b>ग</b>	<b>SANITARY WORK</b>		
१	Sanitary Ware (Commode/ Bidet/ Urinal/ Wash Basin/ Sink)	106	107
२	Stainless Steel Accessories/ CP Accessories	108	111
३	Stainless Steel Accessories/ CP Accessories/ Geysers	108	112
४	CI Manhole Cover/ Water Tank/ Pumps	112	115
५	Fire Extinguisher/ Bath Tub	115	116

Handwritten signatures and initials at the bottom of the page.



५५

६	PPR Pipes & Fittings	116	122
७	CPVC Pipes & Fittings	122	125
८	MS Pipes/ Underground Piping System	125	127
९	PVC Pipes & Fittings	127	131
१०	Rain Water Collection System	131	135
११	UPVC Drain Waste & Vent System/ Underground Piping System	135	138
१२	Multilayer Composite Pipe & Fittings (Cold Water/ Hot Water)	138	141
१३	PVC Pipes for Boring/ RCC Hume Pipe	141	143
१४	HDPE / UPVC / PVC Pipes & Fittings	144	146
१५	GI Pipes & Fittings/ RCC Ring for Well/ Metal Frame & RCC Cover	146	153
१६	Accessories for Deep Boring	154	
१७	Sanitary Tools	155	156
१८	Anaerobic Treatment for Waste Water/ Irrigation Works/ Sprinkler & Accessories	157	158
घ	वायो-इन्जिनियरिङ्ग एवं अन्य मालसामान सम्बन्धि दर (Bio-Engineering)		
१	भु-संरक्षण सम्वन्धी कार्य (Grass Seeds/ Vegetation/ बन कार्यालयबाट सम्पादन गरिने कार्यहरु)	159	162
२	पशु सेवा कार्यालयबाट सम्पादन गरिने कार्यहरु	162	163

५५

५५

५५

५५



Handwritten signature or initials.

यस जिल्लाको स्थानीय स्तरमा उपलब्ध हुने श्रम, सिपको स्तर, श्रमीकको उमेर ( १६ बर्ष पुगेको ) र दैनिक काम गर्ने अवधि ( ८ घण्टा ) लाई आधार मानि आ.व. २०७९/८० को लागि कायम गरिएको कामदारको ज्याला दर, ढुवानी दर, मेसिन तथा उपकरणको भाडा दरलाई बजारमा उपलब्ध हुन सक्ने अवस्थाको अध्ययन र विश्लेषण गरी समय सापेक्ष संसोधन गर्नुपर्ने भएकोले आ.व. २०८०/०८१ को लागि निम्न अनुसारको ज्याला दर, ढुवानी र मेसिन उपकरणहरूको भाडा निर्धारण गर्ने निर्णय गरियो ।

सि.नं.	विवरण	ईकाई	आ.व.			कैफियत
			०७८/०७९	०७९/०८०	०८०/०८१	
१	दक्ष कामदार (Skilled Labour)					
क	ब्ल्याटर	प्रति दिन प्रति व्यक्ति	१०५०	११५०	११५०	
ख	रक डिलर/हेभी ड्राईभर /वेल्डर /प्लम्बर /विष्फोटक पदार्थ ढुवानी गर्ने ज्यामी/डकर्मी/नकर्मी/सिकर्मी/बज्रकर्मी/चित्रकारी/हेभी सिनियर अपरेटर/अटो मेकानिक्स/इल क्टिसियन	प्रति दिन प्रति व्यक्ति	९५०	११००	११००	
२	अर्द्धदक्ष कामदार (Semi Skilled Labour)					
क.	अर्द्धदक्ष कामदार (Semi Skilled Labour)	प्रति दिन प्रति व्यक्ति	८००	९००	९००	
३	अदक्ष कामदार (Unskilled Labour)					
क	ज्यामी/भरीया/ज्यामी नाईके/ जुनियर अपरेटर /उल्फेरक/ /हेभी हेल्पर /सर्भ हेल्पर/अवाले /ईडा वनाउने/क्याम्पर वर्कर/साधारण हेल्पर/ल्याव व्याय /नर्सरी नाईके	प्रति दिन प्रति व्यक्ति	७५०	८४५	८५०	
ख	मौसम रेकर्डर / हेरालु/माली/चौकीदार/पियन पाले/चेन मैन/टेप मैन/स्टाफ मैन/हलुका कामदार/हेल्पर (गाडिको)	प्रति दिन प्रति व्यक्ति	६००	६६०	६६०	
ग	लेन्थ वर्करहरु (सडकमा काम गर्ने)	प्रति दिन प्रति व्यक्ति	६००	६६०	६६०	
घ	निर्माण सूपरभाइजर	प्रति दिन प्रति व्यक्ति	६००	६६०	६६०	
घण	निर्माण सूपरभाइजर प्राविधिक एस.ल.सी वा सो सरह	प्रति दिन प्रति व्यक्ति		७००	७००	
ड	लाईट ड्राईभर	प्रति दिन प्रति व्यक्ति	७००	८००	८००	
च	प्याच वर्कर (Patch Worker)	प्रति दिन प्रति व्यक्ति	६५०	७२०	७२०	
छ	लेन्थ वर्कर सूपरभाइजर	प्रति दिन प्रति व्यक्ति	६५०	७२०	७२०	
ज	मेहत्तर / स्वीपर (भाडू लगाउने)	प्रति दिन प्रति व्यक्ति	५५०	६००	६००	

नोट: माथि उल्लेख नभएका अन्य सबै पद / श्रेणीका ज्यालाधारी कर्मचारी / कामदारहरूको हकमा सम्बन्धित पद/ श्रेणीको लागि नेपाल सरकारको वा सम्बन्धित संस्थानको प्रचलित तलब मानलाई ३० ले भाग गर्दा हुन आउने रकमलाई दैनिक ज्यालादर मान्नुपर्ने छ ।

धादिङ्ग जिल्लाको लागि आर्थिक बर्ष ०८०/०८१ मा लागु हुने गरी देहाय अनुसारको मेसिन उपकरण र ढुवानी दर कायम गर्ने निर्णय गरियो ।

ढुवानी ज्याला						
सि.नं.	विवरण	ईकाई	०७८/०७९	०७९/०८०	०८०/०८१	कैफियत
१	जिल्ला भित्र भरिया द्वारा सामान ढुवानी					
क.	सजिलो सामानहरु (सिमेन्ट, गिट्टी, ईटा, माटो, बालुवा आदी)	प्रतिकि.मी./ क्वीन्टल	११०	११०	११०	घोडा खच्चडबाट

Handwritten signature or initials.

Four handwritten signatures or initials at the bottom of the page.



Handwritten signature

			१४५	१४५	भरिया
ख.	असजिलो सामानहरु (टुटफुट हुने समेत) जस्तै जस्तापाता, डण्डी, जि.आई. तथा कालो पाईपहरु, आईरन एल, ग्लास, सटरहरु, ट्रेस, ऐना, बाथरुमका फुटने सामानहरु	प्रतिकि.मी./ क्वीन्टल	१४५	१४५	घोडा खच्छवाट
			२२०	२२०	भरिया
ग.	अति असजिलो सामानहरु जस्तै भो.पू. का लठठाहरु, टान्सफर्मर, बिजूलिका पोलहरु	प्रतिकि.मी./ क्वीन्टल	२२०	२२०	घोडा खच्छवाट
			३३०	३३०	भरिया
२.	टुक वा टुयाक्टरवाट ढुवानी (लोड अनलोड बाहेक)	ईकाई	०७८/०७९	०७८/०८०	०८०/०८१
क.	पक्की सडक सामान ढुवानी	प्रति कि.मी./ क्वीन्टल	३	३.३	३
ड.	कच्ची सडक सामान ढुवानी	प्रति कि.मी./ क्वीन्टल	९	१०	१०
घ.	टुयाक्टर मात्र चल्ने सडकमा टुयाक्टर वाट ढुवानी	प्रति कि.मी./ क्वीन्टल	१२	१३	१३
३.	टुक वा टुयाक्टरवाट आयतन वाला सामानहरु जस्तै पोलिथिन टैक, पाईप आदि हलुको सामान तथा अति असजिलो सामानहरु ढुवानी (लोड अनलोड बाहेक)				
क.	पक्की सडक सामान ढुवानी	प्रति कि.मी./ टुक	११८	१२०	१२०
ड.	कच्ची सडक सामान ढुवानी	प्रति कि.मी./ टुक	२५६	२६०	२६०
४.	लोड अनलोड				०
क.	सजिलो सामानहरु (सिमेन्ट, गिट्टी, ईट्टा, माटो, वालुवा आदी)	प्रति केजी.	०.४०	०.४५	०
ख.	असजिलो सामानहरु (टुटफुट हुने समेत) जस्तै जस्तापाता, डण्डी, जि.आई. तथा कालो पाईपहरु, आईरन एल, ग्लास, सटरहरु, ट्रेस, ऐना, बाथरुमका फुटने सामानहरु	प्रति केजी.	१	१.१०	१
५.	इन्धनको हकमा नेपाल आयल निगमको स्वीकृत दररेटको आधारमा हुनेछ।				

गाडी / हेवी ईक्विपमेन्टको स्वीकृत भाडा दररेट (०८०/०८१)

नोट : मेसिन उपकरणहरुको भाडा सडक विभागको दरलाई आधार मान्ने निर्णय गरियो। सडक विभागबाट उल्लेखित दर रेटमा संसोधन भएमा समेत संसोधित दररेट लाई कायम गर्ने निर्णय गरियो।

Handwritten signatures

Handwritten signature



धादिङ्ग जिल्लाको लागि आर्थिक बर्ष ०८०/८१ मा लागु हुने गरी देहाय अनुसारको विषयमा तपशिल अनुसारको दर कायम गर्ने निर्णय गरियो ।

भवन निर्माणमा प्रयोग हुने सामग्री

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
१	नेपालबाट उत्पादित बिभिन्न ओ.पि.सि सिमेन्ट	ब्याग	७५५.००	७५०.००	७००.००	
२	नेपालबाट उत्पादित बिभिन्न पि.पि.सि सिमेन्ट	ब्याग	६८०.००	६७५.००	६००.००	
३	सेतो सिमेन्ट (40kg/bag)	ब्याग	१२३०.००	१२२५.००	१२२५.००	
४	<b>Ready Mix Concrete</b>					
	M 15 Grade	घ. मि	१४०००.००	१४०००.००	१४०००.००	
	M 20 Grade	घ. मि	१४५००.००	१४५००.००	१४५००.००	
	M 25 Grade	घ. मि	१५५००.००	१५५००.००	१५५००.००	
	M 30 Grade	घ. मि	१६३००.००	१६३००.००	१६३००.००	
	M 35 Grade	घ. मि	१७६००.००	१७६००.००	१७६००.००	
	M 40 Grade	घ. मि	१८१००.००	१८१००.००	१८१००.००	
५	स्टेनलेस स्टील रेलीङ्गको कार्य- २ इन्च पाईपको ठाडो पोष्ट, २ इन्चको हेण्डरेल तथा १ इन्च व्यासको तिन तह तेसा पाईप राखी तयार गरि जडान गर्ने काम (उचाई ९० से.मि.)	र.फी.	१२००.००	१२२५.००	१२२५.००	
६	स्टेनलेस स्टील रेलीङ्गको कार्य- २ इन्च पाईपको ठाडो पोष्ट, हेण्डरेल २ इन्च तथा १ इन्च व्यासको दुई तह तेसा पाईप राखी तयार गरि जडान गर्ने काम	र.फी.	१०५०.००	१०७०.००	१०७०.००	
७	स्टेनलेस स्टील रेलीङ्गको कार्य- १.५ इन्च पाईपको ठाडो पोष्ट, हेण्डरेल २ इन्च तथा १ इन्च व्यासको तिन तह तेसा पाईप राखी तयार गरि जडान गर्ने काम	र.फी.	९५०.००	९७०.००	९७०.००	
८	<b>सादा सेतो सिसा</b>					
	३ मी.मी.	व.फि.	५२.००	५३.००	५३.००	
	३.५ मी.मी.	व.फि.	५९.००	६०.००	६०.००	
	४ मी.मी.	व.फि.	६८.००	६९.००	६९.००	
	५ मी.मी.	व.फि.	७८.००	७९.००	७९.००	
	६ मी.मी.	व.फि.	१०३.००	१०५.००	१०५.००	
	८ मी.मी.	व.फि.	१५३.००	१५६.००	१५६.००	
	१० मी.मी.	व.फि.	१९३.००	१९६.००	१९६.००	
	१२ मी.मी.	व.फि.	२२३.००	२२७.००	२२७.००	
९	<b>बुट्टेदार सिसा</b>					
	३.मी.मी.	व.फि.	५१.४१	५२.००	५२.००	
	४ मी.मी.	व.फि.	५९.६५	६०.००	६०.००	
१०	<b>पोलि फाईवर ग्लास</b>					
	६ मी.मी.	व.फि.	१५७.५०	१६०.००	१६०.००	
११	<b>कालो सिसा</b>					
	३.मी.मी.	व.फि.	९९.००	१००.००	१००.००	
	४ मी.मी.	व.फि.	१०६.००	१०८.००	१०८.००	
	५ मी.मी.	व.फि.	१२३.००	१२५.००	१२५.००	

## भवन निर्माणमा प्रयोग हुने सामग्री



१६/१

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
	६ मी.मी.	व.फि.	१८३.००	१८६.००	१८६.००	
	८ मी.मी.	व.फि.	२५३.००	२५८.००	२५८.००	
	१० मी.मी.	व.फि.	३५३.००	३६०.००	३६०.००	
	१२ मी.मी.	व.फि.	४०३.००	४११.००	४११.००	
१२	Tinted Float glass बाहिर बाट नदेखिने भित्रबाट देखिने					
	५ मि.मि बाक्लो	व.फि.	११९.००	१२१.००	१२१.००	
१३	छानामा प्रयोग गरिने बुट्टेदार ऐना Itching Glass with simple shade and texture -४ मी.मी. बाक्लो	व.मि.	६२०३.००	६३२७.००	६३२७.००	
१४	विभिन्न रंगको Reflector Glass (शिशु) -५ मी.मी मोटो	व.फि.	१८७.००	१९०.००	१९०.००	
१५	Readymade Plaster of Parish cornice and molding					
	POP Molding 1" to 1½"	र.मि	२३८.००	२३८.००	२३८.००	
	Up to 5" wide	र.मि	२८५.००	२८५.००	२८५.००	
	Up to 8" wide	र.मि	३९३.००	३९३.००	३९३.००	
	Above 8" wide	र.मि	१६१.००	१६१.००	१६१.००	
१६	Plaster of paris	कि.ग्रा.	२३.००	२३.००	२३.००	
१७	Wall putty-Normal	कि.ग्रा.	३५.००	३५.००	३५.००	
१८	Wall putty-water proof	कि.ग्रा.	६०.००	६०.००	६०.००	
१९	राजस्थानी मार्बल					
	१३ मी.मी बाक्लो राजस्थानी	व.फि.	१६०.००	१६५.००	१६५.००	
	१६ मी.मी बाक्लो राजस्थानी	व.फि.	१७५.००	१८०.००	१८०.००	
२०	ग्रेनाइट					
	१२ मी.मी बाक्लो ग्रेनाइट	व.फि.	३१५.००	३१५.००	३१५.००	
	१६ मी.मी बाक्लो ग्रेनाइट	व.फि.	३३५.००	३३५.००	३३५.००	
	१८ मी.मी बाक्लो ग्रेनाइट	व.फि.	३७६.००	३७६.००	३७६.००	
२१	कोटा स्टोन					
	1" thick	व.फि.	१४२.००	१४४.००	१४४.००	
	3/4" thick	व.फि.	१३०.००	१३२.००	१३२.००	
२२	Porcelain Glazed Tiles					
	Thai Tiles(cotto tile)	व.फि.	१२६.००	१२६.००	१२६.००	
	Kajaria, Vermura,Somany, Orient Tile or equivalent floor tile	व.फि.	८५.००	८५.००	८५.००	
	Ordinary Floor and Wall tiles	व.फि.	५४.००	५४.००	५४.००	
	Border Tile - 2"x8"	र.फि.	४३.००	४३.००	४३.००	
	Indian Ceramic Wall Tile (31*45cm)	व.फि.	१८०.००	१८०.००	१८०.००	
	Indian Ceramic Floor Tile (31*45cm)	व.फि.	१५०.००	१५०.००	१५०.००	
	24" x 24" GVT	व.फि.	१६५.००	१६५.००	१६५.००	

१६/१


१६/१

१६/१

१६/१

१६/१

## भवन निर्माणमा प्रयोग हुने सामग्री



सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
	24" x 24" GRES Vertified ( Digital Floor)	व.फि.	१४४.००	१४४.००	१४४.००	
	12" x 12" GRES homogenous Vertified parking Tile	व.फि.	१०६.००	१०६.००	१०६.००	
	24" x 24" Vertified	व.फि.	१११.००	१११.००	१११.००	
	Floor tiles-Kajaria, Vermura, Somany, Orient or equivalent					
	16"X16"	व.फि.	९८.००	९८.००	९८.००	
	12"x12"	व.फि.	८८.००	८८.००	८८.००	
	12"X12" (White / Ivory)	व.फि.	७७.००	७७.००	७७.००	
	24"x24" (Digital)	व.फि.	१२९.००	१२९.००	१२९.००	
	12"x24" (Walls)	व.फि.	१३४.००	१३४.००	१३४.००	
	12"x18"(wall)	व.फि.	१०३.००	१०३.००	१०३.००	
२३	<b>छानामा टाइलको बुझा काट्ने र पानी पट्टी कार्य</b>					
	१.४ भागको मिश्रणको सिमेन्ट मसला तयार गरि खट राखि १" बाक्लो प्लाष्टरमा रुफिड टाइलको बुझा काट्ने सामान सहित	व.मि.	६२३.००	६३५.००	६३५.००	
	१" साइजको १:३ भागको मिश्रणको मसला तयार गरि खट राखि वर्षादको पानी पट्टी बनाउने काम	र.मी	७५.००	७६.००	७६.००	
२४	<b>Plaster of Parish (POP) cornice and molding making die, casting of cornice as per design and drawing including fixing in position using steel screws on resin glue finishing all complete.</b>					
	a) POP Molding 1" to 1½"	र.मि	२३८.००	२३८.००	२३८.००	
	b) Up to 5" wide	र.मि	२८५.००	२८५.००	२८५.००	
	c) Up to 8" wide	र.मि	३९३.००	३९३.००	३९३.००	
	d) Above 8" wide	र.मि	१६१.००	१६१.००	१६१.००	
२४.१	<b>रंगरोगनका सामानहरु</b>					
	(क) कृषि चुनबाट उत्पादित सेतो चुन	के.जि.	१९.००	१९.००	१९.००	
	(ख) विभिन्न प्रकारको रंगिन चुन	"	३६.००	३६.००	३६.००	
	(ग) विभिन्न प्रकारको भारतीय चुन रंगिन	"	३९.००	३९.००	३९.००	
	(घ) सिमेन्ट पेन्ट (Cement Paints)	के.जि.	७४.००	७४.००	७४.००	
	(थ) सिमेन्ट प्राइमर सेतो	"	२६८.००	२६८.००	२६८.००	
	(छ) उड प्राइमर (Wood Primer)	लिट्र	३७६.००	३७६.००	३७६.००	
	(ड) साधारण सेन्थेटिक इनामेल पेन्ट	लिट्र	५२५.००	५२५.००	५२५.००	
	(च) नेपाल रेडको म्याट फिनिसिङ्ग	लिट्र	५०६.००	५०६.००	५०६.००	
	(ज) कोरुगेटेड रुफ Paint	"	४७६.००	४७६.००	४७६.००	
	(झ) तयारी अल्मुनियम पेन्ट	"	४५६.००	४५६.००	४५६.००	
	(ञ) तयारी वार्नेस	"	४४०.००	४४०.००	४४०.००	
	(ट) तयारी वार्नेर सेन्थेटिक	"	३४०.००	३४०.००	३४०.००	
	(ठ) भारतीय थिनर	"	२३१.००	२३१.००	२३१.००	

Handwritten signatures and initials at the bottom left of the page.

Handwritten signature at the bottom right of the page.

## भवन निर्माणमा प्रयोग हुने सामग्री




५८५

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
	ड) उड एण्ड ग्लास पुटिन	के.जी	१३१.००	१३१.००	१३१.००	
	ढ) मेटल पुटिन	"	१५५.००	१५५.००	१५५.००	
	ण) चुना पेन्ट गर्न राख्ने गम	"	२०३.००	२०३.००	२०३.००	
	त) नेपाली थिनर	लिटर	२१८.००	२१८.००	२१८.००	
	(द) तारपिन तेल	"	२१४.००	२१४.००	२१४.००	
	(ध) रेड अक्साइड पेन्ट (Red oxide Paint)	"	२६२.००	२६२.००	२६२.००	
२४.२	<b>Plaster of Parish (POP) cornice and molding making die, casting of cornice as per design and drawing including fixing in position using steel screws on resin glue finishing all complete.</b>					
	a) POP Molding 1" to 1½"	र.मि	२९०.३४	२९०.३४	२९०.३४	
	b) Up to 5" wide	र.मि	२९२.६०	२९२.६०	२९२.६०	
	c) Up to 8" wide	र.मि	२९४.८५	२९४.८५	२९४.८५	
	d) Above 8" wide	र.मि	२९७.११	२९७.११	२९७.११	
२४.३	<b>रंगरोगनका सामानहरू</b>					
	(क) कृषि चुनबाट उत्पादित सेतो चुन	के.जि.	३०१.६२	३०१.६२	३०१.६२	
	(ख) विभिन्न प्रकारको रंगिन चुन	"	३०३.८८	३०३.८८	३०३.८८	
	(ग) विभिन्न प्रकारको भारतिय चुन रंगिन	"	३०६.१३	३०६.१३	३०६.१३	
	(घ) सिमेन्ट पेन्ट (Cement Paints)	के.जि.	३०८.३९	३०८.३९	३०८.३९	
	(थ) सिमेन्ट प्राइमर सेतो	"	३१०.६५	३१०.६५	३१०.६५	
	छ) उड प्राइमर (Wood Primer)	लिटर	३१२.९०	३१२.९०	३१२.९०	
	(ड) साधारण सेन्थेटिक इनामेल पेन्ट	लिटर	३१५.१६	३१५.१६	३१५.१६	
	च) नेपाल रेडको म्याट फिनिसिङ्ग	लिटर	३१७.४२	३१७.४२	३१७.४२	
	(ज) कोरुगेटेड रुफ Paint	"	३१९.६७	३१९.६७	३१९.६७	
	(त्र) Plaster of Parish (POP)	के.जि.	२३.००	२३.००	२३.००	
	wood keeper (chapara type )	लि.	५५०.००	५५०.००	५५०.००	
	Bridge	लि.	४६३.००	४६३.००	४६३.००	
	Silk Breathless easy	लि.	१२१६.००	१२१६.००	१२१६.००	
	Road divider ( polythene )	गोटा	१६२२.००	१६२२.००	१६२२.००	
	Dust bin ( polythene ) 165 ltr	गोटा	३०८३.००	३०८३.००	३०८३.००	
	<b>Wall putty Epoxy flooring</b>					
	wall plast wall putty (40kg)	Bag	१३०६.००	१३०६.००	१३०६.००	
	2mm Epoxy Floor coating with Ultrafresh -OPD ( 4layer & 5 component	व.मी.	२०८२.००	२०८२.००	२०८२.००	
	2mm Epoxy Antistatic Floor coating for OT( ( 4 layer & 9 component	"	३६८८.००	३६८८.००	३६८८.००	

५८५

भवन निर्माणमा प्रयोग हुने सामग्री



सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
	Epoxy Paint for Operation theater	"	११५०९.००	११५०९.००	११५०९.००	
२४.४	<b>Decorative Painting Material Acro &amp; equivalents</b>					
	<b>Specialized paints(Dr. wallz)</b>					
१	Acro Bio-guard (Anti bacterial Hospital Paint)	लिटर	१०९९.००	१०९९.००	१०९९.००	
२	carbonisation paint)	"	७६२.००	७६२.००	७६२.००	
	<b>Texture paints</b>					
१	Mediterrano	के.जि	१७६.००	१७६.००	१७६.००	
२	Stucco Veneziano	"	१६३९.००	१६३९.००	१६३९.००	
३	Velvetino	"	४३०५.००	४३०५.००	४३०५.००	
४	Travertino	"	४१२.००	४१२.००	४१२.००	
५	Gtone plaster	"	१२१.००	१२१.००	१२१.००	
६	Colorato (Multi color)	"	९२१.००	९२१.००	९२१.००	
७	Pearl skin texture	"	१४९.००	१४९.००	१४९.००	
८	TS 52 Spray white	"	१९९.००	१९९.००	१९९.००	
९	Rustic	"	१५९.००	१५९.००	१५९.००	
१०	Rockart	लिटर	१५९.००	१५९.००	१५९.००	
११	Manhattan	के.जि	२३८.००	२३८.००	२३८.००	
१२	Sabbia	के.जि	२३८.००	२३८.००	२३८.००	
१३	Sandy Stone	के.जि	१७४.००	१७४.००	१७४.००	
१४	Insulplast	के.जि	२३७.००	२३७.००	२३७.००	
१५	Poly Under White	के.जि	२६४.००	२६४.००	२६४.००	
१६	Antica(Top coat)	के.जि	१२६७.००	१२६७.००	१२६७.००	
१७	T.C 100(Top coat)	के.जि	७२८.००	७२८.००	७२८.००	
१८	Dekorica White	के.जि	२६३१.००	२६३१.००	२६३१.००	
१९	Poly Plaster	के.जि	१०७.००	१०७.००	१०७.००	
२०	Granite tone	के.जि	१६५.००	१६५.००	१६५.००	
२१	Graffiato	के.जि	१५९.००	१५९.००	१५९.००	
२२	Elligance stone	के.जि	१८९.००	१८९.००	१८९.००	
२३	Marmorino Base	के.जि	४१२.००	४१२.००	४१२.००	
२४	Acro fine	लिटर	१८१.००	१८१.००	१८१.००	
२५	Marmocastro base	के.जि	१३९.००	१३९.००	१३९.००	
२६	Selva Granite	"	२१५.००	२१५.००	२१५.००	
२७	Romart	"	२३९.००	२३९.००	२३९.००	
	<b>Weathercoat paints</b>					
१	Guard	लिटर	५०३.००	५०३.००	५०३.००	
२	Guard -3x	"	५८८.००	५८८.००	५८८.००	

*(Handwritten signatures)*

*(Handwritten signature)*

भवन निर्माणमा प्रयोग हुने सामग्री




सि.फ.

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
३	Shield	"	३२२.००	३२२.००	३२२.००	
४	Acrotex matt	"	५१०.००	५१०.००	५१०.००	
५	Ext wall Primer	"	२३८.००	२३८.००	२३८.००	
	Emulsion Paints					
१	Silk Emulsion paints	"	५२२.००	५२२.००	५२२.००	
२	Aqualin Int.Emulsion	"	२८०.००	२८०.००	२८०.००	
३	Pearl Emulsion paints	"	७७२.००	७७२.००	७७२.००	
४	Int. wall Primer	"	१७२.००	१७२.००	१७२.००	
	Acrylic Washable Distemper	"	१४२.००	१४२.००	१४२.००	
	Acro gold Enamel	"	५१२.००	५१२.००	५१२.००	
	Universal primer ( wood primer)	"	३१३.००	३१३.००	३१३.००	
	Red oxide metal primer	"	२७६.००	२७६.००	२७६.००	
	Construction Chemical / waterproof coating system					
	crack sill	"	३८७.००	३८७.००	३८७.००	
	crack fill A+B	"	१७०.००	१७०.००	१७०.००	
	Silicon Bases water repellent impregnation					
	Acropreg	"	४६६.००	४६६.००	४६६.००	
	Acropreg W	"	६१९.००	६१९.००	६१९.००	
	Wall putty	के.जि	३९.००	३९.००	३९.००	
२४.५	<b>Acro Texture ISO certified 9001-2008 ( Silicone &amp; Ceramic technology / All weather resistance / Fire retardant / Heat reflecting / Algae &amp; Fungi resistant / Ultra violet resistant) for painting works</b>					
१	Acro Spanezia maestro finishes texture					
१.१	Mediterrano texture	ब.फि	१२८.००	१२८.००	१२८.००	
१.२	Traventino texture	"	१९५.००	१९५.००	१९५.००	
१.३	Velvetino texture	"	१६७.००	१६७.००	१६७.००	
१.४	Gtone plaster and Colorato texture(Multicolour texture)	"	१३३.००	१३३.००	१३३.००	
१.५	Stucco veneziano texture	"	१४०.००	१४०.००	१४०.००	
१.६	Pearl skin texture	"	१२०.००	१२०.००	१२०.००	
१.७	Marmorino texture	"	१५६.००	१५६.००	१५६.००	
२	Acro texture					
२.१	Acro spray flat/Acro spray dews texture	"	७५.००	७५.००	७५.००	
२.२	Featherglow/Royal touch/Superfine/Ceratex texture	"	७४.००	७४.००	७४.००	
२.३	Rustic texture	"	९९.००	९९.००	९९.००	

सि.फ. [Signatures]

सि.फ.

भवन निर्माणमा प्रयोग हुने सामग्री




सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
२.४	Rockart texture	"	९३.००	९३.००	९३.००	
२.५	Graffiato texture	"	१०३.००	१०३.००	१०३.००	
२.६	Marmocastro texture	"	९०.००	९०.००	९०.००	
२.७	Marmoplast texture	"	९०.००	९०.००	९०.००	
२.८	Sabbia texture	"	११२.००	११२.००	११२.००	
२.९	Manhattan texture	"	११२.००	११२.००	११२.००	
२.९	Sandy stone texture	"	१५४.००	१५४.००	१५४.००	
२.९१	Selva Granite texture	"	११६.००	११६.००	११६.००	
२.९२	Elligance stone texture	"	१०७.००	१०७.००	१०७.००	
२.९३	Granite tone texture	"	९८.००	९८.००	९८.००	
२.९४	Romaart texture	"	१२४.००	१२४.००	१२४.००	
२.९५	Insulplast texture	"	१३५.००	१३५.००	१३५.००	
३	Acro Bio-guard (Hospital Paint)	"	५४.००	५४.००	५४.००	
४	Acro Ellastocarb(anti carbonisation)	"	३८.००	३८.००	३८.००	
१	<b>EXTERIOR SURFACE WEATHERCOAT PAINTS</b>					
	1.ACROGUARD 3X	ब.फि	२३.००	२३.००	२३.००	
	2. ACROGUARD	"	२१.००	२१.००	२१.००	
	3. ACROSHIELD	"	१७.००	१७.००	१७.००	
	4. ACROTEX MATT	"	३१.००	३१.००	३१.००	
२	<b>INTERIOR SURFACE EMULSION PAINTS</b>					
	1. ACROPEARL EMULSION PAINTS	ब.फि	२४.००	२४.००	२४.००	
	2. ACROSILK EMULSION PAINTS	"	२०.००	२०.००	२०.००	
	3. AQUALIN EMULSION PAINTS	"	१६.००	१६.००	१६.००	
	4. AQUALIN ACRYLIC WASHABLE DIS	"	११.००	११.००	११.००	
	5. ACRO GOLD ENAMEL PAINTS	"	१८.००	१८.००	१८.००	
२५	<b>UPVC Profile Door and Window/ Wall partition</b>					
	Supplying and installation of UPVC Profile: Sliding window frame 50*80mm; sash 58*36mm, Sliding Door frame 52*88; sash 80*42, Casement window frame 60*60mm:sash 60*78mm, Casement Door frame 60*60; sash 60*104mm white colour with reinforcement, 5mm thick clear float glass, insect net, patented standard hardware like: rollers, gaskets, brush seal, moon locks, push locks, drinage cover, etc.					
	<b>UPVC को भ्याल, ढोका तथा wall partition का निर्माण सामग्रीहरु</b>					
	i) Single glazing					
१	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm glass)	Sqm	७२१५.००	७३५९.००	७३५९.००	

Handwritten signatures and initials at the bottom left of the page.

Handwritten signature and initials at the bottom right of the page.

भवन निर्माणमा प्रयोग हुने सामग्री




सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
२	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm glass)	..	६६६४.००	६७९७.००	६७९७.००	
३	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	..	७४९३.००	७६४२.००	७६४२.००	
४	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	..	७४९३.००	७६४२.००	७६४२.००	
५	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	..	८२१४.००	८३७८.००	८३७८.००	
६	UPVC Single Door with full panel (frame 60*60 mm, sash 60*104 mm, white colour)	..	८३२८.००	८४९४.००	८४९४.००	
७	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	..	८८८४.००	९०६९.००	९०६९.००	
८	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm glass)	..	८८८४.००	९०६९.००	९०६९.००	
९	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm glass)	..	८६०६.००	८७७८.००	८७७८.००	
१०	UPVC Swing Door with half glass half uPVC panel (frame 60*60 mm)	..	९९९९.००	१०१९०.००	१०१९०.००	
११	UPVC 88x60mm Sliding white colour window with 5mm glass pannele	Sqm	८६२६.००	८७९८.००	८७९८.००	
११	UPVC 60x64mm white colour casement window with 5mm glass pannele	..	९७९६.००	९९९९.००	९९९९.००	
१२	UPVC 110x64mm x9mmthick board and 5mm tjick glass pannel white colour	..	१०३५३.००	१०५६०.००	१०५६०.००	
१२	UPVC 60x60mm x9mmthick white colour partition board with 5mm glass	..	१०७१७.००	१०९३९.००	१०९३९.००	

*(Handwritten signatures)*

*(Handwritten signature)*



भवन निर्माणमा प्रयोग हुने सामग्री




सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
१३	UPVC60x60mm white colour swing door with 5mm glass pannel	"	६७२७.००	६८६९.००	६८६९.००	
	ii) Double glazing					
१	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm double glass)	Sqm	९४३५.००	९६२३.००	९६२३.००	
२	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm double glass)	"	८९३५.००	९११३.००	९११३.००	
३	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	"	९७९८.००	९९१२.००	९९१२.००	
४	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	"	९७९८.००	९९१२.००	९९१२.००	
५	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	"	१०४३९.००	१०६४७.००	१०६४७.००	
६	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	"	१०५४७.००	१०७५७.००	१०७५७.००	
७	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm double glass)	"	१११०३.००	११३२५.००	११३२५.००	
८	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm double glass)	"	१०८२५.००	११०४९.००	११०४९.००	
९	Supply & fixing of 80*50 mm white colour casement window	"	९६१९.००	९८०३.००	९८०३.००	
२६	Prefab Panel for wall Partition solid wall panel (ESWP) or					
२६.१	Supply and erection of different mm th. cement base prefabricated Shera, thai gypsum,everst solid wall panel non asbestos including 1.1 mm thick GI channel (50*25*20) mm with necessary accessories and fittings charge in <b>partition wall</b> all complete					
	a)40 mm thick	Sqft	-			

Handwritten signatures and initials at the bottom left of the page.

Handwritten signature at the bottom right of the page.

भवन निर्माणमा प्रयोग हुने सामग्री




सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
	b)50 mm thick	..	२३२.००	२३६.००	२३६.००	
	c) 75 mm thick	..	२९४.००	२९९.००	२९९.००	
२६.२	False ceiling/ partition/ external cladding of everest or equivalent fibre designer board					
	Supplying, making, fixing of false ceiling with everest fibre designer board in E-grid	Sqft	९९.००	९२.००	९२.००	
	Supplying, making, fixing of 70mm thick exterior with full height of partirion with everest fibre cemnet board	Sqft	२७९.००	२७६.००	२७६.००	
	Supplying, making, fixing of 66mm thick exterior with full height of partirion with everest fibre cemnet board	Sqft	२३७.००	२४९.००	२४९.००	
	Supplying, making, fixing of 91mm thick exterior with full height of partirion with everest fibre cemnet board	Sqft	३०२.००	३०८.००	३०८.००	
	Supplying, making, fixing of external cladding with 9 mm HD/ 7.5mm everest sliding board	Sqft	२६६.००	२७९.००	२७९.००	
	Supplying, making, fixing of 50mm thick full height of partirion with everest RAPICON wall panels	Sqft	२९९.००	२९५.००	२९५.००	
	Supplying, making, fixing of 75mm thick full height of partirion with everest RAPICON wall panels	Sqft	२७९.००	२८४.००	२८४.००	
२६.३	6 mm thick Flex-O- Board (Water proof cement board) 6mm thick for false ceiling	Sqft	-	-	-	
२६.४	Cement board Aerocon C Board CK Birala , Everest or equivalent					
	6 mm thick	Sqft	३३.००	३३.००	३३.००	
	8 mm thick	Sqft	४९.००	४९.००	४९.००	
	10 mm thick	Sqft	५२.००	५३.००	५३.००	
	12 mm thick	Sqft	६२.००	६३.००	६३.००	
२६.५	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire					

*(Handwritten signatures)*


*(Handwritten signature)*

भवन निर्माणमा प्रयोग हुने सामग्री

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 2 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	३८९.००	३८८.००	३८८.००	
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 3 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	४१२.००	४२०.००	४२०.००	
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 4 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	५०९.००	५१९.००	५१९.००	
	Joint less false ceiling chanel 0.55mm thick flange of 20 mm and another flange 30mm ( conform to IS 4862 : 2000 ) all complete work Everest or equivalent	Sqft	१०९.००	१११.००	१११.००	
	Rapicon solid wall panel 50/75 mm thick conform to IS 14862 ( density more than 1200kg /m3) Everest or equivalent					
	50 mm thick	Sqft	२५५.००	२६०.००	२६०.००	
	75 mm thick	Sqft	३३७.००	३४३.००	३४३.००	
	External cladding with 9mm /7.5 mm siding board and GI steel frame work	Sqft	२७४.००	२७९.००	२७९.००	
	Full Height Partition (With 9mm thick Fiber Cement Heavy Duty Wall Board on exterior side and 10mm Standard FCB Interior side and 51mm G.I wall frame system) Exterior cum Interior Wall confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	२७८.००	२८३.००	२८३.००	
	Full Height Partition (With 8mm thick Fiber Cement Wall Board on both side and 51mm G.I wall frame system) Interior Wall confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	२४३.००	२४७.००	२४७.००	








सि.प.

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
१.०	सडक कालो पत्रे गर्ने कामको सामाग्रीहरु					
	i) ८०/१०० ग्रेडको विटुमीन					
	Bitumen VG-10	के.जी			११३.६	
	Bitumen VG-30	के.जी			११८	
	ii) CRMB-DIGO 55 Bitumen	"	९५	१०४	१०४	
	iii) Packed bitumen emulsion को काम					
	छिटो जम्ने (RS 60%)	"	७९	८६	१०२.४	
	छिटो जम्ने (RS 65%)	"	८४	९२	१०८.४	
	छिटो जम्ने (RS 70%)	"	८९	९७	११४.५	
	मध्यम जम्ने (MS 60%)	"	८०	८८	१०३.३	
	मध्यम जम्ने (MS 65%)	"	८६	९५	१०८.८	
	ढीलो जम्ने (SS60%)	"	८१	९०	१०४.६	
	Slurry Seal with 60% bitumen	"	९०	९९	१०७.९	
	Cut Back (MC 30)	"			१७९.४	
	Cut Back (MC 70)	"			१५४.४	
	Cut Back (MC 800)	"			१४६.१	
	Hi - seal Readymix	"			०	
	Polymer Bitumen	"			०	
	iv) सडक कालोपत्रे गर्दा विटुमीन नउष्कीनको लागी प्रयोग गर्ने सामान Anti stripping agent	"	३८१	४१८	४१८	
	v) कालोपत्रेमा विटुमीन कम प्रयोग गर्नको लागी राखिने Rubber Asphalt Modifier	"			०	
	vi) कालोपत्रे सडक Pot hole टालको लागी प्रयोग गरिने Pre-coated Aggregate सामाग्री	"	३२	३५	३५	
	vii) कालोपत्रे सडकमा रेखांकन गर्न प्रयोग गरिने Thermo Plastic Road marking सामाग्री				०	
	a) B.S. Grade	के.जि	१८२	२००	२००	
	b) Most Grade	"	२०१	२२०	२२०	
	c) Glass beads	"	१६५	१८०	१८०	
२.०	विभिन्न किसिमका काठहरु					
२.१	काठ					
	(क) विभिन्न साइजको स्थानीय सालकाठ	घ. फि	४५००	४७००	४७००	
	(ख) विभिन्न साइजको तराइको (अग्राख) सालकाठ	"	६०००	६२००	६२००	
	(ग) साज काठ	"	३०००	३०००	३०००	
	(घ) जामुन काठ	"	३०००	३०००	३०००	
	(ङ) सल्लाको काठ	"	१०००	१०००	१०००	
	(च) स्थानीय सिसौ काठ	"	२०००	२१००	२१००	
	(छ) जंगली सिसौ काठ	"	५०००	५२५०	५२५०	
	(ज) उतीस को काठ	"	-	-	०	
	झ) स्थानीय कुकाठ (फर्मा प्रयोजनको लागि Mixed wood)	घ. फि	१०००	१०००	१०००	

Handwritten signatures and initials on the left side of the page.

Handwritten signature or mark in the center of the page.

सि.प.




Handwritten signature

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
	(ज) काठ दाउरा	के.जी	१५	१५	१५	
२.२	कुँदिएको काठको काम तयारी					
	i) भन्याङ्गको रेलिङ्ग तथा बार्दली आदिमा कुँदिएको स्थानीय सीसौ काठको हुक्का (2'-6"x3"x3")	गोटा	८५०	८५०	८५०	
	ii) भन्याङ्गको रेलिङ्ग तथा बार्दली आदिमा कुँदिएको जंगली स्पेशल सीसौ काठको हुक्का (2'-6"x3"x3")	"	९००	९००	९००	
	iii) भन्याङ्गको रेलिङ्ग तथा बार्दली आदिमा कुँदिएको सीसौ काठको हेण्ड रेल (3"x4")	र.फि.	७५०	७५०	७५०	
	iv) भन्याङ्गको रेलिङ्गको घुम्ने ठाउँमा कुँदिएको सीसौ काठको गोलो हेण्ड रेल (3"x4")	गोटा	३३००	३३००	३३००	
	v) देवी देवताको मुर्ति कुँदिएको ४' देखि ५' लामो (३"x ८") साल काठमा टुँडाल बनाउने काम	"	१०१३९	१०१३९	१०१३९	
	vi) देवी देवताको मुर्ति कुँदिएको ६' देखि ७' लामो ( ३"x ८") साल काठमा टुँडाल बनाउने काम	"	११५८७	११५८७	११५८७	
	vii) विभिन्न बूट्टा तथा देवी देवताको मुर्ति कुँदिएको साल काठको भ्रूयाल ढोका बनाउने काम (खापाको माटाई ४० मि.मि. देखि ५० मि.मि. सम्म )	व.फि.	४५००	४५००	४५००	
	viii) घोडाको आकृति गरि कुँदिएको ४"x ५" साइजको ३' देखि ४' लामो साल काठको तयारी टुँडाल बनाउने काम	गोटा	५०६९	५०६९	५०६९	
	ix) सामान्य प्रकारको कुँदिएको सालको काठको आँखी भ्रूयाल तयारी	व.फि.	१०००	१०००	१०००	
	x) मध्यम प्रकारको कुँदिएको सालको काठको आँखी भ्रूयाल तयारी	"	१२००	१२००	१२००	
	xi) विशेष प्रकारको कुँदिएको सालको काठको आँखी भ्रूयाल तयारी लक सहीत	"	२३००	२३००	२३००	
	xii) विशेष प्रकारको कुँदिएको सालको काठको आँखी भ्रूयाल तयारी लक नभएको	"	१५००	१५००	१५००	
	xiii) ३"x १.५" साइजको सालको काठको कुँदिएको पली तयारी गर्ने काम	र.फि.	५५०	५५०	५५०	
	xiiii) कुँदिएको विभिन्न बूट्टा राखी बनाएको साल काठको ४"x ५"को कार्नेस बिम आदि तयारी गर्ने कार्य	"	१०००	१०००	१०००	
	xv) ४"x ५"को साल काठको नाग बूट्टा कुँदि तयारी गरी जडान गर्ने कार्य	"	८००	८००	८००	
३.०	<b>Wooden Parquet Flooring</b>				०	
	i)Shisam wood 150mm*30mm*8mm	व.फि.	१७४	१८०	१८०	
	ii)Wall panelling ( with wood frame) sisam wood. (75mm*16mm)	"	५८०	६१०	६१०	
४.०	विभिन्न मोटाईको प्लाइउडहरु					
५.०	<b>Commercial</b>					
	(क) ३ मी.मी	व.फि	१९	२०	२०	
	(ख) ३.५ मी.मी.	"	२२	२३	२३	
	(ग) ४ मी.मी	"	२४	२५	२५	
	(घ) ६ मी.मी	"	३८	४०	४०	
	(ङ) ८ मी.मी	"	४०	४२	४२	

Handwritten signatures

Handwritten signature

Handwritten signature



ह.प.


सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
	(च) १२ मी.मी	"	६०	६२	६२	
	(छ) १९ मी.मी B/B	"	९०	९४	९४	
	(ज) १८ मी.मी PLY	"	९५	१००	१००	
६.०	<b>P/F. Water Proof</b>				०	
	क) ४ मी.मी	व.फि	४०	४२	४२	
	ख) ६ मी.मी	व.फि	५५	५७	५७	
	ग) ८ मी.मी.	"	६०	६२	६२	
	घ) ९ मी.मी.	"	६६	६८	६८	
	(ड) १२ मी.मी	"	७६	७९	७९	
	च) १९ मी.मी PLY		१३६	१४०	१४०	
	छ) १९ मी.मी B/B	"	१०५	११०	११०	
७.०	<b>Natural Teak Plywood</b>					
	<b>One side lamination</b>					
	(क) ३ मी .मी	व.फि	५५.९	५६.०	५६	
	(ख) ४ मी. मी (Group Match of in 5 pcs)	"	७३.७	७५.०	७५	
	४ मी. मी (Regular)	"	६३.५	६५.०	६५	
	४ मी. मी (Crown)	"	४२.६	४४.०	४४	
	४ मी. मी (Beri)	"	४८.९	५०.०	५०	
	४ मी. मी (Whitest line)	"	३८.८	४०.०	४०	
	४ मी. मी (Beach)	"	४६.४	४८.०	४८	
	४ मी. मी (Recon 18 No.)	"	३६.२	३८.०	३८	
	(ग) ६ मी.मी	"			०	
८.०	<b>Ready made Door</b>					
८.१	<b>38 mm th. Redimade solid core door</b>					
	Plain	व.फि	२००.०	२१०.०	२१०	
	One side teak	"	२२५.०	२३०.०	२३०	
	Both side teak	"	२८०.०	२९०.०	२९०	
	One side teak waterProof	"	२५०.०	२६०.०	२६०	
	Both side teak waterProof	"	३२०.०	३३०.०	३३०	
८.२	<b>30 to 32 mm th. Redimade solid core door shutter</b>					
	Plain	व.फि	१९०.०	१९५.०	१९५	
	One side teak	"	२१०.०	२१५.०	२१५	
	Both side teak	"	२६०.०	२६५.०	२६५	
	One side teak waterProof	"	२२५.०	२३०.०	२३०	
	Both side teak waterProof	"	२९०.०	२९५.०	२९५	
८.३	<b>Ready made Teak wood Doors (Seasoned and Poisoned treated ) ( excluding the cost of fitting, transportation, Painting)</b>					
	Readymade door shutter Recon, ordinary (1 side teak)	Sqft	१९०.०	१९०.०	१९०	

ह.प.

ह.प.

ह.प.

ह.प.



Handwritten signature

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
	Readymade door shutter Recon, Special (1 side teak)	"	२५०.०	२५०.०	२५०	
	<b>If One side water proof ply fitting</b>					
	Readymade door shutter Recon, ordinary (1 side teak)	"	२१०.०	२१०.०	२१०	
	Readymade door shutter Recon, Special (1 side teak)	"	२८१.०	२८१.०	२८१	
८.४	<b>Wooden Listy</b>					
	1/2" wide	र.फि.	१४.०	१४.०	१४	
	3/4" wide	"	१८.०	१८.०	१८	
	1.5" wide	"	२९.०	२९.०	२९	
	Decorative	"	४०.०	४०.०	४०	
८.५	<b>Infill Material Thai Gypsum, Shera or equivalent</b>					
	Frame C - Studs( 0.55mm*0.75mm*3m)	गोटा	४१८.०	४३१.०	४३१	
	Frame U - Studs( 0.55mm*0.75mm*3m)	"	४१८.०	४३१.०	४३१	
	Board 9 mm	"	२,४४९.७	२,५२४.०	२५२४	
	Roofing Board 6mm (1.5mX.6m)	"	६७५.०	६९५.०	६९५	
	Fiber mess tape (for 90mm/roll)	"	३३०.०	३४०.०	३४०	
	PU sasuage rod	"	१,९८०.०	२,०३९.०	२०३९	
९	सादा तथा रंगिन जस्ता पाता (Plain/Corrugated Galvanized/Colour Iron Sheet)					
	(क) सेतो सादा जस्तापाता (G P Sheet)					
	0.2 mm (30 guage light)	बण्डल	४,१८०.०	४,४९३.००	४४९३	
	0.22 mm (30 guage Medium)	"	४,५६५.०	४,९०७.००	४९०७	
	0.24 mm (30 guage Heavy)	"	४,८९५.०	५,२६२.००	५२६२	
	0.26 mm (28 guage light)	"	५,११५.०	५,४९८.००	५४९८	
	0.28 mm (28 guage Medium)	"	५,५००.०	५,९१२.००	५९१२	
	0.31 mm (28 guage Heavy)	"	५,९९५.०	६,४४४.००	६४४४	
	0.35 mm (26 guage light)	"	६,६५५.०	७,१५४.००	७१५४	
	0.38 mm (26 guage Medium)	"	७,००९.२	७,५३४.००	७५३४	
	0.41 mm (26 guage Heavy)	"	७,६८०.२	८,२५६.००	८२५६	
	0.45 mm (24 guage light)	"	८,३३२.५	८,९५७.००	८९५७	
	0.50 mm (24 guage Medium)	"	९,१३०.०	९,८१४.००	९८१४	
	0.52 mm (24 guage Heavy)	"	९,४६०.०	१०,१६९.००	१०१६९	
	0.75 mm	"	१३,६१६.९	१४,६३८.००	१४६३८	
	(ख) रंगिन जस्तापाता					
	0.2 mm (30 guage light)	बण्डल	५,५१४.३	५,९२७.००	५९२७	
	0.22 mm (30 guage Medium)	"	५,८७५.१	६,३१५.००	६३१५	
	0.24 mm (30 guage Heavy)	"	६,२१६.१	६,६८२.००	६६८२	
	0.26 mm (28 guage light)	"	६,५४७.२	७,०३८.००	७०३८	
	0.28 mm (28 guage Medium)	"	६,९२७.८	७,४४७.००	७४४७	
	0.31 mm (28 guage Heavy)	"	७,५९२.२	८,१६१.००	८१६१	
	0.35 mm (26 guage light)	"	८,१४०.०	८,७५०.००	८७५०	

Handwritten signature

Handwritten signature

Handwritten signature

Handwritten signature


सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
	0.38 mm (26 guage Medium)	"	८,६४२.७	९,२९०.००	९२९०	
	0.41 mm (26 guage Heavy)	"	९,७३५.०	१०,४६५.००	१०४६५	
	0.45 mm (24 guage light)	"	१०,९०२.१	११,७१९.००	११७१९	
	0.50 mm (24 guage Medium)	"	१०,९०८.७	११,७२६.००	११७२६	
	0.52 mm (24 guage Heavy)	"	११,२७९.४	१२,१२५.००	१२१२५	
	0.75 mm	"	१५,८३२.३	१७,०१९.००	१७०१९	
	(ग) ग्याल्भानाइज्ड कोरुगेटेड जस्तापाता (CG I Sheet)					
	0.2 mm (30 guage light)	बण्डल	४,१९१.०	४,५०५.००	४५०५	
	0.22 mm (30 guage Medium)	"	४,५४३.०	४,८८३.००	४८८३	
	0.24 mm (30 guage Heavy)	"	४,८४०.०	५,२०३.००	५२०३	
	0.26 mm (28 guage light)	"	५,०६०.०	५,४३९.००	५४३९	
	0.28 mm (28 guage Medium)	"	५,४५१.६	५,८६०.००	५८६०	
	0.31 mm (28 guage Heavy)	"	६,१३२.५	६,५९२.००	६५९२	
	0.35 mm (26 guage light)	"	६,६१९.८	७,११६.००	७११६	
	0.38 mm (26 guage Medium)	"	७,१०६.०	७,६३८.००	७६३८	
	0.41 mm (26 guage Heavy)	"	७,५९२.२	८,१६१.००	८१६१	
	0.45 mm (24 guage light)	"	८,२५०.०	८,८६८.००	८८६८	
	0.50 mm (24 guage Medium)	"	९,०७५.०	९,७५५.००	९७५५	
	0.52 mm (24 guage Heavy)	"	९,४१६.०	१०,१२२.००	१०१२२	
	0.75 mm	"	१३,६१५.८	१४,६३६.००	१४६३६	
	(घ) जस्ता पाता को धुरी (Ridge Cover) Specified thickness are thickness of base metal.					
	0.20 mm	बण्डल	१,४३३.३	१,५४०.००	१५४०	
	0.22 mm	"	१,५६४.२	१,६८१.००	१६८१	
	0.24 mm	"	१,६६४.३	१,७८९.००	१७८९	
	0.26 mm	"	१,७४४.६	१,८७५.००	१८७५	
	0.28 mm	"	१,८६४.५	२,००४.००	२००४	
	0.31 mm	"	२,०२५.१	२,१७६.००	२१७६	
	0.35 mm	"	२,२४६.२	२,४१४.००	२४१४	
	0.38 mm	"	२,३५६.२	२,५३२.००	२५३२	
	0.41 mm	"	२,५७७.३	२,७७०.००	२७७०	
	(ङ) ४ फिट * ८ फिट को जि.आई. प्लेन सिट					
	1.1 mm	पिस	२,९२०.५	३,१३९.००	३१३९	
	0.90 mm	"	२,४०७.९	२,५८८.००	२५८८	
	0.80 mm	"	२,१९१.२	२,३५५.००	२३५५	
	0.75 mm	"	२,०४४.९	२,१९८.००	२१९८	
	0.70 mm	"	१,८९७.५	२,०३९.००	२०३९	
	0.62 mm	"	१,७०५.०	१,८३२.००	१८३२	
	0.55 mm	"	१,५२९.०	१,६४३.००	१६४३	






७५

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
	0.50 mm	"	१,९३६.०	२,०८१.००	२०८१	
	0.48 mm	"	१,३४३.१	१,४४३.००	१४४३	
	0.45 mm	"	१,२६५.०	१,३५९.००	१३५९	
	0.40 mm	"	१,१३३.०	१,२१७.००	१२१७	
	0.37 mm	"	१,०६७.०	१,१४७.००	११४७	
	0.35 mm	"	१,०१२.०	१,०८७.००	१०८७	
	0.30 mm	"	८९१.०	९५७.००	९५७	
	0.28 mm	"	८४२.६	९०५.००	९०५	
	च)४ फिट * ८ फिट को रङ्गिन प्लेन सिट					
	0.90 mm	पिस	२,६७७.४	२,८७८.००	२८७८	
	0.80 mm	"	२,३८५.९	२,५६४.००	२५६४	
	0.75 mm	"	२,२८८.०	२,४५९.००	२४५९	
	0.70 mm	"	२,१९०.१	२,३५४.००	२३५४	
	0.62 mm	"	१,९४७.०	२,०९३.००	२०९३	
	0.55 mm	"	१,८५०.२	१,९८८.००	१९८८	
	0.50 mm	"	१,६१७.०	१,७३८.००	१७३८	
	0.48 mm	"	१,५५७.६	१,६७४.००	१६७४	
	0.45 mm	"	१,५०९.२	१,६२२.००	१६२२	
	0.40 mm	"	१,३६२.९	१,४६५.००	१४६५	
	0.37 mm	"	१,२६५.०	१,३५९.००	१३५९	
	0.35 mm	"	१,२१६.६	१,३०७.००	१३०७	
	0.30 mm	"	१,०७५.८	१,१५६.००	११५६	
	0.28 mm	"	१,०२३.०	१,०९९.००	१०९९	
	<b>GI EXPANDED METAL MESH</b>					
	1.20 mm मोटाई र 3' चौडाई भएको जाली	र.मि.	११८.०	१२९.००	१२९	
	1.20 mm मोटाई र 4' चौडाई भएको जाली	"	१६४.०	१८०.००	१८०	
	1.00 mm मोटाई र 3' चौडाई भएको जाली	"	१००.०	११०.००	११०	
	1.00 mm मोटाई र 4' चौडाई भएको जाली	"	१३७.०	१५०.००	१५०	
	0.90 mm मोटाई र 3' चौडाई भएको जाली	"	९१.०	१००.००	१००	
	0.90 mm मोटाई र 4' चौडाई भएको जाली	"	४१०.०	१५१.००	१५१	
१०	<b>UPVC Roofing Sheet Sunrise or Equivalent brand (3mm thick)</b>					
	UPVC Roofing Sheet with PMMA coating & Mesh ( Regular )	व.मि.	१,४४०.०	१,४४०.०	१४४०	
	UPVC Roofing Sheet with PMMA coating & Mesh ( Tile )	"	१,४९६.०	१,४९६.०	१४९६	
	Ridge cover Regular Profile 1.10 R.m.	र.मि.	१,२८८.०	१,२८८.०	१२८८	
	Ridge cover Tile Profile 0.78 R.m.	"	१,२८८.०	१,२८८.०	१२८८	
	UPVC Clip	गोटा	२६.०	२६.०	२६	
	self tapping screw 3"	"	२६.०	२६.०	२६	
	self tapping screw 2.5"	"	१०.०	१०.०	१०	
	self tapping screw 2"	"	१०.०	१०.०	१०	
	self tapping screw 1.5"	"	८.०	८.०	८	





किं.

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
११	एल्युमिनियम प्लेट सिट					
	(क) २६ गोज	व.फि.	२९.०	२९.०	२९	
	(ख) ३० गोज	"	२७.०	२७.०	२७	

किं.

किं.

किं.

किं.

किं.

माटो तथा ढुङ्गाबाट निर्मित परम्परागत निर्माण सामग्रीहरू



११

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
	मठमन्दिरमा प्रयोग हुने ढुङ्गाका विभिन्न सामग्रीहरू					
१	कालो ढुंगाको बुटा सहितको थाम ६" X ९" X ६०"	प्रति गोटा	७००००.००	७००००.००	७००००.००	
२	कालो ढुंगाको बुटा सहितको थाम ६" X ९" X ६.६"	प्रति गोटा	१०५०००.००	१०५०००.००	१०५०००.००	
३	कालो ढुंगाको बुटा सहितको थाम १२" X १२" X ७.६"	प्रति गोटा	२४००००.००	२४००००.००	२४००००.००	
४	४" बाक्लो पेटी ढुंगा (१०" X ४")	फिट	८००.००	८००.००	८००.००	
५	४" बाक्लो नागोल ढुंगा (१०" X ४")	फिट	९००.००	९००.००	९००.००	
६	४" बाक्लो बूटेदारी कसिमो, कार्नेस र फ्यो (१०" X ४")	फिट	३७००.००	३७००.००	३७००.००	
७	कालो साइडल ढुंगा (इल्हो) (३०" X ३०" X १८")	प्रति गोटा	४००००.००	४००००.००	४००००.००	
८	Peti kuna Dhunga(19.9"*9"*18")	प्रति गोटा	२७२०.००	२७२०.००	२७२०.००	
९	Peti kuna Dhunga(10"*10"*14")	प्रति गोटा	१९००.००	१९००.००	१९००.००	
१०	Bichako naykha nhu	प्रति गोटा	९५०.००	९५०.००	९५०.००	
११	Dhungey dhara	प्रति गोटा	१३६०.००	१३६०.००	१३६०.००	
१२	Peti Dhunga 4"	प्रति गोटा	२४५०.००	२४५०.००	२४५०.००	
१३	Peti Dhunga 5"	मिटर	२९९०.००	२९९०.००	२९९०.००	
१४	Shree Ganesh/Kumar Dhunga ko Murti	प्रति गोटा	१३६०.००	१३६०.००	१३६०.००	
	ढुंगो धारा	गोटा	११५५.००	११५५.००	११५५.००	
	माटो वाट निर्मित परम्परागत निर्माण सामग्रीहरू					
१	Daachi Appa	गोटा	२५.००	२५.००	२५.००	
२	Daachi kuna	गोटा	३५.००	३५.००	३५.००	
२	Twa Aapa	गोटा	२७.००	२७.००	२७.००	
३	Gol Aapa	गोटा	२७.००	२७.००	२७.००	
४	Ganesh/kumar/tara/Panch Buddha	गोटा	३२०.००	३२०.००	३२०.००	
५	Kalash(4"x6")	गोटा	५३.००	५३.००	५३.००	
६	Kalash(9"x12")	गोटा	१५८.००	१५८.००	१५८.००	
७	Nagol	गोटा	२७.००	२७.००	२७.००	
	Nagol kuna	गोटा	४०.००	४०.००	४०.००	
८	Kashimo	गोटा	२७.००	२७.००	२७.००	
	Kashimo Kuna	गोटा	४०.००	४०.००	४०.००	
९	Sakuli	गोटा	२७.००	२७.००	२७.००	
	Sakuli Kuna	गोटा	४०.००	४०.००	४०.००	
१०	Paan butta	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
११	Sano Fa butta	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
१२	Thulo Fa butta	गोटा	२७.००	२७.००	२७.००	
	kuna	गोटा	४०.००	४०.००	४०.००	
१३	Naya fa butta	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
१४	Sano ga butta	गोटा	२७.००	२७.००	२७.००	

११

११

११

माटो तथा ढुङ्गाबाट निर्मित परम्परागत निर्माण सामग्रीहरू



सि.पि.

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
	Kuna	गोटा	४०.००	४०.००	४०.००	
१५	Thulo Ga butta	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
१६	pumha buta	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
१७	Tinkune swa	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
१८	Tinkune Pali	गोटा	२७.००	२७.००	२७.००	
	kuna	गोटा	४०.००	४०.००	४०.००	
१९	Sano swa butta	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
२०	Thulo swa Butta	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
२१	Nag tauko R/L	गोटा	१३२.००	१३२.००	१३२.००	
	Nag Ghati R/L	गोटा	७०.००	७०.००	७०.००	
	Nag Jiu	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
	Thulo Nag tauko R/L	गोटा	१३२.००	१३२.००	१३२.००	
	Nag Ghati	गोटा	७०.००	७०.००	७०.००	
	Thulo Nag Jiu	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
	Nag Male/Female	गोटा	५३०.००	५३०.००	५३०.००	
२२	Khal Nagol	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
२३	Khal Fyo	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
२४	Lahara butta	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
२५	Nagbeli	गोटा	२७.००	२७.००	२७.००	
	kuna	गोटा	४०.००	४०.००	४०.००	
२६	Mikhafushi mathi R/L	गोटा	३२.००	३२.००	३२.००	
	Mikhafushi mathi R/L Kuna	गोटा	३२.००	३२.००	३२.००	
	Mikhafushi mathi Bitch	गोटा	३२.००	३२.००	३२.००	
	Mikhafushi Tal R/L Kuna	गोटा	३२.००	३२.००	३२.००	
	Mikhafushi Tal R/L	गोटा	३२.००	३२.००	३२.००	
	Mikhafushi Tal Bitch	गोटा	३२.००	३२.००	३२.००	
२७	Palifo R/L	गोटा	२७.००	२७.००	२७.००	
	KUNa	गोटा	४०.००	४०.००	४०.००	
	Palifo Bitch	गोटा	४०.००	४०.००	४०.००	


सि.पि.

सि.पि.

सि.पि.

सि.पि.

माटो तथा ढुङ्गाबाट निर्मित परम्परागत निर्माण सामग्रीहरू



Handwritten signature/initials.

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
२८	Naya Palifo	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
२९	Shida Palifo	गोटा	२७.००	२७.००	२७.००	
	kuna	गोटा	४०.००	४०.००	४०.००	
३०	Thulo Palifo R/L	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
३१	Thulo Palifo Bitch	गोटा	२७.००	२७.००	२७.००	
३२	2" Singh	गोटा	३२.००	३२.००	३२.००	
३३	2" Garud	गोटा	३२.००	३२.००	३२.००	
३४	Dhalimo	गोटा	३२.००	३२.००	३२.००	
३५	3" Singh	गोटा	४२.००	४२.००	४२.००	
३६	3" Garud	गोटा	४२.००	४२.००	४२.००	
३७	3" singh full Jodiyako	गोटा	५३.००	५३.००	५३.००	
३८	3" Astmangal	गोटा	४२.००	४२.००	४२.००	
३९	3" Garud full	गोटा	५३.००	५३.००	५३.००	
४०	4" Singh	गोटा	५३.००	५३.००	५३.००	
४१	4" Garud	गोटा	५३.००	५३.००	५३.००	
४२	Twa fyo	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
४३	4" Astmangal	गोटा	५३.००	५३.००	५३.००	
४४	6" Singh	गोटा	१०५.००	१०५.००	१०५.००	
४५	6" Garud	गोटा	१०५.००	१०५.००	१०५.००	
४६	Chaal butta	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
४७	2" fyo	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
४८	4" fyo	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
४९	tara Butta Puralo	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
५०	Naya tara butta	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
५१	swafo tara	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
५२	Sikri butta	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
५३	Na Sikri	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
५४	Nhaya butta sano	गोटा	२७.००	२७.००	२७.००	

Handwritten signature/initials.

Handwritten signature/initials.

Handwritten signature/initials.

Handwritten signature/initials.

माटो तथा ढुङ्गावाट निर्मित परम्परागत निर्माण सामग्रीहरु


सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
	Kuna	गोटा	४०.००	४०.००	४०.००	
५५	Nhaya butta Thulo	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
५६	Gol Nagol	गोटा	२७.००	२७.००	२७.००	
	kuna	गोटा	४०.००	४०.००	४०.००	
५७	Ga swa butta	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
५८	Chandrama butta	गोटा	२७.००	२७.००	२७.००	
	kuna	गोटा	४०.००	४०.००	४०.००	
५९	Ga tha butta	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
६०	Bajra lahara	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

माटो तथा ढुङ्गाबाट निर्मित परम्परागत निर्माण सामग्रीहरू



१६९

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
६१	Simakacha	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
६२	methpau	गोटा	२७.००	२७.००	२७.००	
६३	Chir butta	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
६४	Thi butta	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
६५	32 No. swa	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
६६	Sano Ribbon	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
६७	Thulo Ribbon	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
६८	Bajra tara butta	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
६९	fa paliha swa	गोटा	६०.००	६०.००	६०.००	
७०	2" Tham	गोटा	५३.००	५३.००	५३.००	
७१	3" Tham	गोटा	६९.००	६९.००	६९.००	
७२	4" Tam	गोटा	१०५.००	१०५.००	१०५.००	
७३	Ga tara butta	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
७४	Full tara butta	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
७५	Meth	गोटा	५००.००	५००.००	५००.००	
७६	12" Tham Set	गोटा	१८९६.००	१८९६.००	१८९६.००	
७७	6"x6" teliya/ 6*6 tinkune	गोटा	२२.००	२२.००	२२.००	
७८	8*8 teliya	गोटा	३५.००	३५.००	३५.००	
७९	teliya nagol	गोटा	२५.००	२५.००	२५.००	
	kuna	गोटा	३७.००	३७.००	३७.००	
८०	Khoshi Kerafo	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
८१	teliya skating	गोटा	३७.००	३७.००	३७.००	
८२	Naya lahara butta	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
८३	kamal lahara	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
८४	Sano kera Fo	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
८५	Thulo kera fo	गोटा	२७.००	२७.००	२७.००	

१६९

१६९

१६९

१६९

माटो तथा ढुङ्गाबाट निर्मित परम्परागत निर्माण सामग्रीहरू



ह.प.

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
	Kuna	गोटा	४०.००	४०.००	४०.००	
८६	Dhalimo	गोटा	३२.००	३२.००	३२.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	

ह.प.

ह.प.

ह.प.

ह.प.



माटो तथा ढुङ्गाबाट निर्मित परम्परागत निर्माण सामग्रीहरू



सि.प.

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
८८	Illa butta	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
८९	Parda Butta Sano R/L	गोटा	२७.००	२७.००	२७.००	
	Kuna	गोटा	४०.००	४०.००	४०.००	
९०	Parda Butta Sano Bitch	गोटा	४०.००	४०.००	४०.००	
९१	Parda butta Thulo R/L	गोटा	२७.००	२७.००	२७.००	
	Parda butta Thulo R/L Kuna	गोटा	४०.००	४०.००	४०.००	
९२	Parda butta Thulo bitch	गोटा	४०.००	४०.००	४०.००	
९३	Pu pali butta	गोटा	६३.००	६३.००	६३.००	
९४	Thulo Singal Palifo	गोटा	६३.००	६३.००	६३.००	
९५	Kalash jhalar	गोटा	६३.००	६३.००	६३.००	
९६	ganesh Gajur Pali	गोटा	६३.००	६३.००	६३.००	
	ganesh Gajur Pali Kuna	गोटा	१०५.००	१०५.००	१०५.००	
९७	60 No. khwabutta	गोटा	२७.००	२७.००	२७.००	
	60 No. khwabutta Kuna	गोटा	४०.००	४०.००	४०.००	
९८	tiki jhaya	गोटा	२७.००	२७.००	२७.००	
९९	bhyafyo apa	गोटा	६९.००	६९.००	६९.००	
१००	Naya Jhalar	गोटा	२७.००	२७.००	२७.००	
१०१	Kuna	गोटा	४०.००	४०.००	४०.००	
१०२	nyakucha	गोटा	२७.००	२७.००	२७.००	
१०३	Jingati	गोटा	१०.००	१०.००	१०.००	
१०४	Lock Dhuri	गोटा	७५.००	७५.००	७५.००	
१०५	Dhuku	गोटा	७५.००	७५.००	७५.००	
१०६	मा आपा	गोटा	१९.००	१९.००	१९.००	
१०७	त्वा आपा	गोटा	२५.००	२५.००	२५.००	
१०८	फ्या अपा	गोटा	२७.००	२७.००	२७.००	
१०९	दची कुला	गोटा	३५.००	३५.००	३५.००	
११०	गोंगचा सानो	गोटा	१५०.००	१५०.००	१५०.००	
१११	गोंगचा म्भैला	गोटा	२५०.००	२५०.००	२५०.००	
११२	गोंगचा ठूलो	गोटा	३००.००	३००.००	३००.००	
११३	न्याकुचा	गोटा	२२.००	२२.००	२२.००	
११४	श्री गणेश	गोटा	११५५.००	११५५.००	११५५.००	
११५	कुमार	गोटा	११५५.००	११५५.००	११५५.००	
११६	४" X ४" भैरव	गोटा	२०००.००	२०००.००	२०००.००	
११७	५" X ५" भैरव	गोटा	३०००.००	३०००.००	३०००.००	
११८	ठूलो कलश	गोटा	१७३.००	१७३.००	१७३.००	
११९	मसीनो सूकि	के.जी.	१४.००	१४.००	१४.००	
१२०	खस्रो सूकि	के.जी.	८.००	८.००	८.००	
१२१	गट्टा चुन	के.जि.	२३.००	२३.००	२३.००	
१२२	तामा पाता.	के.जी.	१३५०.००	१३५०.००	१३५०.००	

सि.प.

सि.प.

सि.प.

सि.प.

माटो तथा ढुंङ्गाबाट निर्मित परम्परागत निर्माण सामग्रीहरू



८९


सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
१२३	पित्तल पाता	के.जी.	१०२५.००	१०२५.००	१०२५.००	
१२४	पारो	तोला	३००.००	३००.००	३००.००	
१२५	सूर्कि इटा कुटि धुलो बनाएको	टन	१३८६.००	१३८६.००	१३८६.००	
१२६	हवा घण्टी ४"	गोटा	४७६.००	४७६.००	४७६.००	

५९

८९

# Cement Concrete Block

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
१	<b>Interlocking Cement Concrete Block ( Not less than M20 concrete)</b>					
	Curb stone-Not less than M20 concrete	र.मि.	१०२०.००	१०२०.००	१०२०.००	
	25 mm thick C.C. Tile (Grey color)-Burfi , Round , Boby Checker	व.फि	३९.००	३९.००	३९.००	
	25 mm thick C.C. Tile (Red color)-Burfi , Round , Boby Checker	व.फि	४९.००	४९.००	४९.००	
	50 mm thick CC Block (Grey color)-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	व.फि	४७.००	४७.००	४७.००	
	50 mm thick CC Block (Red color)-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	व.फि	४८.००	४८.००	४८.००	
	60 mm thick CC Block (Grey color)-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock	व.फि	४९.००	४९.००	४९.००	
	60 mm thick CC Block (Red color)-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock	व.फि	५०.००	५०.००	५०.००	
	70 mm thick CC Block (Red color)-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	व.फि	५७.००	५७.००	५७.००	
२	<b>60 mm thick CC Block (Ocm or equivalent)</b>					
	Brick type (23*11*6cm)non colour	गोटा	९.००	९.००	९.००	
	Hexagon (22*22 cm) non colour	गोटा	२१.००	२१.००	२१.००	
	Hexagon (22*22 cm) colour	गोटा	२३.००	२३.००	२३.००	
	Squire paver (30*30*4.5cm)non colour	गोटा	२९.००	२९.००	२९.००	
	Squire paver (30*30*4.5cm)colour	गोटा	३२.००	३२.००	३२.००	
	inter block(24*13*6cm)	गोटा	१४.००	१४.००	१४.००	
	Isave paver (20*16*6cm)	गोटा	१५.००	१५.००	१५.००	
३	<b>Concrete Block different items</b>					
	Hollow Block ( 16**8**6")	गोटा	७३.००	७३.००	७३.००	
	Hollow Block ( 16**8**4")	गोटा	६४.००	६४.००	६४.००	
	Corner Hollow Block ( 16**8**6")	गोटा	८२.००	८२.००	८२.००	
	Lintel Block ( 16**8**6")	गोटा	८२.००	८२.००	८२.००	
	Pavers Block ( fish or other shape ) 60mm thick	गोटा	१८.००	१८.००	१८.००	
	concrete Brick ( 9**4**2.5")	गोटा	१२.००	१२.००	१२.००	
४	<b>Heritage Wall Surface Texture (Interior and Exterior) including the cost supplying and fitting</b>					
	Heritage granular	व.फि	८७.००	८७.००	८७.००	
	Heritage flakes	व.फि	१०७.००	१०७.००	१०७.००	
	Heritage granite finish	व.फि	८७.००	८७.००	८७.००	
	Heritage Top coat (plastic lamination)	व.फि	२२.००	२२.००	२२.००	
५	<b>Concrete block</b>					
	Concrete block size (40*15*20) cm	गोटा	३७.००	३७.००	३७.००	
	Concrete block size ( 40*10*20) cm	गोटा	३२.००	३२.००	३२.००	
	Concrete block size ( 39*14*19) cm	गोटा	५०.००	५०.००	५०.००	
६	<b>Cellular light weight concrete(CLC) block</b>					
	Cellular light weight concrete(CLC) block -24**8**4"	गोटा	१६२.००	१६२.००	१६२.००	
	Cellular light weight concrete(CLC) block-24**8**6"	गोटा	२९९.००	२९९.००	२९९.००	
	Cellular light weight concrete(CLC) block- 24"x8"x4"	गोटा	११४.००	११४.००	११४.००	
	Cellular light weight concrete(CLC) block 24"x8"x6"	गोटा	१७१.००	१७१.००	१७१.००	
	Cellular light weight concrete(CLC) block24"x8"x8"	गोटा	२२८.००	२२८.००	२२८.००	



Handwritten signature/initials.

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
१	विभिन्न साइजका TMT Bar					
	a) 8 mm dia	के.जी	८२.००	९४.००	९४.००	
	b) 10,12,16,20, mm dia	के.जी	८०.००	९२.००	९२.००	
	c) 25 mm dia	के.जी	८३.००	९४.००	९४.००	
	c) 28,32 mm dia	के.जी	८३.००	९४.००	९४.००	
२	विभिन्न साइजको TOR Steel					
	a) 8mm dia TOR steel	के.जी	८५.००	९३.००	९३.००	
	b) 10-25mm TOR steel	के.जी	८४.००	९२.००	९२.००	
	c) 28-32mm TOR steel	के.जी	८७.००	९५.००	९५.००	
३	TOR kari-4.75, 7 mm dia	के.जी	८०.००	८८.००	८८.००	
४	डण्डी बाँध्नेतार	के.जी	१०३.००	११०.००	११०.००	
५	एम.एस. सोलिड स्वायर रड	के.जी	७८.००	९०.००	९०.००	
६	विभिन्न साइजको एम.एस. एङ्गल	के.जी	७८.००	९०.००	९०.००	
७	विभिन्न साइजको ब्याक पार्डप	के.जी	७८.००	९०.००	९०.००	
८	विभिन्न साइजको एम.एस. च्यानल	के.जी	७८.००	९०.००	९०.००	
९	विभिन्न साइजको आइ.विम	के.जी	७८.००	९०.००	९०.००	
१०	विभिन्न साइजको एम.एस. प्लेट	के.जी	१४५.००	१०५.००	१०५.००	
११	विभिन्न मोटाइको एम.एस. कालो सिट	के.जी	१४५.००	१०५.००	१०५.००	
१२	<b>G.I. Wire</b>					
	<b>i) 8 gauge</b>					
	Medium zinc coated	के.जी	९८.००	१०८.००	१०८.००	
	Heavy zinc coated	के.जी	१०२.००	११२.००	११२.००	
	Light zinc coated	के.जी	९५.००	१०५.००	१०५.००	
	<b>ii) 10 gauge</b>					
	Medium zinc coated	के.जी	१०५.००	११५.००	११५.००	
	Heavy zinc coated	के.जी	११०.००	१२०.००	१२०.००	
	Light zinc coated	के.जी	१०२.००	१०७.००	१०७.००	
	<b>iii) 12 gauge</b>					
	Medium zinc coated	के.जी	१०५.००	११५.००	११५.००	
	Heavy zinc coated	के.जी	११०.००	१२०.००	१२०.००	
	Light zinc coated	के.जी	१०२.००	१०७.००	१०७.००	
१३	मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को गेवियन वाकस तयारी BG/10x12/3.0/3.9/2.4/ZN (BG=Box Gabion)	व.मि.	-			
१४	मेशिनबाट बुनिएका, mechanically selvedged double Twist wire mesh को गेवियन वाकस					
	क) MBG/10x12/3.0/3.9/2.4/ZN	व.मि.	३०६.००	३१२.००	३१२.००	
	१.५x१x०.५/०	गोटा	१६९२.००	१७२५.००	१७२५.००	
	२x१x०.५/०	गोटा	२३०२.००	२३४८.००	२३४८.००	
	३x१x०.५/०	गोटा	३२८६.००	३३५१.००	३३५१.००	
	४x१x०.५/०	गोटा	४१४६.००	४२२८.००	४२२८.००	
	१.५x१x१/०	गोटा	२४६०.००	२५०९.००	२५०९.००	
	२x१x१/१	गोटा	३२६८.००	३३३३.००	३३३३.००	
	३x१x१/२	गोटा	४६३९.००	४७३९.००	४७३९.००	

Handwritten signatures/initials.

Handwritten signature/initials.

Handwritten signature/initials.

Handwritten signature

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
	४x९x९/३	गोटा	४६३९.००	४७३९.००	४७३९.००	
	<b>ब) MBG/10x12/2.7/3.4/2.2/ZN</b>	ब.मि.	२८७.००	२९२.००	२९२.००	
	९.५x९x०.५०	गोटा	९५७३.००	९६०४.००	९६०४.००	
	२x९x०.५०	गोटा	२९५०.००	२९९३.००	२९९३.००	
	३x९x०.५०	गोटा	३०४५.००	३१०५.००	३१०५.००	
	४x९x०.५०	गोटा	३८४९.००	३९१७.००	३९१७.००	
	९.५x९x९	गोटा	२२६९.००	२३१४.००	२३१४.००	
	२x९x९	गोटा	३०४५.००	३१०५.००	३१०५.००	
	३x९x९	गोटा	४२९९.००	४३८४.००	४३८४.००	
	४x९x९	गोटा	५४९४.००	५५२२.००	५५२२.००	
	<b>क) MJG/10x12/3.0/3.9/2.4/ZN</b>			०.००	०.००	
	३x२x०.५०	गोटा	६८००.००	६९३६.००	६९३६.००	
	४x२x०.५०	गोटा	८५९०.००	८७६९.००	८७६९.००	
	५x२x०.५०	गोटा	९०६६२.००	९०८७५.००	९०८७५.००	
	६x२x०.५०	गोटा	९२७३४.००	९२९८८.००	९२९८८.००	
	३x२x९	गोटा	९३५४.००	९५४९.००	९५४९.००	
	४x२x९	गोटा	९९७६९.००	९२००४.००	९२००४.००	
	५x२x९	गोटा	९४५४५.००	९४८३५.००	९४८३५.००	
	६x२x९	गोटा	९७३००.००	९७६४६.००	९७६४६.००	
	<b>घ) MJG/10x12/2.7/3.4/2.2/ZN</b>			०.००		
	३x२x०.५०	गोटा	५५६२.००	५६७३.००	५६७३.००	
	४x२x०.५०	गोटा	७०३८.००	७१७८.००	७१७८.००	
	५x२x०.५०	गोटा	८७१७.००	८८९९.००	८८९९.००	
	६x२x०.५०	गोटा	९९२६.००	९९४८.००	९९४८.००	
	३x२x९	गोटा	७६४६.००	७७९८.००	७७९८.००	
	४x२x९	गोटा	९६२७.००	९८१९.००	९८१९.००	
	५x२x९	गोटा	९९८९२.००	९२९२९.००	९२९२९.००	
	६x२x९	गोटा	९४९५७.००	९४४४०.००	९४४४०.००	
	<b>ङ) MRM/6x8/2.2/2.7/2.2/ZN</b>	ब.मि.	२३९.००	२४३.००	२४३.००	
	३x२x०.९७	गोटा	३३३२.००	३३९८.००	३३९८.००	
	४x२x०.९७	गोटा	४३९७.००	४४०३.००	४४०३.००	
	५x२x०.९७	गोटा	५२८३.००	५३८८.००	५३८८.००	
	६x२x०.९७	गोटा	६२८४.००	६४०९.००	६४०९.००	
	३x२x०.२३	गोटा	३६२६.००	३६९८.००	३६९८.००	
	४x२x०.२३	गोटा	४६९७.००	४७९०.००	४७९०.००	
	५x२x०.२३	गोटा	५८०९.००	५९१७.००	५९१७.००	
	६x२x०.२३	गोटा	६८२९.००	६९५७.००	६९५७.००	
	३x२x०.३०	गोटा	३९३७.००	४०१५.००	४०१५.००	
	४x२x०.३०	गोटा	५०७६.००	५१७७.००	५१७७.००	

Handwritten signature

Handwritten signature

Handwritten signature

Handwritten signature



Handwritten signature/initials.

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
	५×२×०.३०	गोटा	६२६८.००	६३९३.००	६३९३.००	
	६×२×०.३०	गोटा	७४२३.००	७५७९.००	७५७९.००	
	<b>च) WMN/ZN</b>					
	६×८/२.२/२.७	व.मि.	-			
	१०×१२/२.७/३.४	व.मि.	-			
	१०×१२/३.०/३.९	व.मि.	-			
	<b>छ) WMN/ZN/PVC</b>					
	६×८/२.२/२.७	व.मि.	-			
	१०×१२/२.७/३.४	व.मि.	-			
	<b>Note:</b>					
	MBG = Maccaferi Box Gabion					
	MJG = Maccaferi Jumbo Gabion					
	MRM = Maccaferi Reno Mettress					
	WMN = Wire Mesh Netting					
	10x12/3.0/3.9/2.4/ZN = Mesh type/Mesh wire dia./Selvedge wire dia./Lacing wire dia./Type of coating					
	ZN = Heavy galvanized					
	PVC = PVC coated					
१५	<b>Barbed Wire (कढितार)</b>					
	12 guage commercial, Medium duty	के.जी	९६.००	१००.००	१००.००	
	U-hook for barbed wire fencing	गोटा	०.७४	१.००	१.००	
१६	<b>Fabrication of chain link mesh of size</b>					
	1"x1" 12 guage	वर्ग मी.	६९७.००	७१०.००	७१०.००	
	1.5"x1.5" 12 guage	वर्ग मी.	६५२.००	६६५.००	६६५.००	
	2"x2" 10 guage	वर्ग मी.	५१७.००	५२७.००	५२७.००	
	3"x3" 10 guage	वर्ग मी.	४२३.००	४३९.००	४३९.००	
	4"x4" 10 guage	वर्ग मी.	३३७.००	३४३.००	३४३.००	
१७	<b>विभिन्न प्रकारको जालीहरु</b>					
	मसिनो खालको Mosquito proof जाली	व.मि.	११९.००	१२९.००	१२९.००	
	वालुवा चाल्ने जाली	व.मि.	१२४.००	१२६.००	१२६.००	
	कुखुरे जाली (Chicken wire mesh)	व.मि.	७६.००	७७.००	७७.००	
	ब्रास कसिङ्ग जाली	व.मि.	१९५.००	१९८.००	१९८.००	
	स्टील जाली (crossing )	व.मि.	१५७.००	१६०.००	१६०.००	
	मसिनो खालको Steel Mosquito proof जाली	व.मि.	२७०.००	२७५.००	२७५.००	
१८	<b>फलामबाट निर्मित सामानहरु</b>					
	विभिन्न साईजको एम.एस.फलामे पट्टिको ग्रील बनाई जडान गर्ने काम	के.जी	१३०.००	१४३.००	१४३.००	
	सोलिड स्वायर रडको ग्रील बनाई जडान गर्ने काम एककोट प्राईमर समेत	के.जी	१२०.००	१३२.००	१३२.००	
	कोल्याप्सीबल गेट बनाई जडान गर्ने	व.कि.	५००.००	५२५.००	५२५.००	
	१६-१८ गेजको फलामे रोलिङ्ग सटर बनाई जडान गर्ने	व.कि.	३५०.००	३६७.००	३६७.००	
	फलामे रोलिङ्ग सटर १६-१८ गेज जडान सहित स्ट्रिप सटर प्वाल भएको	व.कि.	२८०.००	२९४.००	२९४.००	

Handwritten signature/initials.

Handwritten signature/initials.

Handwritten signature/initials.

Handwritten signature/initials.



Handwritten signature/initials.

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
	फलामे रोलिङ सटर डण्डी प्रयोग गरी बनाइको साथै जडान गर्ने समेत	व.फि.	५००.००	५२५.००	५२५.००	
	१६ गेज पाताबाट कम्पाउण्ड वालको गेट बनाई जडान गर्ने (५० X ५०X ५ mm) को फ्रेम समेत	व.फि.	६५०.००	६८२.००	६८२.००	
	३"-४" व्यासको Iron Black Pipe मा एङ्गल र पट्टि राखी खुडकिला सहितको घुम्ने भन्ज्याङ्ग (Spiral Staircase) तयार गरी जडान समेत (भन्ज्याङ्गको नापी गर्दा floor to floor height लिने)	र.फि.	३०५०.४९	३२००.००	३२००.००	
	फलामको होल्डफास्ट (७ वटाको १ के.जि.)	के.जी.	१२५.००	१२५.००	१२५.००	
	विभिन्न साइजको किला काटी	के.जी.	११२.००	११२.००	११२.००	
	विभिन्न साइजको नट बोल्ट	के.जी.	१६५.००	१६५.००	१६५.००	
	फलामे सामग्रीको फेब्रिक्शन तथा जडान कार्य	के.जी.	४५.००	४७.००	४७.००	
	Readymade Black Pipe Tubular Truss fitting & fixing work	के.जी.	१४०.००	१५५.००	१५५.००	
	Mild Steel Props for Concreting 2" dia 3.5 mm wall thickness and 3.5 m- 4.0 m height	गोटा	१९४०.००	२०३७.००	२०३७.००	
१९	स्टेनलेस स्टील पाइप					
	३/४" व्यास भएको १६ गेज मोटाई	मीटर	१९४.००	१९७.००	२२९.००	
	१" व्यास भएको १६ गेज मोटाई	मीटर	२४३.००	२४७.००	२८८.००	
	१ १/४" व्यास भएको १६ गेज मोटाई	मीटर	३१०.००	३१६.००	३६७.००	
	१ १/२" व्यास भएको १६ गेज मोटाई	मीटर	३७६.००	३८३.००	४४६.००	
	२" व्यास भएको १६ गेज मोटाई	मीटर	५०८.००	५१८.००	६०२.००	

Four handwritten signatures/initials.

Handwritten signature/initials.

Water Proofing Chemicals & Treatment works



ह.प.

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
<b>A</b>	<b>CONCRETE ADMIXTURES (Chemical)</b>					
१	Form Oil	लिट्र	१००.००	१००.००	१००.००	
२	Polymer for M35, M 40 or higher concrete	लिट्र	३५०.००	३५०.००	३५०.००	
३	Epoxy Bonding agent for old and new construction	लिट्र	२०००.००	२०००.००	२०००.००	
४	डैम्प प्रूफ तथा हार्डेनिङ कम्पाउण्ड सेफ माईट	लिट्र	२३५.००	२३५.००	२३५.००	
५	(Damp proof, Anti Termite , Anti Fungal, Anti Saltpetre and benefit of High Compressive Strength)					
	Waterproof Coating With Latex	के.जी.	३५०.००	३५०.००	३५०.००	
	Waterproof Coating with Polymer	के.जी.	४५०.००	४५०.००	४५०.००	
६	Water Reducing Admixture Concrete & Mortar [ Lignosulphonate Based] ASTM C 494 -( Type A,B&D) IS 9103/2645 /1981	के.जी.	१५०.००	१५०.००	१५०.००	
७	High Range Water Reducing Super Plasticizer for Concrete & Mortar [ Naphthalene Formladehyde Based] ASTM C 494 -( Type A,C,E & F) IS 9103-79 /1999 Dose 0.2 to 3% by wt of cement	के.जी.	२५०.००	२५०.००	२५०.००	
८	Ultra High Range Water Reducing Super Plasticizer for Concrete & Mortar [ Polycarboxylate Ether Based] ASTM C 494 -( Type A,F& G) IS 9103-1999 /1981	के.जी.	४५०.००	४५०.००	४५०.००	
९	Integral Waterproofing Additive for Concrete & Plaster .ASTM C 494 IS 2645-75 ( Type G) , IS 9103-2007 / IS 2645	के.जी.	३००.००	३००.००	३००.००	
१०	Integral Crystalline Waterproofing Powder Admixture STD . Conformance : ASTM C 494, IS 3085-1997 DIN 1048 -1991 Part 5	के.जी.	१०००.००	१०००.००	१०००.००	
११	Integral Crystalline Waterproofing Liquid Admixture STD Conformance : ASTM C 494 IS 3085 -1997 , DIN 1048-1991 Part	के.जी.	१०००.००	१०००.००	१०००.००	
१२	Integral Crystalline Waterproofing Powder Admixture STD . Conformance : ASTM C 494, IS 3085-1997 DIN 1048 -1991 Part 5	के.जी.	१२५०.००	१२५०.००	१२५०.००	
१३	Integral Waterproofing Powder Admixture for Mortars Std. Coformance : ASTM C 494, IS 3085-1997 DIN 1048-1991 Part 5	के.जी.	२५०.००	२५०.००	२५०.००	
१४	Accelerator & Spray Shotcrete / Concrete Plasticizer [Silicate Based]	के.जी.	२५०.००	२५०.००	२५०.००	
१५	Accelerator & Spray Shotcrete / Concrete Liquid Plasticizer [ Alkali Free]	के.जी.	३५०.००	३५०.००	३५०.००	
१६	Accelerator & Spray Shotcrete / Concrete Powder Plasticizer [ Alkali Free] ASTM C 1240, IS 15388-2003	के.जी.	३५०.००	३५०.००	३५०.००	
१७	Retarding Superplasticizer for Concrete [ Naphthalene Based] ASTM C 494-1981 ( TYPE	के.जी.	२५०.००	२५०.००	२५०.००	
१८	Retarding Superplasticizer for Concrete [ Polycarboxylate Ether Based] ASTM C 494-1981 (	के.जी.	४५०.००	४५०.००	४५०.००	
<b>B</b>	<b>CONCRETE ADMIXTURES (Mineral)</b>					
१	Silica Cement Admixture / Micro Silica for High Performance Concrete ASTM C 1240 -2005 , IS	के.जी.	३१५.००	३१५.००	३१५.००	
२	Processed FA Based Mineral Additives	के.जी.	८५.००	८५.००	८५.००	

ह.प.





ह.प.

Water Proofing Chemicals & Treatment works

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
<b>C</b>	<b>FOR JOINT SEALANTS &amp; SYSTEMS</b>					
१	Two Component Gun Grade Polysulphide Sealant for Vertical Surfaces	के.जी.	१८००.००	१८००.००	१८००.००	
२	Two Component Pour Grade Polysulfide Sealant for Horizontal Surfaces	के.जी.	१८००.००	१८००.००	१८००.००	
३	One Component Low Viscosity Primer For Polysulfide Sealant	के.जी.	३०००.००	३०००.००	३०००.००	
४	Two Component Pour Grade Polyurethane Sealant for Joints	के.जी.	२०००.००	२०००.००	२०००.००	
५	Low Viscosity Primer For Polyurethane Sealant	के.जी.	३०००.००	३०००.००	३०००.००	
६	High Performance Hybrid Silyl Sealant (290 ml per set)	सेट	१२००.००	१२००.००	१२००.००	
७	HOT APPLIED Bituminous Sealing Compound Sealant [TYPE A]	के.जी.	३५०.००	३५०.००	३५०.००	
८	HOT APPLIED Bituminous Sealing Compound Sealant [TYPE B]	के.जी.	४५०.००	४५०.००	४५०.००	
९	Butyl Tape for various Applications	र. मि.	१२५.००	१२५.००	१२५.००	
१०	Waterproofing Joint Tape [ 120 mm]	र. मि.	५५०.००	५५०.००	५५०.००	
११	Waterproofing Joint Tape [ 200 mm]	र. मि.	७५०.००	७५०.००	७५०.००	
१२	NBR based Waterproofing Joint Tape [ 200 mm]	र. मि.	४०००.००	४०००.००	४०००.००	
१३	Joint Tape Epoxy Adhesive	के.जी.	३०००.००	३०००.००	३०००.००	
१४	Glass Fiber Joint Tape	र. मि.	२७५.००	२७५.००	२७५.००	
१५	Waterproofing / Expansion Joint Tape [100 mm]	र. मि.	१५००.००	१५००.००	१५००.००	
१६	Waterproofing / Expansion Joint Tape [200 mm]	र. मि.	२७००.००	२७००.००	२७००.००	
१७	Construction Joint Tape [ 100 mm]	र. मि.	८००.००	८००.००	८००.००	
१८	Cross Linked Premoulded Compressive Joint Filler [25 mm]	ब. मि.	२४५०.००	२४५०.००	२४५०.००	
१९	Cross Linked Premoulded Compressive Joint Filler [50 mm]	ब. मि.	४८५०.००	४८५०.००	४८५०.००	
२०	Closed Cell Polymerbased Joint Filler [25 mm]	ब. मि.	८००.००	८००.००	८००.००	
२१	Closed Cell Polymerbased Joint Filler [50 mm]	ब. मि.	१५००.००	१५००.००	१५००.००	
२२	Compressable Resilint Non- Extrudible Joint EXJO FILLER [12 mm {4' X 4'}]	ब. मि.	२५००.००	२५००.००	२५००.००	
२३	Compressable Resilint Non- Extrudible Joint EXJO FILLER [18 mm {4' X 4'}]	ब. मि.	३५००.००	३५००.००	३५००.००	
२४	Compressable Resilint Non- Extrudible Joint EXJO FILLER [25 mm {4' X 4'}]	ब. मि.	४५००.००	४५००.००	४५००.००	
<b>D</b>	<b>INDUSTRIAL FLOORING SOLUTIONS</b>					
१	Hardwearing, abrasion resistant monolithic industrial flooring compound [ Metallic]	के.जी.	१२०.००	१२०.००	१२०.००	
२	Liquid Concrete Hardener & Dust Proofer	के.जी.	४५०.००	४५०.००	४५०.००	
३	Anti Bacterial Floor & Wall Coating [ Epoxy]	के.जी.	२५००.००	२५००.००	२५००.००	
४	Anti Bacterial Floor & Wall Coating [ Polyurethane]	के.जी.	३०००.००	३०००.००	३०००.००	
५	Anti bacterial Floor & Wall Coating [ Acrylic]	के.जी.	२०००.००	२०००.००	२०००.००	
६	Self Levelling Flooring System [ Epoxy]	के.जी.	२२००.००	२२००.००	२२००.००	
७	Self Levelling Flooring System [ Polyurethane]	के.जी.	३०००.००	३०००.००	३०००.००	
८	Self Levelling Cementitious Flooring System	के.जी.	५००.००	५००.००	५००.००	
<b>E</b>	<b>ENGINEERING GROUTS</b>					
१	General Purpose High Strength Free Flowing, Non Shrink Cementitious Grout [ M40]	के.जी.	११०.००	११०.००	११०.००	
२	Ultra High Strength Free Flowing, Non Shrink Cementitious Grout [M60]	के.जी.	१२५.००	१२५.००	१२५.००	
३	Hard wearing cementitious tile grout	के.जी.	१६०.००	१६०.००	१६०.००	
४	Hard wearing epoxy based tile grout	के.जी.	१०००.००	१०००.००	१०००.००	
५	Super Plasticizer, Shrinkage Compensating Grout Admixture	के.जी.	५००.००	५००.००	५००.००	

Handwritten signatures and initials at the bottom left of the page.

ह.प.

Water Proofing Chemicals & Treatment works

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
६	High Strength Precision Grade, Non Shrink Structural Epoxy Anchor Grout	के.जी.	२५००.००	२५००.००	२५००.००	
७	Epoxy Acrylate High Strength Precision Grade, Non Shrink Structural Grout [ 400 MI Cartridge]	मिलि लिटर	४५००.००	४५००.००	४५००.००	
८	Low Viscosity Injection Epoxy Grout	के.जी.	७५००.००	७५००.००	७५००.००	
९	Low Viscosity Polyurethane Injection Grout	के.जी.	१२५००.००	१२५००.००	१२५००.००	
१०	Low Viscosity Acrylate Gel Injection Grout	के.जी.	८५००.००	८५००.००	८५००.००	
११	Low Viscosity Soil Stabilization Hydrophobic one component Injection Grout	के.जी.	१४०००.००	१४०००.००	१४०००.००	
१२	Low Viscosity Soil Stabilization Hydrophobic, water reactive, solvent and phthalate free Injection Grout	के.जी.	९५००.००	९५००.००	९५००.००	
१३	Resin Capsule (32*300mm)	पिस	१३०.००	१३०.००	१३०.००	
१४	Cement Capsule(32*300mm)	पिस	६०.००	६०.००	६०.००	
१५	Microfine Cement (MFC)	के.जी.	२५०.००	२५०.००	२५०.००	
<b>F</b>	<b>BONDING ADHESIVES FOR CONCRETE &amp; MORTAR (Polymer &amp; Epoxy Resin)</b>					
१	Acrylic Bonding Agent For Concrete & Mortar	के.जी.	७५०.००	७५०.००	७५०.००	
२	Versatile SBR Latex for Bonding, Grouting & Repair Mortars	के.जी.	९५०.००	९५०.००	९५०.००	
३	High Performanace Pure Acrylic Polymer for Concrete & Mortar Modification' & Bonding Adhesive	के.जी.	१२००.००	१२००.००	१२००.००	
४	Two Component Epoxy Resin Bonding Agent [ For bonding new to old concrete]	के.जी.	१८००.००	१८००.००	१८००.००	
<b>G</b>	<b>FIBERS (Steel &amp; Polypropylene)</b>					
१	FIBERMESH MF [Monofilament PP Fibers]	के.जी.	१२००.००	१२००.००	१२००.००	
२	FIBERMESH FB [Collated PP Fibers]	के.जी.	१५००.००	१५००.००	१५००.००	
३	FIBERMESH MACRO [Structural PP Fibers]	के.जी.	२०००.००	२०००.००	२०००.००	
४	Loose steel Fibers	के.जी.	२५०.००	२५०.००	२५०.००	
५	Glued Steel Fibers	के.जी.	३५०.००	३५०.००	३५०.००	
६	Crimped Steel Fibers	के.जी.	२५०.००	२५०.००	२५०.००	
<b>H</b>	<b>SURFACE TREATMENT</b>					
१	Protective, Decorative Anti Carbonation Coating	के.जी.	१२००.००	१२००.००	१२००.००	
२	Coating	के.जी.	१३५०.००	१३५०.००	१३५०.००	
३	Concrete Penetrating Corrosion Inhibitor	के.जी.	४५००.००	४५००.००	४५००.००	
४	Protective Acrylic Sealer	के.जी.	१५००.००	१५००.००	१५००.००	
५	Protective Polyurethane Sealer	के.जी.	१८००.००	१८००.००	१८००.००	
६	Water Based Fire Retardant Coating	के.जी.	१५००.००	१५००.००	१५००.००	
७	High Performance Water Repellent Paint	लिटर	९००.००	९००.००	९००.००	
८	Concentrated & Emulsified Chemical Mould Release Agent	लिटर	५००.००	५००.००	५००.००	
९	Ready to use Chemical Mould Release Agent	लिटर	५००.००	५००.००	५००.००	
१०	Concrete Curing Aid	के.जी.	४५०.००	४५०.००	४५०.००	





Water Proofing Chemicals & Treatment works

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
<b>I</b>	<b>CONCRETE REPAIRS</b>					
१	Rust Remover & Passivator	लिटर	१०००.००	१०००.००	१०००.००	
२	Corrosion Inhibitor	के.जी.	१२००.००	१२००.००	१२००.००	
३	Micro Concrete [ M60] for Permanant Repairs	के.जी.	१४०.००	१४०.००	१४०.००	
४	Single Component Polymer Modified Cementitious Repair Mortar	के.जी.	१७५.००	१७५.००	१७५.००	
५	Two Component Polymer Modified Cementitious Repair Mortar	के.जी.	२५०.००	२५०.००	२५०.००	
६	Cementitious, Waterproof Crack Repair Mortar	के.जी.	२००.००	२००.००	२००.००	
७	Acrylic Based Crack Filling Putty	के.जी.	१२००.००	१२००.००	१२००.००	
<b>J</b>	<b>PREPACKED MORTARS</b>					
१	Tile, Mabrble, Granite etc. Adhesive	के.जी.	८५.००	८५.००	८५.००	
२	Marble & Granite etc. Adhesive	के.जी.	३५०.००	३५०.००	३५०.००	
३	Coarse and water resistant Readymix plastering Mortar	के.जी.	८५.००	८५.००	८५.००	
४	High Performanance Polymer Based Wall Putty (Skim Coat)	के.जी.	८५.००	८५.००	८५.००	
५	High Performanance Polymer Based Insulting Wall Putty (Skim Coat)	के.जी.	९०.००	९०.००	९०.००	
<b>K</b>	<b>WATERPROOFING SYSTEMS</b>					
	<b>INTEGRAL</b>					
१	Integral Waterproofing Additive for Concrete & Plaster	के.जी.	२७५.००	२७५.००	२७५.००	
२	High Performance Sodium Silicate CWS 100 Based Deep Penetrating Sealer Waterproofing System	के.जी.	७५००.००	७५००.००	७५००.००	
<b>L</b>	<b>LIQUID APPLIED</b>					
१	Single Pack Polymer Modified Flexible Waterproof Coating System Dose : Cover area 30 sqft. -45 sqft /kg 2 coat .	के.जी.	७००.००	७००.००	७००.००	
२	Two Component Polymer Modified Flexible Elastomeric Waterproof Coating System Dose : Cover area 5 sqft. - 7 sqft /kg 2 coat .	के.जी.	५००.००	५००.००	५००.००	
३	Two Component Polymer Modified Flexible Elastomeric Waterproof & Thermal Insulating Coating System Dose : consumption : 1:kg/m2.	के.जी.	७५०.००	७५०.००	७५०.००	
४	Heavy duty reinforced elastomeric acrylic water proof coating for terrace Dose : cover area : 6 sqft/litre 3 coat.	के.जी.	८५०.००	८५०.००	८५०.००	
५	Acrylic elastomeric exterior water proof coating for exterior wall Dose : 35 sqft / litre 2 coat .	के.जी.	७५०.००	७५०.००	७५०.००	
६	Crystalline Based Waterproofing System	के.जी.	३५०.००	३५०.००	३५०.००	
७	Fast setting plugging compound for stopping running water system	के.जी.	४००.००	४००.००	४००.००	
८	Polyurethane based waterproof coating system	के.जी.	१६५०.००	१६५०.००	१६५०.००	
९	Polymer modified Bitumen Based Water Proofing Coating System	के.जी.	१२५०.००	१२५०.००	१२५०.००	
१०	Efflorescence Resistance Penetrating primer Dose : Cover Area: 80sqft/ltr 1 coat	के.जी.	६००.००	६००.००	६००.००	
<b>M</b>	<b>PREFORMED</b>					
१	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Plain]	ब. मि.	१८००.००	१८००.००	१८००.००	
२	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Mineral / Sand Finish]	ब. मि.	२०००.००	२०००.००	२०००.००	
३	Polymer Modified Self Adhesive Bituminous Membranes [1mm]	ब. मि.	१०५०.००	१०५०.००	१०५०.००	
४	Polymer Modified Self Adhesive Bituminous Membranes [ 2mm]	ब. मि.	१५००.००	१५००.००	१५००.००	
५	Polymer Modified Self Adhesive Bituminous Membranes with Aluminium Cover	ब. मि.	१५००.००	१५००.००	१५००.००	
६	1.2 mm High Polymer PVC Membranes	ब. मि.	२०००.००	२०००.००	२०००.००	
७	PVC Adhesive	के.जी.	२५००.००	२५००.००	२५००.००	

Water Proofing Chemicals & Treatment works



हं.प.

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
८	1.2 mm EPDM Membranes	ब. मि.	२५००.००	२५००.००	२५००.००	
९	EPDM Adhesive	के.जी.	२५००.००	२५००.००	२५००.००	
१०	EPDM Primer	के.जी.	३०००.००	३०००.००	३०००.००	
११	2mm TPO Membranes	ब. मि.	३५००.००	३५००.००	३५००.००	
१२	Polythene & Polypropylene Polymer Compound Waterproof Membrane	ब. मि.	८००.००	८००.००	८००.००	
१३	100% Synthetic Rubber Roof Coating	के.जी.	४५००.००	४५००.००	४५००.००	
<b>N</b>	<b>SPECIALTY</b>					
१	Antistripping Agent for Bitumen	के.जी.	५५०.००	५५०.००	५५०.००	
२	Cold Applied Multi Purpose Modified Bituminous Compound in semi Liquid Creamy for Bonding	के.जी.	२२५.००	२२५.००	२२५.००	
३	Cold Applied Viscous Heavy Duty Modified Bituminous Protective water Barrier Coating for Below Ground Structures (Raft / Pile / Footings etc)	के.जी.	५२५.००	५२५.००	५२५.००	
४	Bituminous based Aluminized Heat Reflective Paint	के.जी.	६५०.००	६५०.००	६५०.००	
५	Cold Applied Sealing & Calking Compound	के.जी.	१२५०.००	१२५०.००	१२५०.००	
६	ROAD REPAIR PRE-MIX	के.जी.	१०००.००	१०००.००	१०००.००	
७	ANTI CORROSIVE PIPE WRAP 2 mm	के.जी.	७५०.००	७५०.००	७५०.००	
८	ANTI CORROSIVE PIPE WRAP 4 mm	के.जी.	१०००.००	१०००.००	१०००.००	
९	Anti Termite [ Imidacloprid 30.5% ]	के.जी.	१२०००.००	१२०००.००	१२०००.००	
१०	Expanding Concrete Joint WATERSTOP	र. मि.	२५००.००	२५००.००	२५००.००	
११	WB ADHESIVE Primer for Expanding Waterstop	लिटर	७५००.००	७५००.००	७५००.००	
१२	Swellable WATERSTOP	र. मि.	२५००.००	२५००.००	२५००.००	
१३	SEALGUARD PVC WATERSTOP - PVC Waterstops	र. मि.	२५००.००	२५००.००	२५००.००	
१४	Nodular Drain with Geotextile Roof Garden	ब. मि.	२५००.००	२५००.००	२५००.००	
१५	SEALGUARD GEOTEX [P] -Polyester Geotextile	ब. मि.	११०.००	११०.००	११०.००	
१६	XPS - Extruded Polystyrene Boards [ 25 mm]	ब. मि.	२८००.००	२८००.००	२८००.००	
१७	XPS - Extruded Polystyrene Boards [ 50 mm]	ब. मि.	३५००.००	३५००.००	३५००.००	


हं.प.

हं.प.

हं.प.

हं.प.

हं.प.



Handwritten signature or initials in the top right corner.

STRUCTURAL STRENGTHENING & SEISMIC RETROFITTING

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
<b>A</b>	<b>STRUCTURAL STRENGTHENING</b>					
१	Carbon Laminate [50 mm Wide 1.4 mm Thick]	र. मि.	८५००.००	८५००.००	८५००.००	
२	Carbon Laminate [75 mm Wide 1.4 mm Thick]	र. मि.	१००००.००	१००००.००	१००००.००	
३	Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 230 GSM	ब. मि.	८०००.००	८०००.००	८०००.००	
४	Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 450 GSM	ब. मि.	१२०००.००	१२०००.००	१२०००.००	
५	Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 640	ब. मि.	१६०००.००	१६०००.००	१६०००.००	
६	Fiber Reinforced Polyer] GLASS FiberWRAP Sheet 900 GSM	ब. मि.	१२०००.००	१२०००.००	१२०००.००	
७	EPOXY PRIMER	के.जी.	३५००.००	३५००.००	३५००.००	
८	SATURANT	के.जी.	३५००.००	३५००.००	३५००.००	
९	LAMINATE ADHESIVE	के.जी.	२५००.००	२५००.००	२५००.००	
१०	EPOXY TOPCOAT	के.जी.	३५००.००	३५००.००	३५००.००	
११	POLYURETHANE TOPCOAT	के.जी.	४५००.००	४५००.००	४५००.००	
१२	TYFO Glass Fiber anchor system 5to 10 mm	र. मि.	२५००.००	२५००.००	२५००.००	
१३	TYFO Carbon Fiber anchor system 5to 10 mm	र. मि.	३५००.००	३५००.००	३५००.००	
१४	Carbon Laminate [50 mm Wide 2 mm Thick]	र. मि.	१००००.००	१००००.००	१००००.००	
१५	Carbon Laminate [75 mm Wide 2 mm Thick]	र. मि.	१२०००.००	१२०००.००	१२०००.००	
<b>B</b>	<b>Horizontal Expansion Joint for Slab</b>					
१	Expansion Joint for Horizontal Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap upto 4"	र. मि.	१०४९०.००	१०४९०.००	१०४९०.००	
२	Expansion Joint for Horizontal Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 5" to 8"	र. मि.	१२४६०.००	१२४६०.००	१२४६०.००	
३	Expansion Joint for Horizontal Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 9" to 12"	र. मि.	१४७६०.००	१४७६०.००	१४७६०.००	
४	Expansion Joint for Horizontal Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 13" to 18"	र. मि.	१९६८०.००	१९६८०.००	१९६८०.००	
<b>C</b>	<b>Expansion Joint for Basement</b>					
१	Expansion Joint for Basement Area with 3 to 5mm Different Aluminium Plates and Covering with 20 gauge copper sheet with Joint Gap upto 4" Gap	र. मि.	१८०४०.००	१८०४०.००	१८०४०.००	
<b>D</b>	<b>Expansion Joint for Roof</b>					
१	Expansion Joint for Roof Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap upto 4"	र. मि.	१२५८०.००	१२५८०.००	१२५८०.००	
२	Expansion Joint for Roof Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 5" to 8"	र. मि.	१४९५५.००	१४९५५.००	१४९५५.००	
३	Expansion Joint for Roof Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 9" to 12"	र. मि.	१७७१०.००	१७७१०.००	१७७१०.००	
४	Expansion Joint for Roof Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 13" to 18"	र. मि.	२३६१५.००	२३६१५.००	२३६१५.००	
<b>E</b>	<b>Inside Vertical Expansion Joint</b>					
१	Expansion Joint for Inside Vertical Wall and Ceiling Area with 3mm Different Aluminium Plates with Joint Gap upto 4"	र. मि.	६५६०.००	६५६०.००	६५६०.००	
२	Expansion Joint for Inside Vertical Wall and Ceiling Area with 3mm Different Aluminium Plates with Joint Gap from 5" to 8"	र. मि.	८२००.००	८२००.००	८२००.००	
३	Expansion Joint for Inside Vertical Wall and Ceiling Area with 3mm Different Aluminium Plates with Joint Gap from 9" to 12"	र. मि.	९८४०.००	९८४०.००	९८४०.००	
४	Expansion Joint for Inside Vertical Wall and Ceiling Area with 3mm Different Aluminium Plates with Joint Gap from 13" to 18"	र. मि.	१३१२०.००	१३१२०.००	१३१२०.००	
<b>F</b>	<b>Outside Vertical Expansion Joint</b>				०.००	

Handwritten signatures and initials at the bottom left of the page.

Handwritten signature or initials at the bottom center of the page.

Handwritten signature or initials at the bottom right of the page.



ह.प.

### STRUCTURAL STRENGTHENING & SEISMIC RETROFITTING

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
१	Expansion Joint for Outside Vertical Wall Area with 3mm Different Aluminium Plates with Joint Gap upto 4"	र. मि.	७५४०.००	७५४०.००	७५४०.००	
२	Expansion Joint for Outside Vertical Wall Area with 3mm Different Aluminium Plates with Joint Gap from 5" to 8"	र. मि.	९४३०.००	९४३०.००	९४३०.००	
३	Expansion Joint for Outside Vertical Wall Area with 3mm Different Aluminium Plates with Joint Gap from 9" to 12"	र. मि.	११३१०.००	११३१०.००	११३१०.००	
४	Expansion Joint for Outside Vertical Wall Area with 3mm Different Aluminium Plates with Joint Gap from 13" to 18"	र. मि.	१५०८०.००	१५०८०.००	१५०८०.००	

ह.प. ज.प. ह.प. ह.प.

ह.प.

Aluminium Doors and Windows

Handwritten signature/initials

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
<b>102 SERIES WINDOWS</b>						
१	Providing and fixing Single Panel Casement (Hinged) Door of aluminum section in natural or color anodized/powder coated color Section size (102x45x1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle and door closer.)	Sq.ft.	६५७.००	६७०.००	६७०.००	
२	Providing and fixing Double Panel Casement (Hinged) Door of aluminum section in natural or color anodized/powder coated color Section size (102x45x1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle and door closer.)	Sq.ft.	७२३.००	७३७.००	७३७.००	
३	Providing and fixing Single Panel Swing Door of aluminum section in naturally anodized or black anodized/powder coated color Section size (102x45x1.50 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle).	Sq.ft.	८३६.००	८५२.००	८५२.००	
४	Providing and fixing Double Panel Swing Door of aluminum section in naturally anodized or black anodized/powder coated color Section size (102x45x1.50 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle).	Sq.ft.	९२०.००	९३८.००	९३८.००	
<b>90 SERIES WINDOWS</b>						
१	Providing and fixing 2 or 3 Panel Sliding Window of aluminum section in naturally anodized or Black anodized/powder coated color, Section size (87x56x1.20 mm) fitted with 5 mm clear glass without fly mesh shutter. (window size 6' x 5' or average area 30 sq. feet per window)	Sq.ft.	५२९.००	५३९.००	५३९.००	
२	Providing and fixing 2 or 3 panel sliding window of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87x56x1.50 mm) fitted with 5 mm clear glass with out fly mesh shutter. (window size 6'x5' or average area 30 sq. feet per window)	Sq.ft.	६०४.००	६१६.००	६१६.००	
३	Providing and fixing 2 or 3 panel sliding window with top fix glass of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87x65x1.20 mm) fitted with 5 mm clear glass with out fly mesh shutter. (window size 6'x5' or average area 30 sq. feet per window)	Sq.ft.	५७१.००	५८२.००	५८२.००	
४	Providing and fixing 2 or 3 panel sliding window with top fix glass of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87x56x1.50 mm) fitted with 5 mm clear glass with out fly mesh shutter. (window size 6'x5' or average area 30 sq. feet per window)	Sq.ft.	६५८.००	६७१.००	६७१.००	
५	Providing and fixing Fixed Window of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87x25+12x1.20 mm) fitted with 5 mm clear glass with out fly mesh shutter. (Average area 5 sq. feet per panel)	Sq.ft.	४२८.००	४३६.००	४३६.००	
६	Providing and fixing Fixed Window of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87x25+12x1.5 mm) fitted with 5 mm clear glass with out fly mesh shutter. (Average area 5 sq. feet per panel)	Sq.ft.	४९२.००	५०१.००	५०१.००	
७	Providing and fixing Fly Mesh Shutter with stainless steel fly mesh in 90 series for sliding window. (Section thickness 1 mm)	Sq.ft.	१८८.००	१९१.००	१९१.००	
<b>78 SERIES WINDOWS</b>						
१	Providing and fixing sliding windows of section 78 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'.4'6" or avg area 27 sqft per window)	Sq.ft.			४३९.००	

Handwritten signatures and initials at the bottom of the page.

Aluminium Doors and Windows

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
२	Providing and fixing sliding window with top fix glass of section 78 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'.5' or avg area 30 sqft per window)	Sq.ft.			४५६.००	
३	Providing and fixing aluminium fix windows of section 78 series 1.2 th. Fitted with 5 mm clear glass	Sq.ft.			३९३.००	
४	Providing and fixing flymesh shutter of section 78 series 1 th. Fitted with SS flymesh (2'x4'6")	Sq.ft.			९३०.००	
	<b>102 SERIES PARTITION</b>					
१	Providing and fixing Full Height Partition of aluminum section in naturally anodized or black anodized/powder coated color Section size (102x45x1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (average panel area 8.00 Sq.ft)	Sq.ft.	५९९.००	५२९.००	५२९.००	
२	Providing and fixing Half Height Partition of aluminum section in naturally anodized or black anodized/powder coated color Section size (102x45x1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (average panel area 6.00 Sq.ft)	Sq.ft.	५६३.००	५७४.००	५७४.००	
	<b>Aluminium &amp; Steel Door &amp; Window</b>					
१	Aluminum fixed panel window with ventilation but without fly mesh shutter from section. (88x38x1.20) mm and 5 mm glass.	Sq.ft.			५०९.००	
२	Aluminum fixed panel window with ventilation but with fly mesh shutter from section. (88x38x1.20) mm and 5 mm glass.	Sq.ft.			५४७.००	
३	Casement double panel aluminum windows with ventilation. Section size (88x45x1.10)mm, (38x34x1.10)mm & 5 mm glass.	Sq.ft.			४९९.००	
४	Casement door of aluminum section in naturally anodized color. Section size (100x38x1.30) mm and 5 mm glass.	Sq.ft.			४५६.००	
५	Siding windows 2 track in naturally anodized color section of (88x38x1.10)mm 5 mm glass.	Sq.ft.			३६४.००	
६	Siding windows 2 track in naturally anodized color section of (88x38x1.30)mm 5 mm glass.	Sq.ft.			४८३.००	
७	Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (101 x 45 x 1.2)	Sq.ft.			४८३.००	
८	Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (64 x38x1.2)	Sq.ft.			४५८.००	
९	Providing and fixing of aluminium windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass without fly mesh shutter (window size 6'X4'6" of 77 sqft / window)	Sq.ft.			५३९.००	
१०	Providing and fixing of aluminium windows with top fixed glass of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass without fly mesh shutter (window size 6'X5' or avg area 30 sqft/ window)	Sq.ft.			६०७.००	
११	Providing and fix windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass	Sq.ft.			४४७.००	
१२	Providing and fixing of aluminium fix windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear fly mesh (size 2'X4'6")	Sq.ft.			९४३.००	
१३	Providing and fixing aluminium casement windows of section 38 series 1.2 mm th. Fitted with 5 mm clear glass avg. area of each shutter 6 sq.ft	Sq.ft.			५९४.००	
१४	Providing and fixing aluminium casement doors of section 102 series 1.2 mm th. Fitted with 5 mm clear glass	Sq.ft.			५५८.००	
१५	Providing and fixing swing door of section 102 series 1.2 mm th. Fitted with 5 mm clear glass	Sq.ft.			७९०.००	
	<b>64 SERIES PARTITION</b>					
१	Providing and fixing Full Height Partition of aluminum section in naturally anodized or black anodized color Section size (64x38x1.10 mm) fitted with 5 mm clear glass or 9 mm both side laminated board.(average panel area 8.00 Sq.ft)	Sq.ft.	३९०.००	३९७.००	३९७.००	





Aluminium Doors and Windows

Handwritten signature

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
२	Providing and fixing low height partition of aluminum section in naturally anodized or black anodized color Section size (64x38x1.10 mm) fitted with 5 mm clear glass or 9 mm both side laminated board.(average panel area 6.00 Sq.ft)	Sq.ft.	४७८.००	४८७.००	४८७.००	
<b>STRUCTURAL GLAZING</b>						
१	Providing and fixing Structural Glazing of aluminum section in natural or color anodized/powder coated color Section size (60x50+13x1.3 mm) fitted with 5 mm color glass.(average panel area 6.00 Sq.ft.)	Sq.ft.	५४८.००	५५८.००	५५८.००	
२	Providing and fixing Structural Glazing of aluminum section in natural or color anodized/powder coated color Section size (60x75+13x1.6 mm) fitted with 5 mm color glass.(average panel area 6.00 Sq.ft.)	Sq.ft.	६३६.००	६४८.००	६४८.००	
३	Providing and fixing Structural Glazing of aluminum section in natural or color anodized/powder coated color Section size (60x100+13x2 mm) fitted with 5 mm color glass.(average panel area 6.00 Sq.ft.)	Sq.ft.	७७३.००	७८८.००	७८८.००	
<b>GLASS DOOR &amp; PARTITION</b>						
१	Providing and fixing Fixid Glass Door of 12 mm Clear Toughened Glass with Stainless Steel patches or Aluminium Frame (Ground Floor).	Sq.ft.	१२५९.००	१२८४.००	१२८४.००	
२	Providing and fixing Fixid Glass Partition of 12 mm Clear Toughened Glass with Stainless Steel patches or Aluminium Frame (Ground Floor).	Sq.ft.	८१७.००	८३३.००	८३३.००	
३	Providing and fixing Fixid Glass Partition of 12 mm Clear Toughened Glass with Spider Fitting.	Sq.ft.	१३५४.००	१३८१.००	१३८१.००	
<b>Aluminium Composite Panel (ACP).</b>						
१	Providing and fixing ACP Cladding on wall (Exterior) 3 mm thick ACP (0.25 mm Aluminium PVDF Core) on 25x38 mm Aluminium Tube framing.	Sq.ft.	३३३.००	३३९.००	३३९.००	
२	Providing and fixing ACP Cladding on wall (Exterior) 4 mm thick ACP (0.25 mm Aluminium PVDF Core) on 25x38 mm Aluminium Tube framing.	Sq.ft.	४४७.००	४५५.००	४५५.००	

Handwritten signature

Handwritten signature

Handwritten signature

Handwritten signature

Handwritten signature

छाना छाउने अन्य निर्माण सामग्री

नं. १

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मुआक बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
१	Corrugated/Plain Fiber Glass Sheet				
	०.८ मी. मी. मोटो प्लेन	व.फि.		११२.००	११२.००
	०.८ मी. मी. मोटो कोरोगेटेड	व.फि.		१२५.००	१२५.००
	१.२ मी. मी. मोटो प्लेन	व.फि.		१२५.००	१२५.००
	१.२ मी. मी. मोटो कोरोगेटेड	व.फि.		१४३.००	१४३.००
	२ मी. मी. मोटो प्लेन	व.फि.		२१२.००	२१२.००
	२ मी. मी. मोटो कोरोगेटेड	व.फि.		२५०.००	२५०.००
	३ मी. मी. मोटो प्लेन	व.फि.		२८७.००	२८७.००
	३ मी. मी. मोटो कोरोगेटेड	व.फि.		३७५.००	३७५.००
२	Fiber Glass छानाको लागि Alumunium strip (25 x 1.5) mm	र.मि.		६९.००	६९.००
३	Fiber Glass छानाको लागि Ribet nut	गोटा		७.००	७.००
४	विभिन्न साइजको जे-हुक, यु-हुक	केजी		१३७.००	१३७.००
५	२" साइज रुफिङ्ग नेल्स	गोटा		७.००	७.००
६	३" साइज रुफिङ्ग नेल्स	गोटा		१०.००	१०.००

७	Sandwich PUF Roofing Panel -Supply & installation( including all accessories)				
	30mm Thickness	प्रति ब.फि		४४०.००	४४०.००
	40mm Thickness	प्रति ब.फि		४७०.००	४७०.००
	50mm Thickness	प्रति ब.फि		४९५.००	४९५.००
	50mm Thickness	प्रति ब.फि			
८	Sandwich PUF Wall Panel -Supply & installation( including all accessories)				
	40mm Thickness	प्रति ब.फि		४५०.००	४५०.००
	50mm Thickness	प्रति ब.फि		४७५.००	४७५.००
	75mm Thickness	प्रति ब.फि		५५०.००	५५०.००
	100mm Thickness	प्रति ब.फि		६२०.००	६२०.००
	125mm Thickness	प्रति ब.फि		७१५.००	७१५.००
	150mm Thickness	प्रति ब.फि		७८०.००	७८०.००
९	ZCU Channel				
	CZU(2mm thickness /320mm,360mm,410mm) galvanized	प्रति के.जि		२०५.००	२०५.००
	CZU(1.8mm thickness /210mm) galvanized	प्रति के.जि		२१०.००	२१०.००

SP

J

J

J

J



Handwritten signature or mark.

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
१	फलामको कब्जा				
	(क) ३" साइज	गोटा		१५	१५
	(ख) ४" साइज	गोटा		२९	२९
	(ग) ५" साइज	गोटा		४४	४४
	(घ) ६" साइज	गोटा		५७	५७
२	Locking Set (L-drop)				
	300 mm	गोटा		२६५	२६५
	225 mm	गोटा		२३२	२३२
	150 mm	गोटा		१९९	१९९
३	Aluminum Towerbolt (छेस्कीनी)				
	(क) ३" लामो	गोटा		२०	२०
	(ख) ४" लामो	गोटा		४१	४१
	(ग) ६" लामो	गोटा		६८	६८
	(घ) ८" लामो	गोटा		८२	८२
	(ङ) १०" लामो	गोटा		९६	९६
	(च) १२" लामो	गोटा		१०९	१०९
४	Aluminum Handle (हतकल)				
	Ordinary	गोटा		३३	३३
	Special	गोटा		४८	४८
५	ब्रासको कब्जा				
	2" x 1/2"	गोटा		६४	६४
	2 1/2 x 3/4"	गोटा		७२	७२
	3" x 3/4"	गोटा		८९	८९
	2" x 3/4"	गोटा		७२	७२
	2 1/2" x 3/4"	गोटा		८९	८९
	3" x 3/4"	गोटा		८९	८९
	3" x 1"	गोटा		१९३	१९३
	4" x 1"	गोटा		२९०	२९०
	5" x 1"	गोटा		३८७	३८७
	6" x 1"	गोटा		४६७	४६७
६	Brass Towerbolt (छेस्कीनी)				
	(क) ३" लामो	गोटा		१४५	१४५
	(ख) ४" लामो	गोटा		१९३	१९३
	(ग) ६" लामो	गोटा		२९०	२९०
	(घ) ८" लामो	गोटा		३८७	३८७
	(ङ) १०" लामो	गोटा		४८२	४८२
	(च) १२" लामो	गोटा		५७९	५७९
७	Brass Handle (हतकल)				
	6" Brass handle	गोटा		१५३	१५३

Handwritten signatures and marks at the bottom left.

Handwritten signature or mark at the bottom center.

Handwritten signature or mark at the bottom right.

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	8" Brass handle	गोटा		४६७	४६७
	10" Brass handle	गोटा		९६६	९६६
८	<b>Brass Locking Set (L-drop)</b>				
	(क) ८" लामो	गोटा		९६६	९६६
	(ख) १०" लामो	गोटा		१५९३	१५९३
	(ग) १२" लामो	गोटा		१७७०	१७७०
	<b>Special Fittings</b>				
९	<b>एल ड्रप</b>				
	८" लामो	गोटा		१०८३	१०८३
	१०" लामो	गोटा		१२२३	१२२३
	१२" लामो	गोटा		१२७४	१२७४
१०	ह्याण्डल ८" लामो	गोटा		१२७४	१२७४
११	<b>टावर बोल्ट</b>				
	६" लामो	गोटा		२३०	२३०
	८" लामो	गोटा		३०६	३०६
	१०" लामो	गोटा		३८३	३८३
१२	<b>डबल कलर (गोल्ड सिल्भर/ब्ल्याक सिल्भर)</b>				
	<b>एल ड्रप</b>				
	८" लामो	गोटा		९१०	९१०
	१०" लामो	गोटा		११५३	११५३
	१२" लामो	गोटा		१२७४	१२७४
	<b>ह्याण्डल</b>				
	६" लामो	गोटा		२५५	२५५
	८" लामो	गोटा		३८३	३८३
	<b>मोर्टिस लक</b>				
	Ordinary	गोटा		६३८	६३८
	Chinese	गोटा		४२४	४२४
	Indian Godrej Company	गोटा		२६०८	२६०८
	Brass			११५३	११५३
१३	<b>Door Spring (Door Closer)</b>				
	Ordinary	गोटा		१८२	१८२
	hydraulic	गोटा		१९११	१९११
	Window I-hook	गोटा		१८	१८
१४	<b>Gate Hook</b>				
	4" Gate hook	गोटा		३२	३२
	5" Gate hook	गोटा		३६	३६
	6" Gate hook	गोटा		४३	४३
	Brass Gate hook	गोटा		७७	७७
१५	<b>Door stopper</b>				

१८१

१८१

१८१

१८१

१८१

ह.प.

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	Butterfly	गोटा		१५१	१५१
	Bell catch 2" size	गोटा		२००	२००
	C.P. handle	गोटा		४३४	४३४
	Power coated handle	गोटा		४१४	४१४
	Brass coated handle	गोटा		८९१	८९१
	Door stopper, single brass stopper	गोटा		१०२	१०२
	Door stopper double brass stopper	गोटा		१८२	१८२
१६	<b>Screw Brass</b>				
	20mm	गोटा		२	२
	25mm	गोटा		३	३
	35mm	गोटा		४	४
	50mm	गोटा		१२	१२
	75mm	गोटा		१५	१५
१७	<b>Screw Steel</b>				
	20mm	गोटा		१	१
	25mm	गोटा		२	२
	35mm	गोटा		२	२
	50mm	गोटा		७	७
	75mm	गोटा		८	८
१८	Staircase को 3/4" x 3/4" square pipe मा लगाउने Brass cap	गोटा		९३	९३
१९	Staircase को 1" x 1" square pipe मा लगाउने Brass cap	गोटा		९८	९८

ह.प.

ह.प.

ह.प.


ह.प.

ह.प.

# Security System





सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
१	<b>Steel Security Gate</b>					
	Metal detector (black Scorpien Company)	गोटा	१६९९५.००	१६९९५.००	१६९९५.००	
	Access Controller (Taiwanese )	गोटा	२८८४०.००	२८८४०.००	२८८४०.००	
	Access Controller (Chainese )	गोटा	१३९०५.००	१३९०५.००	१३९०५.००	
२	<b>Steel Security Door</b>					
	Single leaf :- 50 mm, 70 mm, 100mm	ब. मि.	८६८३.००	८६८३.००	८६८३.००	
	Half leaf : - 50 mm, 70 mm, 100mm	ब. मि.	९९३०.००	९९३०.००	९९३०.००	
	Double leaf : - 50 mm, 70 mm, 100mm	ब. मि.	१०४१९.००	१०४१९.००	१०४१९.००	
३	<b>Security System</b>					
	i) Short range wireless intruder Alarm (including Host Unit-1, PIR moton detector-1, Door Sensor-1, Remote Controller -2)	गोटा	३४३३३.००	३४३३३.००	३४३३३.००	
	iii) Access Controller with record using Card and Pin ( with 10 piece RFID Card.)	गोटा	२०६००.००	२०६००.००	२०६००.००	
	iv) Access Controller without record using Card and Pin ( with 5 piece RFID Card.)	गोटा	१२८७५.००	१२८७५.००	१२८७५.००	
	v) Finger print access system with software	गोटा	३६०५०.००	३६०५०.००	३६०५०.००	
	vi) Secury from Panic Alarm	गोटा	३६०५०.००	३६०५०.००	३६०५०.००	
४	<b>CCTV System</b>					
	<b>Out door high speed Dome Integrated CAMERA</b> Multi Protocal ,480 TVL,128 preset points , automatic surveillance,360 degrees horizontal rotation , AC 240V power supply , integrated heating system , highest angle speed 360 degree/ sec ,weather resistance, water resistance, robust type.					
	Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom	सेट	५६६५०.००	५६६५०.००	५६६५०.००	
	Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	सेट	५८९१६.००	५८९१६.००	५८९१६.००	
५	<b>Indoor high speed Dome Integrated CAMERA</b>					
	CANON Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom	सेट	५४३८४.००	५४३८४.००	५४३८४.००	
	CANON Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	सेट	५६६५०.००	५६६५०.००	५६६५०.००	
	<b>VISTA Box camera</b> with adoptor, IR view distance 25mm Mirror shutter;with mirror image switchable,white balance; auto,Horizontal resolution ; 480 TV line , system signal; NTSC/PALBlacklight compression :ON/OFF(Switchable) , AGC; ON/OFF	सेट	१५४५०.००	१५४५०.००	१५४५०.००	
	7" Sphirical Shilded with bracket included chip excluded Camera		८३६४.००	८३६४.००	८३६४.००	
	<b>8 Channel DVR</b> MJPEG Compression Type 8 Channel ionput 2 Channel output USB2.0Interface , Hard Disc > 200G, Multi-Record ,Motion Detector Function , Remote Control	सेट	३३९९०.००	३३९९०.००	३३९९०.००	
	6 Channel Alarm input , 16 Channel Record 8 channel Alarm output , Internate Explore, MPG-4 Record	सेट	५०९८५.००	५०९८५.००	५०९८५.००	
	17" LCD Monitor	सेट	१०८१५.००	१०८१५.००	१०८१५.००	



सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
१	ईटा					
१.१	मेशिनबाट उत्पादित ईटा (१-नं.)	प्रति हजार	१५७००.००	१६५००.००	१६५००.००	
१.२	चिम्नी भट्टाको ईटा	प्रति हजार	१४४००.००	१५०००.००	१५०००.००	
१.३	स्थायी चिम्नी भट्टाको ईटा	प्रति हजार	१०६००.००	११०००.००	११०००.००	
१.४	तराई को १ नं.ईटा	प्रति हजार	१५५००.००	१६५००.००	१६५००.००	
१.५	टुक्रा ईटा	घ.मि.	२५००.००	२६००.००	२६००.००	
१.६	सिमेन्टको ईटा					
	BK108N	प्रति हजार	१५४५०.००	१६२५०.००	१६२५०.००	
	BK118As	प्रति हजार	१६२७४.००	१७०००.००	१७०००.००	
२	खानी तथा खोलाको ढुंगा	घ.फि.	३९.९३	४३.९०	४३.९०	
३	विभिन्न प्रकारको खानी तथा खोलाको को बालुवा	घ.फि.	५३.२४	५३.२४	५३.२४	
४	क्रसरबाट उत्पादित ६-१० मी. मी. साइजको गिट्टि	घ.फि.	६६.५५	६६.५५	६६.५५	
५	क्रसरबाट उत्पादित १०-२० मी. मी. साइजको गिट्टि	घ.फि.	६६.५५	६६.५५	६६.५५	
६	क्रसरबाट उत्पादित २०-४० मी. मी. साइजको गिट्टि	घ.फि.	६६.५५	६६.५५	६६.५५	
७	क्रसरबाट उत्पादित ६ मी.मी. भन्दा कमको गिट्टि	घ.फि.	६६.५५	६६.५५	६६.५५	
८	सडकको Sub-base/base course का लागि प्रयोग गरिने निर्माण सामग्री					
	(क) खोलाको स्क्रिन गरेका ग्रामेल	घ.फि.	४४.००	४४.००	४४.००	
	(ख) खोलाको स्क्रिन नगरेका ग्रामेल	घ.फि.	३०.००	३०.००	३०.००	
	(ग) खानीको ग्रामेल	घ.फि.	२०.००	२०.००	२०.००	
	(घ) Base-course को लागि मिक्स सोलिड	घ.फि.	६५.००	६५.००	६५.००	
	(ङ) ढुगाको धुलो (Stone dust)	घ.फि.	३०.००	३०.००	३०.००	
१०	छानामा छाउने क्ले टायलहरू					
	मेशिनबाट उत्पादित टायल	गोटा	१८.००	१८.००	१८.००	
	चिम्नी भट्टाको टायल	गोटा	१६.००	१६.००	१६.००	
	मेशिनबाट उत्पादित धुरी	गोटा	३२.००	३२.००	३२.००	
	चिम्नी भट्टाको धुरी	गोटा	२६.००	२६.००	२६.००	
११	भुईमा/ कौसीमा छाप्ने क्ले टायलहरू					
	मेशिनबाट उत्पादित क्ले टायल	गोटा	१०.००	१०.००	१०.००	
	चिम्नी भट्टाको क्ले टायल	गोटा	९.००	९.००	९.००	
१२	छाप्ने ढुङ्गा (Flag stone)					
	१" सम्म बाक्लो सर्फेस ड्रेस गरेको छाप्ने ढुङ्गा	व.फि.	७१.००	७५.००	७५.००	
	१ 1/2" सम्म बाक्लो सर्फेस ड्रेस गरेको छाप्ने ढुङ्गा	व.फि.	८२.००	८८.००	८८.००	
	2" सम्म बाक्लो ढुङ्गा सर्फेस ड्रेस गरेको छाप्ने ढुङ्गा	व.फि.	९९.००	१०५.००	१०५.००	
	2.5" सम्म बाक्लो ढुङ्गा सर्फेस ड्रेस गरेको छाप्ने ढुङ्गा	व.फि.	११०.००	११६.००	११६.००	
	2.5"-3" सम्म बाक्लो ढुङ्गा सर्फेस ड्रेस गरेको छाप्ने ढुङ्गा	व.फि.	१३७.००	१४५.००	१४५.००	
१३	भवनको भुईँ कोठामा पुर्न, सोलिडको गर्न प्रयोग गरिने बालुवा	घ.फि.	४०.००	४०.००	४०.००	
१४	लिउन राख्ने माटो (ट्रक ढुवानी बाहेक)	घ.मि.	२९५.००	२९५.००	२९५.००	
१५	सवग्रेडमा राख्ने माटो (Capping layer Granular soil)	घ.मि.	५१०.००	५१०.००	५१०.००	
१६	भुस	के.जि.	५.५०	५.५०	५.५०	
१७	गोबर	के.जि.	५.००	५.००	५.००	
१८	५०० गेज प्लाष्टिक सिट	व.मी.	३१.००	३१.००	३१.००	
१९	Plastic felt (२०मी. × १मी.)	रोल	२३५५.००	२३५५.००	२३५५.००	
२०	१८-२० फिट लामो बाँस	गोटा	२१०.००	२१०.००	२१०.००	

Handwritten signatures and marks at the bottom of the page.



Handwritten signature or mark at the top right.

NON DESTRUCTIVE TEST FOR FORENSIC ENGINEERING

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
१	Surface Hardness	Element	१०००.०	१०००	१०००	
२	Cover Survey/ Rebar Orientation	Element	४०००.०	४०००	४०००	
३	Homogeneity	Element	५०००.०	५०००	५०००	
४	Crack Depth Measurement	Element	५०००.०	५०००	५०००	
५	E-Modulus Calculation Test	Element	५०००.०	५०००	५०००	
६	Resistivity	Element	२५००.०	२५००	२५००	
७	Curing Efficiency Test	Element	२५००.०	२५००	२५००	
८	Corrosion Mapping	Element	१५०००.०	१५०००	१५०००	
९	Half Cell Potential	Element	७०००.०	७०००	७०००	
१०	Sonic Echo/ Void Detection Test	Element	१००००.०	१००००	१००००	
११	Pulloff Test/ Bond Test	Element	७०००.०	७०००	७०००	
१२	Concrete Tensile Strength Test	Element	७०००.०	७०००	७०००	
१३	Moisture Content	Element	४५००.०	४५००	४५००	
१४	Core Extraction					
	32 mm Dia	Element	७५००.०	७५००	७५००	
	52 mm Dia	Element	८०००.०	८०००	८०००	
	75 mm Dia	Element	८५००.०	८५००	८५००	
	100 mm Dia	Element	१००००.०	१००००	१००००	
	150 mm Dia	Element	१२५००.०	१२५००	१२५००	
	200 mm Dia	Element	१५०००.०	१५०००	१५०००	
	250 mm Dia	Element	१७५००.०	१७५००	१७५००	
	300 mm Dia	Element	२००००.०	२००००	२००००	
	350 mm Dia	Element	२५०००.०	२५०००	२५०००	
१५	Rapid Chloride Penetration Test	Element	१५०००.०	१५०००	१५०००	
१६	Anchor Pullout Test	Element	२००००.०	२००००	२००००	
१७	Infrared Thermography	Element	३५००.०	३५००	३५००	
१८	Low Strain Pile Integrity Test	Element	११०००.०	११०००	११०००	
१९	High Strain Dynamic Pile Load Test	Element	५०००००.०	५०००००	५०००००	
२०	Fresh Concrete Resistivity (Smart Box)	Element	४०००.०	४०००	४०००	
२१	Fine/ Coarse Aggregate Moisture Content	Element	३५००.०	३५००	३५००	
२२	Fresh Concrete Moisture Content (W/C Ratio)	Element	३५००.०	३५००	३५००	
२३	Cross Hole Sonic Logging	Element	१२५००.०	१२५००	१२५००	
२४	Impulse Echo	Element	१००००.०	१००००	१००००	
२५	Maturity Meter Test	Element	३५०००.०	३५०००	३५०००	
२६	Chloride Profile	Element	१२५००.०	१२५००	१२५००	
२७	Carbonation Depth Detection Test	Element	२५००.०	२५००	२५००	
२८	Boroscope	Element	३५०००.०	३५०००	३५०००	
२९	Videoscope	Element	८५०००.०	८५०००	८५०००	
३०	Ground Penetrating Radar	Element	५००००.०	५००००	५००००	
३१	CAPO Test	Element	१२५००.०	१२५००	१२५००	
३२	Permeability Test	Element				
	Air		३००००.०	३००००	३००००	
	Water		४००००.०	४००००	४००००	
३३	Concrete Cutting Services	R. M.	३००००.०	३००००	३००००	
३४	Wall Cutting Services	R. M.	५००००.०	५००००	५००००	
३५	Impact Echo	Element	१००००.०	१००००	१००००	
३६	Mortar Strength Test (Penetrometer)	Element	५०००.०	५०००	५०००	


Handwritten signatures and marks at the bottom of the page.




  
 नेपाल सरकार  
 मन्त्रालय कार्यालय  
 काठमाडौं

NON DESTRUCTIVE TEST FOR FORENSIC ENGINEERING

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
३७	ASR Detection Test	Element	१००००.०	१००००	१००००	
३८	Moisture Content Test					
	Concrete	Element	२०००.०	२०००	२०००	
	Brick	Element	२०००.०	२०००	२०००	
	Masonry	Element	२०००.०	२०००	२०००	
	Wood	Element	२५००.०	२५००	२५००	





Handwritten signature/initials.

## Tools and Occupational Health and Safety Equipments

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
१	<b>Tools and Occupational Health and Safety Equipments</b>					
	<b>Simple Hand Tools</b>					
	Pickaxe 2.5 Kg	No.	४०१	४०१	४०१	
	Shovel	No.	५८९	५८९	५८९	
	Watering Can plastic 5 ltr.	No.	५०३	५०३	५०३	
	Chisel 35mmx225mm (1.5 kg)	No.	४५५	४५५	४५५	
	Wheel Barrow	No.	९५२३	९५२३	९५२३	
	Crowbar (25-32mm. Dia) 7 kgs	No.	१६८५	१६८५	१६८५	
	Sledge Hammer (4kgs)	No.	१०९१	१०९१	१०९१	
	Measuring Tape(5m)	No.	१६१	१६१	१६१	
	Foot Pump	No.	१५९४	१५९४	१५९४	
	Mason Hammer	No.	२५७	२५७	२५७	
	Rake (12 teeth, 1.2 m length handle)	No.	७८१	७८१	७८१	
	Curved knife (Hasiya) (400 gms )	No.	३६४	३६४	३६४	
	Kodalo	No.	५४६	५४६	५४६	
	Faruwa (1.8 kg)	No.	९५२	९५२	९५२	
	Trowel	No.	१२०	१२०	१२०	
	Pulling Rope(Nilon)	No.	१३९	१३९	१३९	
२	<b>Personal Protective Safety Equipments (OSH)</b>					
	Safety Helmate (normal type)	No.	२७०	२७०	२७०	
	Safety Helmate (high safety type)	No.	५००	५००	५००	
	Self illumination Jacket With Print	No.	२७५	२७५	२७५	
	GumBoots	pair	५००	५००	५००	
	GumBoots (with steel toe)	pair	८५०	८५०	८५०	
	Set of Flag ( 2 )	pair	२१४	२१४	२१४	
	Mask (with activated carbon breather valve)	No.	४५	४५	४५	
	Hand hard Glove (leather)	pair	२८५	२८५	२८५	
	Goggles (Sun Protective)	No.	३२१	३२१	३२१	
	Raincoat	No.	१५००	१५००	१५००	
	Traffic Cone	No.	१०५९	१०५९	१०५९	


Handwritten signature/initials.

Handwritten signature/initials.

Handwritten signature/initials.

Handwritten signature/initials.

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
१	Dyana White Plate series SWITCH SOCKET ANCHOR / CPL /NG/Flux OR ISI EQUIVALENT					
	One Gang one way switch	सेट	५८.००	५९.००	५९.००	
	One Gang two way switch	सेट	६९.००	७०.००	७०.००	
	One way bell switch	सेट	७२.००	७३.००	७३.००	
	Two gang one way switch	सेट	९६.००	९७.००	९७.००	
	Two gang one way switch with one bell push	सेट	१०५.००	१०७.००	१०७.००	
	Two gang Full two way switch	सेट	१०७.००	१०९.००	१०९.००	
	Three Gang one way switch	सेट	१२७.००	१२९.००	१२९.००	
	Four gang one way switch	सेट	१६९.००	१६४.००	१६४.००	
	Six gang one way switch ( 3x5 )	सेट	२५३.००	२५८.००	२५८.००	
	Eight gang one way switch	सेट	३०४.००	३१०.००	३१०.००	
	Dimmer single 300 watt	सेट	३०९.००	३१५.००	३१५.००	
	Dimmer single 750 watt	सेट	४५९.००	४६८.००	४६८.००	
	5 Step humming free dimmer	सेट	४०७.००	४१५.००	४१५.००	
	16Amp 3 Pin Plug Top	सेट	१२९.००	१२३.००	१२३.००	
	1 switch with dimmer	सेट	३६८.००	३७५.००	३७५.००	
	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	सेट	१५९.००	१५४.००	१५४.००	
	6/16 Amp , Power sockets with switch , indicator & safety shutter	सेट	१६९.००	१७२.००	१७२.००	
	20/25 A Single phase A.C. motor Starter with 6/16 Amp safty shutter power socket	सेट	३७९.००	३७८.००	३७८.००	
	32A D.P. switch with fuse & indicator Surface Mounting	सेट	२०६.००	२१०.००	२१०.००	
	6 Gang ( 86 mm x 220 mm ) switch 2/3 pin switch socket shuttered socket & 2 nos. Humming free 5 steps fan dimmer with indicator	सेट	६९९.००	६२३.००	६२३.००	
	Blanking plate single	सेट	४०.००	४०.००	४०.००	
	Telephone socket single	सेट	११८.००	१२०.००	१२०.००	
	Telephone socket Double	सेट	१६९.००	१७२.००	१७२.००	
	Angle / bottom holder	सेट	३५.००	३५.००	३५.००	
	Ceiling Rose	सेट	३५.००	३५.००	३५.००	
	Buzzer	सेट	९७.००	९८.००	९८.००	
	Musical bell	सेट	२२२.००	२२६.००	२२६.००	
	T.V.antena single Socket	सेट	८२.००	८३.००	८३.००	
	6A 2/3 Pin unshuttered multi switch socket	सेट	१२८.००	१३०.००	१३०.००	
	RJ 45 Computer Socket for modem	सेट	२३४.००	२३८.००	२३८.००	
	Flush Mounting metallic Box for Plate Series switch / socket(78mm x 78mm x 50mm)	सेट	३५.००	३५.००	३५.००	
	Flush Mounting metallic Box for Plate Series switch / socket 78 x 140 x 50	सेट	६३.००	६४.००	६४.००	
	Flush Mounting metallic Box for Plate Series switch / socket 78 x 205 x 50	सेट	९८.००	९९.००	९९.००	
२	Switch / socket outlet, Plate series having round switch buttons & white surrounding plate, suitable to fix on box size 3"x3" . ORANGE, or Equivalent					
	10A 1gang 1way Switch	सेट	८३.००	८४.००	८४.००	
	10A 2gang 1way Switch	सेट	१६३.००	१६६.००	१६६.००	
	10A 3gang 1way Switch	सेट	२१६.००	२२०.००	२२०.००	
	10A 4gang 1way Switch	सेट	३५०.००	३५७.००	३५७.००	
	10A 5gang 1way Switch	सेट	३७९.००	३७८.००	३७८.००	



Handwritten signature/initials.

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	10A 6gang 1way Switch	सेट	६१७.००	६२९.००	६२९.००	
	10A 1gang 2way Switch	सेट	१४४.००	१४६.००	१४६.००	
	10A 2gang 2way Switch	सेट	२७८.००	२८३.००	२८३.००	
	10A 3gang 2way Switch	सेट	४०७.००	४१५.००	४१५.००	
	10A 4gang 2way Switch	सेट	६१३.००	६२५.००	६२५.००	
	T V Socket outlet	सेट	२९९.००	३०४.००	३०४.००	
	Telephone Socket	सेट	२६८.००	२७३.००	२७३.००	
	13A Universal socket outlet	सेट	४६४.००	४७३.००	४७३.००	
	13A Socket	सेट	२७३.००	२७८.००	२७८.००	
	15A switched Socket outlet	सेट	४४३.००	४५१.००	४५१.००	
	5A Socket	सेट	३४०.००	३४६.००	३४६.००	
	RJ 45 8way Computer Socket	सेट	८२४.००	८४०.००	८४०.००	
	TV and Telephone Socket	सेट	५९२.००	६०३.००	६०३.००	
	7+2 PIN SOCKET OUTLET	सेट	९२७.००	९४५.००	९४५.००	
	3+2 PIN SOCKET OUTLET	सेट	५७७.००	५८८.००	५८८.००	
	X5 2+2 - 2 PIN SOCKET OUTLET	सेट	७८३.००	७९८.००	७९८.००	
	SCHUKO SOCKET WITH ONE SWITCH	सेट	५०५.००	५१५.००	५१५.००	
	Bell Press	सेट	२३७.००	२४१.००	२४१.००	
	Blank Plate	सेट	९३.००	९४.००	९४.००	
	400W Light Dimmer W/ Switch	सेट	९०६.००	९२४.००	९२४.००	
	400W Fan Controller / Multi Step Dimmer	सेट	९१७.००	९३५.००	९३५.००	
	5 Step Fan Controller	सेट	८९६.००	९१३.००	९१३.००	
	2 Pin Socket W/ Switch	सेट	४५३.००	४६२.००	४६२.००	
	13A Twin Socket	सेट	६८०.००	६९३.००	६९३.००	
३	<b>White Plate series modular type(polycarbonate) SWITCH SOCKET power pack, Bentex, Premier Rathi, Ohms or eqv.</b>					
	One Gang one way switch	सेट	१००.००	१०२.००	१०२.००	
	One Gang two way switch	सेट	११२.००	११४.००	११४.००	
	One way bell switch	सेट	११२.००	११४.००	११४.००	
	Two gang one way switch	सेट	१३३.००	१३५.००	१३५.००	
	Two gang one way switch with one bell push	सेट	१४६.००	१४८.००	१४८.००	
	Two gang Full two way switch	सेट	१५८.००	१६१.००	१६१.००	
	Three Gang one way switch	सेट	१६७.००	१७०.००	१७०.००	
	Four gang one way switch	सेट	२०२.००	२०६.००	२०६.००	
	Six gang one way switch	सेट	३०७.००	३१३.००	३१३.००	
	Eight gang one way switch	सेट	३७४.००	३८१.००	३८१.००	
	Dimmer single 300 watt	सेट	४८६.००	४९५.००	४९५.००	
	1 switch with dimmer	सेट	४९९.००	५०८.००	५०८.००	
	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	सेट	२६०.००	२६५.००	२६५.००	
	6/13 Amp , Power sockets with switch , indicator	सेट	२६३.००	२६८.००	२६८.००	

Handwritten signature/initials.

Handwritten signature/initials.

Handwritten signature/initials.

Handwritten signature/initials.

Handwritten signature/initials.

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	20 A D.P. switch with fuse & indicator Surface Mounting	सेट	३५४.००	३६९.००	३६९.००	
	4 Gang ( 86 mm x 220 mm ) switch 2/3 pin switch socket with indicator	सेट	३९९.००	३९८.००	३९८.००	
	6 Gang ( 86 mm x 220 mm ) switch 2/3 pin switch socket with indicator	सेट	४७४.००	४८३.००	४८३.००	
	Blanking plate single	सेट	६२.००	६३.००	६३.००	
	Telephone socket single	सेट	९५२.००	९५५.००	९५५.००	
	Telephone socket Double	सेट	२४९.००	२५३.००	२५३.००	
	T.V. antenna single Socket	सेट	९४२.००	९४४.००	९४४.००	
	RJ 45 Computer Socket for modem	सेट	२०६.००	२९०.००	२९०.००	
	CAT-6 Computer Socket for modem	सेट	३२९.००	३२७.००	३२७.००	
४	<b>Modular Type Switch Socket set</b> NORTH-WEST' NORYSIS' ABB 'SCHNIEDER Legrand or ISI Equivalent					
	1P – 6A/10A 1 way switch	गोटा	९३९.००	९४९.००	९४९.००	
	1P – 16A/20A 1 way switch	गोटा	२२३.००	२२७.००	२२७.००	
	1P – 25A 1 way switch	गोटा	३२६.००	३३२.००	३३२.००	
	1P – 6A/10A 2 way switch	गोटा	९६७.००	९७०.००	९७०.००	
	1P – 16A/20A 2 way switch	गोटा	२५३.००	२५८.००	२५८.००	
	1P – 6A push button	गोटा	९८४.००	९८७.००	९८७.००	
	1 gang blanking module	गोटा	४३.००	४३.००	४३.००	
	2 gang blanking module	गोटा	८६.००	८७.००	८७.००	
५	<b>FAN REGULATOR / DIMMER</b>					
	Step type fan regulator	गोटा	६३८.००	६५०.००	६५०.००	
	60 – 500 W dimmer	गोटा	७९७.००	८९२.००	८९२.००	
	1000 W dimmer	गोटा	९५२४.००	९५५४.००	९५५४.००	
६	<b>SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS</b>					
	6A – multi socket 5 pin	गोटा	२४०.००	२४४.००	२४४.००	
	6/16A twin socket 3 pin (flushed)	गोटा	३३२.००	३३८.००	३३८.००	
	6/16A twin socket 3 pin (projected)	गोटा	३३२.००	३३८.००	३३८.००	
	25A 3 pin socket	गोटा	४०९.००	४०९.००	४०९.००	
	13A 3 pin socket	गोटा	२७०.००	२७५.००	२७५.००	
	RJ 11 telephone jack	गोटा	९५९.००	९६२.००	९६२.००	
	RJ 45 cat.6e computer socket	गोटा	५५७.००	५६८.००	५६८.००	
	TV socket	गोटा	९६९.००	९६४.००	९६४.००	
	<b>HOSPITALITY RANGE</b>					
	250V/110V shaver socket	गोटा	४३५५.००	४४४२.००	४४४२.००	
	Indicator (DO NOT DISTUURB)	गोटा	९८०.००	९८३.००	९८३.००	
	LED yellow night lamp	गोटा	५६०.००	५७९.००	५७९.००	
	LED Blue night lamp	गोटा	५६०.००	५७९.००	५७९.००	
७	<b>FRONT PLATE (COMPATIBLE TO MARKET BOXES)</b>					
	1 module front plate	गोटा	७२.००	७३.००	७३.००	

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०/८१	
	2 module front plate	गोटा	७७.००	७८.००	७८.००	
	3 module front plate	गोटा	८४.००	८५.००	८५.००	
	4 module front plate	गोटा	८९.००	९०.००	९०.००	
	6 module front plate	गोटा	१६२.००	१६५.००	१६५.००	
	8 module front plate(4+4)	गोटा	२१७.००	२२१.००	२२१.००	
	8 module front plate (Horizontal)	गोटा	१७४.००	१७७.००	१७७.००	
	12 module front plate	गोटा	२६०.००	२६५.००	२६५.००	
	18 module front plate	गोटा	३५०.००	३५७.००	३५७.००	
८	<b>Modular Type Switch Socket</b> KOLORS/INDO ASIAN/ GOLD MEDAL/ANCHOR WOODS/ANCHOR ROMA/VIMAL WAVE or ISI Equivalent					
	<b>Seperate Module for Modular Switch &amp; Socket</b>					
	1P – 6A/10A 1 way switch	गोटा	८७.००	८८.००	८८.००	
	1P – 16A/20A 1 way switch	गोटा	१४४.००	१४६.००	१४६.००	
	1P – 6A/10A 2 way switch	गोटा	१३४.००	१३६.००	१३६.००	
	1P – 16A/20A 2 way switch	गोटा	१७५.००	१७८.००	१७८.००	
	1P – 6A push button	गोटा	१३४.००	१३६.००	१३६.००	
	1 gang blanking module	गोटा	४९.००	४९.००	४९.००	
	2 gang blanking module	गोटा	७८.००	७९.००	७९.००	
९	<b>FAN REGULATOR / DIMMER</b>					
	Step type fan regulator	गोटा	७००.००	७१४.००	७३२.००	
	60 – 500 W dimmer	गोटा	५९७.००	६०८.००	६२३.००	
१०	<b>SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS</b>					
	6A – multi socket 5 pin	गोटा	१८५.००	१८८.००	१९३.००	
	6/16A twin socket 3 pin (flushed)	गोटा	२८८.००	२९३.००	३००.००	
	6/16A twin socket 3 pin (projected)	गोटा	२८८.००	२९३.००	३००.००	
	13A 3 pin socket	गोटा	१८५.००	१८८.००	१९३.००	
	RJ 11 telephone jack	गोटा	१४४.००	१४६.००	१५०.००	
	RJ 45 cat.6e computer socket	गोटा	२३७.००	२४१.००	२४७.००	
११	<b>TV socket</b>	गोटा	१४४.००	१४६.००	१५०.००	
	1 module front plate	गोटा	११३.००	११५.००	११८.००	
	2 module front plate	गोटा	११३.००	११५.००	११८.००	
	3 module front plate	गोटा	१४८.००	१५०.००	१५४.००	
	4 module front plate	गोटा	१६५.००	१६८.००	१७२.००	
	6 module front plate	गोटा	२२७.००	२३१.००	२३७.००	
	8 module front plate(4+4)	गोटा	३०५.००	३११.००	३१९.००	
	8 module front plate (Horizontal)	गोटा	३१३.००	३१९.००	३२७.००	
	12 module front plate	गोटा	३६३.००	३७०.००	३७९.००	
	18 module front plate	गोटा	४५३.००	४६२.००	४७४.००	







सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
१२	<b>Flush mounting galvanized Metal box for modular type switch &amp; socket</b>					
	1 module metal box having L x B x Depth =(78x78x45)mm	सेट	५२.००	५३.००	५४.००	
	2 module " " =(78x78x45)mm	सेट	५२.००	५३.००	५४.००	
	3 gang " " " =(78x100x45)mm	सेट	५६.००	५७.००	५८.००	
	4 gang " " =(78x140x50)mm	सेट	६८.००	६९.००	७१.००	
	5 gang " " =(78x205x50)mm	सेट	१३४.००	१३६.००	१३९.००	
	6 gang " " =(78x205x50)mm	सेट	१३६.००	१३८.००	१४१.००	
	8 module metal box (4+4) =(78x230x60)mm	सेट	१८१.००	१८४.००	१८९.००	
	8 module metal box (Horizontal) =(135x120x60)mm	सेट	१८१.००	१८४.००	१८९.००	
	12 module metal box =(135x120x60)mm	सेट	२३१.००	२३५.००	२४१.००	
	TV socket metal box	सेट	५२.००	५३.००	५४.००	
	Telephone socket metal box	सेट	५२.००	५३.००	५४.००	
१३	<b>METAL Junction BOX</b>					
	4"x4"	सेट	१००.००	१०२.००	१०५.००	
	4"x6"	सेट	१५०.००	१५३.००	१५७.००	
	6"x8"	सेट	२३७.००	२४१.००	२४७.००	
	8"x10"	सेट	३४९.००	३५५.००	३६४.००	
	8"x12"	सेट	३४९.००	३५५.००	३६४.००	
१४	<b>PVC Junction Box</b>					
	4"x4"	सेट	३४.००	३४.००	३५.००	
	4"x6"	सेट	३९.००	३९.००	३२.००	
	6"x8"	सेट	४६.००	४६.००	४७.००	
	8"x10"	सेट	६७.००	६८.००	७०.००	
	8" x12"	सेट	१२९.००	१३१.००	१३४.००	
	PVC Junction box cover	सेट	१४४.००	१४६.००	१५०.००	
१५	<b>PVC Listy Double Lock { 6'length =1 no.(गोटा)}</b>					
	½ " breadth	सेट	३१.००	३१.००	३२.००	
	¾"	सेट	४६.००	४६.००	४७.००	
	1"	सेट	६७.००	६८.००	७०.००	
	1 <sup>1/2</sup> "	सेट	१२९.००	१३१.००	१३४.००	
	2"	सेट	१४४.००	१४६.००	१५०.००	
	<b>PVC Conduit Pipe</b>					
	1) ½ " diameter	र.मी	३१.००	३१.००	३२.००	
	2) ¾"	र.मी	४६.००	४६.००	४७.००	
	3) 1"	र.मी	६७.००	६८.००	७०.००	
	<b>Listy Pipe Accessories</b>					
	½"-2" size Saddle	र.मी	८.००	८.००	८.००	
	Grips (Denmark)	गोटा	६.००	६.००	६.००	

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	Steel screws	गोटा	२.००	२.००	२.००	
	PVC Tape	गोटा	१५.००	१५.००	१५.००	
१६	<b>Distribution board (DB) - With busbar Neutral link Earth bar and Din Rail Conforming IS13032 , IS8632, Powder coated 14SWG CRCA sheet steel housing complete.siemens;abb 'hager</b>					
	4 way SPN DB Double Cover	सेट	१०८२.००	११०३.००	११३१.००	
	6 way SPN DB " "	सेट	११३५.००	११५७.००	११८६.००	
	8 way SPN DB " "	सेट	१४१६.००	१४४४.००	१४८०.००	
	12 way SPN DB " "	सेट	१६७९.००	१७१२.००	१७५५.००	
	16 way SPN DB " "	सेट	१७९५.००	१८३०.००	१८७६.००	
	3-4 way TPN DB Double Cover	सेट	२६६८.००	२७२१.००	२७८९.००	
	6 way TPN " " "	सेट	२९९८.००	३०५७.००	३१३३.००	
	8 way TPN " " " Vertical	सेट	५७९९.००	५९१४.००	६०६२.००	
	12 way TPN " " " Vertical	सेट	७७२७.००	७८८१.००	८०७८.००	
	50 Pair Telephone D.B.with crown tag	सेट	५४४६.००	५५५४.००	५६९३.००	
	<b>PVC Box for MCB</b>					
	1-pole PVC box GPS	सेट	८१.००	८२.००	८२.००	
	2- pole PVC " "	सेट	८१.००	८२.००	८२.००	
	3 and 4-pole PVC " "	सेट	१३०.००	१३२.००	१३२.००	
१७	<b>Miniature Circuits Breaker (MCB) , LEGRAND/Siemens , Abb, schnieder or equivalent</b>					
	6-32 amp MCB SP (single pole)	गोटा	२०६.००	२१०.००	२१५.००	
	6-32 amp MCB DP (Double pole)	गोटा	१०३०.००	१०५०.००	१०७६.००	
	6-32 amp MCB TP (Triple pole)	गोटा	१७१०.००	१७४४.००	१७८८.००	
	32 amp MCB TPN	गोटा	२४७२.००	२५२१.००	२५८४.००	
	40-63 amp MCB DP	गोटा	१६४८.००	१६८०.००	१७२२.००	
	40-63 amp MCB TP	गोटा	२६३७.००	२६८९.००	२७५६.००	
	40-63 amp MCB TPN	गोटा	३१५७.००	३२२०.००	३३०१.००	
१८	<b>Miniature Circuits Breaker (MCB) KOLORS/INDO ASIAN/ GOLD MEDAL/ANCHOR WOODS/ANCHOR ROMA/VIMAL WAVE, North-west equivalent</b>					
	0.5-5 amp MCB SP (single pole)	गोटा	२५.००	२६.३०	२७०.००	
	6-32 amp MCB SP (single pole)	गोटा	१६५.००	१६८.००	१७२.००	
	6-32 amp MCB DP (Double pole)	गोटा	६१८.००	६३०.००	६४६.००	
	6-32 amp MCB TP (Triple pole)	गोटा	१२३६.००	१२६०.००	१२९२.००	
	32 amp MCB TPN	गोटा	१४९४.००	१५२३.००	१५६१.००	
	40-63 amp MCB DP	गोटा	९७९.००	९९८.००	१०२३.००	
	40-63 amp MCB TP	गोटा	१३९१.००	१४१८.००	१४५३.००	
	40-63 amp MCB TPN	गोटा	१८५४.००	१८९१.००	१९३८.००	
१९	<b>Residual Current Circuit Breaker (RCCB) abb, siemens, hager, legend, north-west lawson or equivalent</b>					
	25A to 40A ,(30mA,100,300mA) DP RCCB	गोटा	२७५१.००	२८०६.००	२८७६.००	
	63A 30mA DP RCCB	गोटा	३२७८.००	३३४३.००	३४२७.००	
	63A 100mA DP RCCB	गोटा	३०१४.००	३०७४.००	३१५१.००	
	63A 300mA DP RCCB	गोटा	३०६४.००	३१२५.००	३२०३.००	







Handwritten signature/initials.

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	25A to 40A ,(30mA,100,300mA) FP RCCB	गोटा	३३७७.००	३४४४.००	३५३०.००	
	63A 30mA Four Pole RCCB	गोटा	३७०६.००	३७८०.००	३८७५.००	
	63A 100mAFour Pole RCCB	गोटा	३७०६.००	३७८०.००	३८७५.००	
	63A 300mA Four Pole RCCB	गोटा	३७०६.००	३७८०.००	३८७५.००	
२०	<b>Moulded Case Circuit Breaker abb, abb, siemens, hager, legrend, north-west lawson or equivalent</b>					
	16AMP- 63AMP TP MCCB 16KA	गोटा	५६६५.००	५७७८.००	५७७८.००	
	80AMP TP MCCB 16KA	गोटा	५६६५.००	५७७८.००	५७७८.००	
	100AMP TP MCCB 16KA	गोटा	६३८६.००	६५९३.००	६५९३.००	
	125AMP TP MCCB 16KA	गोटा	८२४०.००	८४०४.००	८४०४.००	
	160AMP TP MCCB 16KA	गोटा	९७८५.००	९९८०.००	९९८०.००	
	16AMP- 63AMP TP MCCB 25KA	गोटा	६३८६.००	६५९३.००	६५९३.००	
	80AMP TP MCCB 25KA	गोटा	७०४५.००	७१८५.००	७१८५.००	
	100AMP TP MCCB 25KA	गोटा	७०४५.००	७१८५.००	७१८५.००	
	125AMP TP MCCB 25KA	गोटा	९१३३०.००	९१५५६.००	९१५५६.००	
	160AMP TP MCCB 25KA	गोटा	९३३९०.००	९३६५७.००	९३६५७.००	
	200AMP TP MCCB 25KA(Adjustable)	गोटा	२१९१५.००	२१५३७.००	२१५३७.००	
	200AMP TP MCCB 36KA(Adjustable)	गोटा	२३९७५.००	२३६३८.००	२३६३८.००	
	250AMP TP MCCB 36KA(Adjustable)	गोटा	२७२९५.००	२७८४०.००	२७८४०.००	
	400AMP TP MCCB 50KA(Adjustable)	गोटा	३५५३५.००	३६२४५.००	३६२४५.००	
	630AMP TP MCCB 50KA(Adjustable)	गोटा	४८४९०.००	४९३७८.००	४९३७८.००	
	800AMP TP MCCB 50KA(Adjustable)	गोटा	६३९६३.००	६५२४२.००	६५२४२.००	
२१	<b>Manual Change over Panel Type - ABB,Siemens,Hager DELTON or Equivalent</b>					
	63 Amp FP	गोटा	१९६९८.००	१९८५०.००	१९९४६.००	
	80 Amp FP	गोटा	१२८५४.००	१३१९९.००	१३४३९.००	
	100 Amp FP	गोटा	१८२९०.००	१८५७४.००	१९०३८.००	
	125 Amp FP	गोटा	१९९९९.००	१९५८२.००	२००७२.००	
	160 Amp FP	गोटा	२५२९४.००	२५७९८.००	२६३६९.००	
	200 Amp FP	गोटा	२६०३८.००	२६५५८.००	२७२२२.००	
	250 Amp FP	गोटा	२७६८६.००	२८२३९.००	२८९४५.००	
	315 Amp FP	गोटा	३५०२०.००	३५७२०.००	३६६९३.००	
२२	<b>Dome light Make Homedec, Decon, Fumagalli OR equivalent</b>					
	6" Milky type decorative dome light	सेट	९८०.००	९८३.००	९८३.००	
	6 " Brass base decorative dome light	सेट	७३६.००	७५०.००	७५०.००	
	8"Milky type decorative dome light	सेट	२२७.००	२३९.००	२३९.००	
	8 " Brass base decorative dome light	सेट	८७६.००	८९३.००	८९३.००	
	8" Silver cast Milky base Decorative Dome Light	सेट	१९०७.००	१९२९.००	१९२९.००	
	6) 8" Silver cast Black Base base Decorative Dome Light	सेट	५६७.००	५७८.००	५७८.००	
	Decorative Ceiling luminary with round opal cover suitable for housing the one number of CFL lamp of 9W /13W/18W including CFL (Surface Mounting Dome light)	सेट	१२९३.००	१२३७.००	१२३७.००	
२३	<b>Wall bracket/spout light/mirror light bulk head ordinary .Make Homedec,Decon,Fumagalli</b>	सेट	२३२.००	२३६.००	२४२.००	
	Wall bracket/spot light/mirror light /bulk head medium decorative.	सेट	३६९.००	३६८.००	३७७.००	

Handwritten signature/initials.

Handwritten signature/initials.

Handwritten signature/initials.

Handwritten signature/initials.

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	Wall bracket/spout light/mirror light / bulk head best quality with 11/13W CFL	सेट	८२४.००	८४०.००	८६९.००	
	1 x 11/13 watt CFL <u>DOWN LIGHT</u> with reflector & diffuser (conceal light) Complete Set Wipro WCG22060	सेट	९६८.००	९८७.००	९०९२.००	
	1 x 18 watt CFL <u>Down light</u> with reflector & diffuser (conceal light) Complete Set Wipro WCP23118	सेट	९५९४.००	९५४४.००	९५८३.००	
	Dining lamp.	सेट	९७००.००	९७३४.००	९७७७.००	
	<b>Chandlers</b> 6-8 lamp Medium	सेट	९५०९०.००	९५३९९.००	९५७७६.००	
	Chandlers 3-5 lamp Medium	सेट	९०७६४.००	९०९७९.००	९१२५३.००	
	Mirror Light Euro Light Wipro WRF21111	सेट	४६४.००	४७३.००	४८५.००	
	Picture light Euro Light POO2	सेट	६७०.००	६८३.००	७००.००	
	Wall spot Light E27 60W Euro or eqv.	सेट	३६९.००	३६८.००	३७७.००	
	Exit Light safety sign(8.24)W Make Samcon	सेट	८२४.००	८४०.००	८६९.००	
२४	<b>Post top Lanterns</b>					
	Bollard Garden light small Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal block	सेट	२५७५.००	२६२६.००	२६२६.००	
	Bollard Garden light medium Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	सेट	३०९०.००	३१५९.००	३१५९.००	
	Bollard Garden light Full Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	सेट	३४७६.००	३५४५.००	३५४५.००	
	8" Globe type Post top Lamp complete set	सेट	९४९६.००	९४४४.००	९४४४.००	
	10" Globe type Post top Lamp complete set	सेट	२७०४.००	२७५८.००	२७५८.००	
२५	<b>Roadway light luminaires Wipro, Philips , Legero or Equivalent</b>					
	1 x 36 W FTL <u>street light</u> fixture with acrylic diffuser complete set	सेट	२६३७.००	२६८९.००	२६८९.००	
	2 x 36 W FTL street light fixture with acrylic diffuser complet set	सेट	३८६८.००	३९४५.००	३९४५.००	
	300/500 watt halogen weather proof <u>FLOOD LIGHT</u> with glass cover Complete set	सेट	९५४५.००	९५७५.००	९५७५.००	
	1000 watt halogen weather proof <u>flood light</u> with glass cover Complete set	सेट	३०९०.००	३१५९.००	३१५९.००	
	150 watt HPSV weather proof flood light with glass cover lamp Complete Set	सेट	९२७०.००	९४५५.००	९४५५.००	
	250 watt HPSV weather proof flood light with glass cover lamp Complete Set	सेट	९०८९.५०	९१०३.००	९१०३.००	
	Single Piece deep drawn aluminum POT optics <u>road light luminaries</u> with clear acrylic cover 70W HPSV lamp etc. complete with all accessories,	सेट	५२५३.००	५३५८.००	५३५८.००	
	2X18W CFL-4 Pin street light fixture with acrylic diffuser	सेट	२२७९.००	२३९६.००	२३९६.००	
	1X125W HPSV <u>street light</u> fixture with acrylic diffuser	सेट	५९९९.००	५२२९.००	५२२९.००	
	2X60/100W GLS <u>aviation light</u> fixture all complete set	सेट	५६८६.००	५७९९.००	५७९९.००	
२६	<b>CEILING FANS &amp; EXHAUST Fans,</b> BAJAJ/KHAITAN/ORIENT/CROMPTON/POWERPACK C/G Almonard or equivalent					
	36" size ceiling Fan	गोटा	२९६३.००	२२०६.००	२२६९.००	
	42" size " "	गोटा	२२६६.००	२३९९.००	२३६९.००	
	48" size " "	गोटा	२३९८.००	२३६४.००	२४२३.००	
	56" size " "	गोटा	२५७५.००	२६२६.००	२६९२.००	
	6" Exhaust Fan	गोटा	९४९४.००	९५२३.००	९५६९.००	

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	9" Exhaust Fan	गोटा	१८०३.००	१८३९.००	१८८५.००	
	16" size wall fan	गोटा	२८३३.००	२८८९.००	२९६९.००	
	12" size exhaust fan	गोटा	२५७५.००	२६२६.००	२६९२.००	
२७	<b>BELL INDICATOR</b>					
	4 way bell indicator with plate	सेट	१२५५.००	१२८०.००	१२८०.००	
	6 way " " " "	सेट	२०४९.००	२०८९.००	२०८९.००	
	8 way " " " "	सेट	२८५९.००	२९०८.००	२९०८.००	
	12 way " " " "	सेट	४३९५.००	४४८२.००	४४८२.००	
२८	<b>Materials For Earthing &amp; Lightening Protection (sp.gr. copper =8930kg/m<sup>3</sup>)</b>					
	Copper plate	के.जी	९९७.००	९३५.००	९५८.००	
	Copper Strip (25 x 3)mm (Appox 60"=1kg)	के.जी	१०८२.००	११०३.००	११३९.००	
	Copper Strip (20mm breadth x 3mm thick)	के.जी	१०८२.००	११०३.००	११३९.००	
	Copper Strip (12 x 3)mm	के.जी	१०८२.००	११०३.००	११३९.००	
	Lightning rod copper conductor Air termination set	गोटा	२७३०.००	२७८४.००	२८५४.००	
	8 SWG bare copper wire	र. मी	१४४.००	१४६.००	१५०.००	
	29 mm Diameter GI Pipe of 1m length	र. मी	२५२.००	२५७.००	२६३.००	
	30 Cm x 30 Cm Cast Iron Cover for water pouring into pit	गोटा	६९८.००	६३०.००	६४६.००	
	5/16 nuts & bolt with spring washer cadmium maker	गोटा	१५.००	१५.००	१५.००	
	1/2" Diameter GI pipe for protecting the earth conductor 1.5 m in length	गोटा	१९६.००	१९९.००	२०४.००	
	Funnel with wire mesh	गोटा	३६९.००	३६८.००	३७७.००	
	Charcoal	ब्याग	३०९.००	३१५.००	३२३.००	
	Salt	के.जी	१२.००	१२.००	१२.००	
२९	<b>STEEL TUBELAR POLE</b>					
	Steel Tubular Poles with welded plate on top and bottom ( Galvanized with folding System and accessories )	के.जी	१३६.००	१६५.००	१६५.००	
	7 mtr.length Wooden Pole	गोटा				
	9 mtr.length Wooden Pole	गोटा				
३०	<b>Fluorescent Tube light (FTL) set including Tube,condenser, starter , lamp holder,channel/batten made with pre-phosphated &amp; powder coated CRCA steel all complete accessories pre wired upto a terminal block . PHILIPS,WIPRO, BAJAJ, HAVELLS, OSRAM, CROMPTION, MIDEA, ORIENT, PREMIER, OHMS, LEGERO or equivalent</b>					
	1x20 watt FTL (Patti fittings)	सेट	४६४.००	४७३.००	४७३.००	
	1x40 watt FTL ,Energy saving electronic striplite with electronic choke(ballast) Surface mounting (Patti Fitting)	सेट	७७५.००	७९०.००	७९०.००	
	1x20 watt FTL (Mirrolta) WRF 20120	सेट	८७६.००	८९३.००	८९३.००	
	1x40 watt FTL with attractive & functional decorative battens WRF20140	सेट	१०२०.००	१०४०.००	१०४०.००	
	1x40 watt FTL box fittings WIF 14140	सेट	११५९.००	११८२.००	११८२.००	
	2x40 watt FTL box fittings WIF 14240	सेट	१७५९.००	१७८६.००	१७८६.००	
	1x40 watt FTL Industrial channel WIF 36140	सेट	१७८२.००	१८१७.००	१८१७.००	
	2x40 watt FTL Industrial channel WIF 36240	सेट	२२८७.००	२३३२.००	२३३२.००	
	1x40 watt FTL, opalite with opal Acrylic dissuser WCF51140	सेट	१८५४.००	१८९९.००	१८९९.००	

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	2x40 watt FTL, oplite with opal Arcylic dissuser WCF51240	सेट	३०९०.००	३१५१.००	३१५१.००	
	4x20 watt FTL, oplite WCF 93418	सेट	५४१०.००	५५१८.००	५५१८.००	
	4x20 watt FTL <u>mirror optic</u> , surface/recessed mounting WCF93418	सेट	५४१०.००	५५१८.००	५५१८.००	
	1x40 watt FTL mirror optic with electronic choke. Surface / recessed mounting WCF 82136	सेट	३५५४.००	३६२५.००	३६२५.००	
	2x40 watt FTL <u>mirror optic</u> , surface/recessed mounting with electronic choke WVP40236	सेट	४३२६.००	४४१२.००	४४१२.००	
	4 x 14 watt FTL T5 with electronic ballast direct / indirect , surface / recessed with paralite P5 luvver Complete set WVF20414	सेट	९३८३.००	९५७०.००	९५७०.००	
	3X14W FTL-T5 low glare fixture with specular reflector, parabolic louvers & electronic ballast surface /recessed Armstrong ceiling WVF 20314	सेट	८२४५.००	८४०९.००	८४०९.००	
३१	<b>Compact Fluorescent Lamp (CFL) based Luminaries set all complete . PHILIPS, WIPRO BAJAJ, HAVELLS, OSRAM, CROMPTION, MIDEA ,LEGERO or ISI equivalent .</b>					
	2 x 18 W CFL recessed/surface mounting <u>mirror Optic</u> Complete Set WCP32218	सेट	२६७८.००	२७३९.००	२७३९.००	
	1 x11 W CFL mirror Optic surface/recessed mounting complete set WVP 41111	सेट	१८३३.००	१८६९.००	१८६९.००	
	2 x11 W CFL mirror Optic Surface mounting complete set WVP41211	सेट	२२६६.००	२३११.००	२३११.००	
	2 x 36 watt CFL 4pin with electronic ballast direct / indirect , surface / recessed with luvver Complete set WVP24236	सेट	६०६७.००	६१८८.००	६१८८.००	
	3x36 W CFL -4 pin low glare fixture with P 5 louveres & electronic ballast complete set WVP 24336	सेट	६८२४.००	६९६०.००	६९६०.००	
	Recess mounting Direct Indirect LED luninare LM15-321-XXX-60-XX	सेट	१०८१५.००	११०३१.००	११०३१.००	
	Recess mounting Direct Indirect LED luninare LM11-291-XXX-57-XX	सेट	१४०६०.००	१४३४१.००	१४३४१.००	
	Recess Surface mounted LED luminate CRCO10R038HP57	सेट	१३३३९.००	१३६०५.००	१३६०५.००	
	Hight efficiency circular LED Down Lighter LD71	सेट	३२४५.००	३३०९.००	३३०९.००	
	Designer LED Streetlight with pressure die cast housing suitable for secondary roads LR01	सेट	१४६००.००	१४८९२.००	१४८९२.००	
	IP20 and IP 65 non intregal flexible LED Strip Light LS 06/26	सेट	१०८२.००	११०३.००	११०३.००	
	Circular LED wall/Dome Light suitable for true ceiling LW01	सेट	३२४५.००	३३०९.००	३३०९.००	
	Square LED Wall/Dome light suitable for true ceiling LW02-101-XXX-60-XX	सेट	३२४५.००	३३०९.००	३३०९.००	
	Recess mounted indirect and direct luminaires WVP 64236	सेट	६१२९.००	६२५१.००	६२५१.००	
	2x36 Watt CFL Surface Mirror Optic WVP44236	सेट	६१२९.००	६२५१.००	६२५१.००	
३२.०	<b>Down Light Fiam Make</b>					
	FDL004 SMD7W-WWH Taiwan chip (120*90)	सेट	१२९८.००	१३२३.००	१३५६.००	
	FDL004 SMD7W-CW Taiwan chip	सेट	१२९८.००	१३२३.००	१३५६.००	
	FDLO04 SMD9W-WWH Taiwan chip (145*90)	सेट	१८५७.००	१८९४.००	१९४१.००	
	FDLO04 SMD9W-CW Taiwan chip	सेट	१८५७.००	१८९४.००	१९४१.००	
	FDLO04 SMD15W-WWH Taiwan chip (175*90)	सेट	२८२८.००	२८८४.००	२९५६.००	
	FDLO04 SMD15W-CW Taiwan chip	सेट	२८२८.००	२८८४.००	२९५६.००	
	FDL004 SMD30W-WWH Taiwan chip (200MM)	सेट	५०९१.००	५१९२.००	५३२२.००	
	FDL004 SMD30W-CW Taiwan chip	सेट	५०९१.००	५१९२.००	५३२२.००	
	FDLO12 COB5W-WWH (90MM)	सेट	१३०१.००	१३२७.००	१३६०.००	
	FDLO12 COB5W-CW	सेट	१३०१.००	१३२७.००	१३६०.००	
	FDLO12 COB10W-WWH (120MM)	सेट	१९७९.००	२०१८.००	२०६८.००	
	FDLO12 COB10W-CW	सेट	१९७९.००	२०१८.००	२०६८.००	
	FDLO12 COB15W-WWH Taiwan chip (140MM)	सेट	५०९१.००	५१९२.००	५३२२.००	


सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	FDLO12 COB15W-CW Taiwan chip	सेट	५०९१.००	५१९२.००	५३२२.००	
	FDLO12 COB25W-WWH Taiwan chip (175MM)	सेट	६७८७.००	६९२२.००	७०९५.००	
	FDLO12 COB25W-CW Taiwan chip	सेट	६७८७.००	६९२२.००	७०९५.००	
	FDLO12 COB30W-WWH Taiwan chip (200MM)	सेट	८४८३.००	८६५२.००	८८६८.००	
	FDLO12 COB30W-CW Taiwan chip	सेट	८४८३.००	८६५२.००	८८६८.००	
	FDLOO7 SMD12W-WWH Taiwan chip (130*110)	सेट	४१८४.००	४२६७.००	४३७४.००	
	FDLOO7 SMD12W-CW Taiwan chip	सेट	४१८४.००	४२६७.००	४३७४.००	
	FDLOO7 SMD18W-WWH Taiwan chip (165*145)	सेट	६१०८.००	६२३०.००	६३८६.००	
	FDLOO7 SMD18W-CW Taiwan chip	सेट	६१०८.००	६२३०.००	६३८६.००	
	FDLOO7 SMD24W-WWH Taiwan chip (195*175)	सेट	७६३५.००	७७८७.००	७९८२.००	
	FDLOO7 SMD24W-CW Taiwan chip	सेट	७६३५.००	७७८७.००	७९८२.००	
	FDLOO1 HP5W FBK-WWH Taiwan chip (95*110)	सेट	३१६७.००	३२३०.००	३३११.००	
	FDLOO1 HP5W FBK-CW Taiwan chip	सेट	३१६७.००	३२३०.००	३३११.००	
	FDLOO1 HP5W FWH-WWH Taiwan chip (80*120)	सेट	३१६७.००	३२३०.००	३३११.००	
	FDLOO1 HP5W FWH-CW Taiwan chip	सेट	३१६७.००	३२३०.००	३३११.००	
	FDLLOO5 SMD7W-WWH Taiwan chip (123MM)	सेट	१३०१.००	१३२७.००	१३६०.००	
	FDLLOO5 SMD7W-CW Taiwan chip	सेट	१३०१.००	१३२७.००	१३६०.००	
	FDLOO5 SMD12W-WWH Taiwan chip (165MM)	सेट	१६९६.००	१७२९.००	१७७२.००	
	FDLOO5 SMD12W-CW Taiwan chip	सेट	१६९६.००	१७२९.००	१७७२.००	
	FDLOO5 SMD20W-WWH Taiwan chip (200MM)	सेट	३१११.००	३१७३.००	३२५२.००	
	FDLOO5 SMD20W-CW Taiwan chip	सेट	३१११.००	३१७३.००	३२५२.००	
	FM3161 HP 18W-WWH Cree Led	सेट	६७८७.००	६९२२.००	७०९५.००	
	FM3161 HP 18W-CW Cree Led	सेट	६७८७.००	६९२२.००	७०९५.००	
	HD-5010-13-WWH Osram chip (86*75)	सेट	२०९४.००	२१३५.००	२१८८.००	
	HD-5010-13-CW Osram chip	सेट	२०९४.००	२१३५.००	२१८८.००	
	HD-5010-14-WWH Osram chip (115*105)	सेट	३१६७.००	३२३०.००	३३११.००	
	HD-5010-14-CW Osram chip	सेट	३१६७.००	३२३०.००	३३११.००	
	HD-5010-14-WWH Osram chip (140*125)	सेट	३९५९.००	४०३८.००	४१३९.००	
	HD-5010-14-CW Osram chip	सेट	३९५९.००	४०३८.००	४१३९.००	
	HD-5010-18-WWH Osram chip (215*200)	सेट	७८६०.००	८०१७.००	८२१७.००	
	HD-5010-18-CW Osram chip	सेट	७८६०.००	८०१७.००	८२१७.००	
	LETI 100 ROUND BLACK OPAL GX53 LED LAMP 3W	सेट	२४५१.००	२५००.००	२५६३.००	
	LETI 100 SQUARE BLACK OPAL GX53 LED LAMP3W 3C1.000.000	सेट	२४५१.००	२५००.००	२५६३.००	
	LUCIA WHITE OPAL	सेट	१८०३.००	१८३९.००	१८८५.००	
	LUCIA BLACK OPAL	सेट	१८०३.००	१८३९.००	१८८५.००	
	LUCIA-GD WHITE OPAL	सेट	१८०३.००	१८३९.००	१८८५.००	
	LUCIA-GD BLACK OPAL	सेट	१८०३.००	१८३९.००	१८८५.००	

Handwritten signature/initials

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	REMI/LUCIA WHITE OPAL	सेट	२१६३.००	२२०६.००	२२६१.००	
	REMI/LUCIA BLACK OPAL	सेट	२१६३.००	२२०६.००	२२६१.००	
	REMI/LUCIA-EL WHITE OPAL	सेट	२१६३.००	२२०६.००	२२६१.००	
	REMI/LUCIA-EL BLACK OPAL	सेट	२१६३.००	२२०६.००	२२६१.००	
	REMI/LUCIA-GD WHITE OPAL	सेट	२१६३.००	२२०६.००	२२६१.००	
	REMI/LUCIA-GD BLACK OPAL	सेट	२१६३.००	२२०६.००	२२६१.००	
	MADDI BULKHEAD WHITE OPAL	सेट	१८०३.००	१८३९.००	१८८५.००	
	MADDI BULKHEAD BLACK OPAL	सेट	१८०३.००	१८३९.००	१८८५.००	
	MADDI-VE BULKHEAD WHITE OPAL	सेट	२५२४.००	२५७४.००	२६३८.००	
	MADDI-VE BULKHEAD BLACK OPAL	सेट	१८०३.००	१८३९.००	१८८५.००	
	MADDI-HL BULKHEAD WHITE OPAL	सेट	१८०३.००	१८३९.००	१८८५.००	
	MADDI-HL BULKHEAD BLACK OPAL	सेट	१८०३.००	१८३९.००	१८८५.००	
	REMI/MADDI WHITE OPAL	सेट	२१६३.००	२२०६.००	२२६१.००	
	REMI/MADDI BLACK OPAL	सेट	२१६३.००	२२०६.००	२२६१.००	
	REMI/MADDI-VE WHITE OPAL	सेट	२१६३.००	२२०६.००	२२६१.००	
	REMI/MADDI-VE BLACK OPAL	सेट	२१६३.००	२२०६.००	२२६१.००	
	REMI/MADDI-HL WHITE OPAL	सेट	२१६३.००	२२०६.००	२२६१.००	
	REMI/MADDI-HL BLACK OPAL	सेट	२१६३.००	२२०६.००	२२६१.००	
	GABRI/MADDI 1L BLACK OPAL	सेट	७२१०.००	७३५४.००	७५३८.००	
	MINIGABRI/MADDI 1L BLACK OPAL	सेट	६४८९.००	६६१८.००	६७८३.००	
	MINIGABRI REMI/MADDI-VE 1L WHITE OPAL	सेट	६४८९.००	६६१८.००	६७८३.००	
	GELMI WHITE OPAL E27	सेट	२८८४.००	२९४१.००	३०१५.००	
	GELMI BLACK OPAL E27	सेट	२८८४.००	२९४१.००	३०१५.००	
	GELMI-EL WHITE OPAL E27	सेट	२८८४.००	२९४१.००	३०१५.००	
	GELMI-EL BLACK OPAL E27	सेट	२८८४.००	२९४१.००	३०१५.००	
	DANZI WHITE OPAL E27	सेट	२८८४.००	२९४१.००	३०१५.००	
	DANZI BLACK OPAL E27	सेट	२८८४.००	२९४१.००	३०१५.००	
	STUCCHI WHITE OPAL E27	सेट	३२४५.००	३३०९.००	३३९२.००	
	STUCCHI BLACK OPAL E27	सेट	३२४५.००	३३०९.००	३३९२.००	
	CECCHI WHITE OPAL E27	सेट	३२४५.००	३३०९.००	३३९२.००	
	CECCHI BLACK OPAL E27	सेट	३२४५.००	३३०९.००	३३९२.००	
	BISSO ANNA BLACK WITH OPAL DIFFUSER	सेट	३६०५.००	३६७७.००	३७६९.००	
	MIKROLOT ANNA BLACK W/OPAL DIFFUSER	सेट	३६०५.००	३६७७.००	३७६९.००	
	IESSE LANTERN BLACK W/OPAL DIFFUSER	सेट	३२४५.००	३३०९.००	३३९२.००	
	MIZAR/ANNA BLACK OPAL GX53 LED LAMP 3W	सेट	७२१०.००	७३५४.००	७५३८.००	
३३	<b>System Sensor Product (Honeywell)</b>					
	Photo Electric Smoke Detector	सेट	१८७५.००	१९१२.००	१९६०.००	
	Rate of Rise Heat Detector	सेट	१८७५.००	१९१२.००	१९६०.००	
	Fixed temperature Detector	सेट	२२८७.००	२३३२.००	२३९०.००	

Handwritten signatures and initials at the bottom of the page.

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	Base	सेट	३७१.००	३७८.००	३८५.००	
	Conv. MCP, Red, with LED, 470 Ohm, with BB, India	सेट	१४८३.००	१५१२.००	१५५०.००	
	Wall mount Horn+Strobe	सेट	४१२०.००	४२०२.००	४३०७.००	
	Ceiling mount Horn+Strobe	सेट	४१२०.००	४२०२.००	४३०७.००	
३४	<b>Exit Light Samcon make</b>					
	MODEL SLM 18	सेट	१२३६०.००	१२६०७.००	१२९२२.००	
	MODEL ELS 28	सेट	१२३६०.००	१२६०७.००	१२९२२.००	
	MODEL ETL 210H-4LA	सेट	१२३६०.००	१२६०७.००	१२९२२.००	
३५	<b>LUMINARIES Accessories-( PHILIPS, HIMSTAR, BAJAJ, HAVELLS, OSRAM, GE, CROMPTION, MIDEA, ORIENT, RATHI, PREMIER, WIPRO, OHMS or ISI/CE Eqv.)</b>					
	500 watt halogen rod	गोटा	२३२.००	२३६.००	२३६.००	
	1000 watt halogen rod	गोटा	२७८.००	२८३.००	२८३.००	
	70Watt SON Lamp (Sodium Vapour)	गोटा	८३४.००	८५०.००	८५०.००	
	150 watt sodium vapour bulb	गोटा	१२९८.००	१३२३.००	१३२३.००	
	250 watt sodium vapour bulb	गोटा	१७००.००	१७३४.००	१७३४.००	
	20-40 watt FTL rod	गोटा	८०.००	८१.००	८१.००	
	20-40 watt FTL Copper chowk.	गोटा	२५८.००	२६३.००	२६३.००	
	20-40W FTL Electronic Chowk with high power factor & instant flicker free start	गोटा	४१२.००	४२०.००	४२०.००	
	Acryle cover for 4x20 FTL	गोटा	९८९.००	१००८.००	१००८.००	
	FTL starter	गोटा	१९.००	१९.००	१९.००	
	8 W to 11W, C.F.L.Direct fit	गोटा	२३२.००	२३६.००	२३६.००	
	13 to 22W, C.F.L.Direct fit	गोटा	२९९.००	३०४.००	३०४.००	
	15-100 watt bulb. ( ISI )	गोटा	२६.००	२६.००	२६.००	
	PL-S 9W/86 (CFL)	गोटा	१६५.००	१६८.००	१६८.००	
	PL-S 11W/86 (CFL)	गोटा	१७५.००	१७८.००	१७८.००	
	PL-L 36W/86 (CFL)	गोटा	४१७.००	४२५.००	४२५.००	
	125W HPL-N (Mercury Vapour)	गोटा	३७१.००	३७८.००	३७८.००	
	250W HPL-N	गोटा	८७६.००	८९३.००	८९३.००	
	<b>Solar LED bulb</b>					
	12V/2W LED bulb	गोटा	३६१.००	३६८.००	३६८.००	
	12V/3W LED bulb	गोटा	४१२.००	४२०.००	४२०.००	
	12V/4W LED bulb	गोटा	४६४.००	४७३.००	४७३.००	
३६	<b>COPPER CONDUCTOR /WIRE /CABLE (PER COIL=(90 RM) NS marked</b>					
	1/18 size p.v.c. insulated copper wire/ cable	क्वायल	९४८.००	९६६.००	९९०.००	
	3/22 " " " "	क्वायल	११३३.००	११५५.००	११८४.००	
	3/20 " " " "	क्वायल	१८०३.००	१८३९.००	१८८५.००	
	7/22 " " " "	क्वायल	२५२४.००	२५७४.००	२६३८.००	
	7/20 " " " "	क्वायल	४१२०.००	४२०२.००	४३०७.००	
	7/18 " " " "	क्वायल	६४८९.००	६६१८.००	६७८३.००	
	7/16 " " " "	क्वायल	१३३९०.००	१३६५७.००	१३९९८.००	



Handwritten signature/initials.

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	19/18 " " "	क्वायल	१८०२५.००	१८३८५.००	१८८४५.००	
	19/16 " " "	क्वायल	३६०५०.००	३६७७९.००	३७६९०.००	
	2/20 " " "	क्वायल	१३७०.००	१३९७.००	१४३२.००	
	2/22 " " "	क्वायल	९२७.००	९४५.००	९६९.००	
३७	<b>Multistrand Flexible wire for house wiring (90meter per coil ) NS marked Eqv.</b>					
	1.0 mm PVC insulated Copper wire	क्वायल	१०३०.००	११३३.००	११३३.००	
	1.5 mm PVC insulated Copper wire	क्वायल	१६४८.००	१८१२.००	१८१२.००	
	2.5 mm PVC insulated Copper wire	क्वायल	२४२१.००	२६६३.००	२६६३.००	
	4.0 mm PVC insulated Copper wire	क्वायल	३९१४.००	४३०५.००	४३०५.००	
	6.0 mm PVC insulated Copper wire	क्वायल	६१८०.००	६७९८.००	६७९८.००	
	10.0mm PVC insulated Copper wire	क्वायल	१०३००.००	११३३०.००	११३३०.००	
३८	<b>Concentric cable NS marked Eqv.</b>					
	4mm size concentric cable	र.मी	२३.००	२४.००	२४.००	
	6mm size " "	र.मी	२६.००	२७.००	२७.००	
	10mm size concentric cable	र.मी	३९.००	४०.००	४०.००	
	16mm size " "	र.मी	६७.००	७०.००	७०.००	
	25mm size " "	र.मी	८९.००	९३.००	९३.००	
	RG6 Coaxial cable	र.मी	२३.००	२४.००	२४.००	
	RG59 Coaxial cable	र.मी	२६.००	२७.००	२७.००	
	UTP cat -5 networking cable	र.मी	२६.००	२७.००	२७.००	
३९	<b>Telephone Drop wire/pair cable NS marked Eqv.</b>					
	<sup>2</sup> / <sub>20</sub> Telephone drop wire	क्वायल	९८९.००	१००८.००	१००८.००	
	<sup>2</sup> / <sub>22</sub> Telephone drop wire	क्वायल	६७०.००	६८३.००	६८३.००	
	2- pair cable wire (2×2×0.45) mm Heavy	र.मी	१४.००	१४.००	१४.००	
	3- pair cable wire (3×2×0.45) mm Heavy	र.मी	२०.००	२०.००	२०.००	
	5- pair cable wire (5×2×0.45) mm Heavy	र.मी	३२.००	३२.००	३२.००	
	10- pair cable wire (10×2×0.45) mm Heavy	र.मी	६२.००	६३.००	६३.००	
	15- pair cable wire (15×2×0.45) mm Heavy	र.मी	९१.००	९२.००	९२.००	
	20- pair cable wire (20×2×0.45) mm Heavy	र.मी	११९.००	१२१.००	१२१.००	
	1mm drop wire	र.मी	१०.००	१०.००	१०.००	
४०	1-4 Line <b>EPABX</b> ,with 1set programmable master telephone set of corresponding brand Pansonic, Creative, Matrix Or Eqv.	सेट	७६४८.००	७८००.००	७८००.००	
	2-6 Line EPABX "	सेट	१८४११.००	१८७७९.००	१८७७९.००	
	3-8 Line EPABX "	सेट	२०५३८.००	२०९४८.००	२०९४८.००	
	4-12 Line EPABX "	सेट	३६८२३.००	३७५५९.००	३७५५९.००	
	6-16 Line EPABX "	सेट	४९५६९.००	५०५६०.००	५०५६०.००	
	8-24 Line EPABX "	सेट	८४९७५.००	८६६७४.००	८६६७४.००	
	8-48 Line EPABX "	सेट	९०९२३.००	९२७४९.००	९२७४९.००	
	8-72 Line EPABX "	सेट	९७२८८.००	९९२३३.००	९९२३३.००	
४१	<b>Other Accessories</b>					
	6" size Dome light glass	गोटा	६५.००	६६.००	६८.००	
	8" size " " "	गोटा	७६.००	७७.००	७९.००	

Handwritten signatures and initials.



सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	wall bracket glass	गोटा	६५.००	६६.००	६८.००	
	Fan regulator	गोटा	२७१.००	२७६.००	२८३.००	
४२	<b>Panel board</b> -double door type with locking arrangement with 2 coat of red oxide metal prime & 3 stage quality paint before final coat of enamel paint (Three phase, Neutral link, earth link ) TPNE copper busbar including necessary accessories for internal wiring at the board excluding cost of of MCCB / MCB & measuring instrument					
	60/75/100 AMP, 9"x36"x48" size	सेट	२१४१४.००	२१८४२.००	२२३८८.००	
	60/75/100 AMP "12"x36"x48" size	सेट	२५४९३.००	२६००२.००	२६६५२.००	
	60/75/100 AMP 9"x48"x60" size	सेट	३५६९०.००	३६४०३.००	३७३१३.००	
	60/75/100 AMP 12"x49"x60" size	सेट	४२४८८.००	४३३३७.००	४४४२०.००	
	150/200 AMP 9"x38"x52" size	सेट	२३७९३.००	२४२६८.००	२४८७५.००	
	150/200 AMP 12"x38"x52" size	सेट	२३७९३.००	२४२६८.००	२४८७५.००	
	150/200 AMP 9"x42"x56" size	सेट	२६४९६.००	२७०२५.००	२७७०९.००	
	150/200 AMP 12"x42"x56" size	सेट	२८१७९.००	२८७४२.००	२९४६९.००	
	250/300AMP 12"x48"x60" size	सेट	३४५०५.००	३५१९५.००	३६०७५.००	
	250/300AMP 12"x52"x62" size	सेट	३८६२६.००	३९३९८.००	४०३८३.००	
	400 AMP 12"x52"x66" size	सेट	४९९९८.००	४९९४०.००	४२९८९.००	
४३	<b>Panel Board measurement instrument</b>					
	0-500 volt meter	पिस	१०२३.००	१०४३.००	१०६९.००	
	60/100 Amp meter .	पिस	९७९.००	९९८.००	१०२३.००	
	Panel Indicator	पिस	२३७.००	२४९.००	२४७.००	
	2 Amp glass fuse with holder 12 mm size	पिस	१३४.००	१३६.००	१३९.००	
	AMP meter selector switch	पिस	६४९.००	६६९.००	६७८.००	
	volt meter selector switch	पिस	७१९.००	७२५.००	७४३.००	
	60/100 Amp C.T. coil per set 3 Pcs	पिस	१४३२.००	१४६०.००	१४९७.००	
	150-200AMP C.T coil. 3 PC / Set	गोटा	१७८२.००	१८१७.००	१८६२.००	
	250-300 AMP .. ..	गोटा	२४२९.००	२४६९.००	२५३९.००	
	400/500/600AMP .. ..	गोटा	३५५४.००	३६२५.००	३७१६.००	
	Kilo watt hour energy meter single phase	पिस	२२७९.००	२३९६.००	२३७४.००	
	Kilo watt hour energy meter 3 phase direct	पिस	१०२२८.००	१०४३२.००	१०६९३.००	
४४	<b>Trailing Protected Industrial Plug IP44</b>					
	16A 3P+E 400V Industrial plug	सेट	५४९.००	५५९.००	५६५.००	
	32 A 3p +N+E " Plug	सेट	८०३.००	८१९.००	८३९.००	
	32 A 3P+N+E water tight Plug IP67	सेट	१५४५.००	१५७५.००	१६१४.००	
४५	<b>Access Controller</b> with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimensin 120 x88 x18 mm built in two relay operating door	सेट	२०६००.००	२१०१२.००	२१५३७.००	
४६	<b>Access Controller</b> with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimension 120 x88 x18 mm built in two relay operating door (Chinese)	सेट	१३९०५.००	१४१८३.००	१४५३८.००	
४७	<b>CABLE SHOE</b>					
	16 sq.mm cable shoe	गोटा	६४.००	६५.००	६७.००	




Handwritten signature/initials.

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	25 sq.mm " "	गोटा	८३.००	८४.००	८६.००	
	35 sq.mm " "	गोटा	६४.००	६५.००	६७.००	
	50 sq.mm " "	गोटा	७५.००	७६.००	७८.००	
	70 sq.mm " "	गोटा	९२.००	९३.००	९५.००	
	95 sq.mm " "	गोटा	१४३.००	१४५.००	१४९.००	
	150 sq.mm " "	गोटा	२१५.००	२१९.००	२२४.००	
	195 sq.mm " "	गोटा	३०५.००	३११.००	३१९.००	
	250 sq.mm " "	गोटा	४८५.००	४९४.००	५०६.००	
४८	<b>Copper Conductor Armoured Power Cables NS marked or equivalent</b>					
	<b>a) 2 Core</b>					
	1.5 mm2	र.मी	१०३.००	१०५.००	१०८.००	
	2.5 mm2	र.मी	१३९.००	१४१.००	१४५.००	
	4.0 mm2	र.मी	१९१.००	१९४.००	१९९.००	
	6.0 mm2	र.मी	२४७.००	२५१.००	२५७.००	
	10.0 mm2	र.मी	३७१.००	३७८.००	३८७.००	
	16.0 mm2	र.मी	४९४.००	५०३.००	५१६.००	
	25.0 mm2	र.मी	७२१.००	७३५.००	७५३.००	
	35.0 mm2	र.मी	९५८.००	९७७.००	१००१.००	
	50.0 mm2	र.मी	१३३९.००	१३६५.००	१३९९.००	
	<b>b) 3 Core</b>			०.००		
	1.5 mm2	र.मी	१२९.००	१३१.००	१३४.००	
	2.5 mm2	र.मी	१८०.००	१८३.००	१८८.००	
	4.0 mm2	र.मी	२५८.००	२६३.००	२७०.००	
	6.0 mm2	र.मी	३३०.००	३३६.००	३४४.००	
	10.0 mm2	र.मी	४९४.००	५०३.००	५१६.००	
	16.0 mm2	र.मी	६९०.००	७०३.००	७२१.००	
	25.0 mm2	र.मी	१०५१.००	१०७२.००	१०९९.००	
	35.0 mm2	र.मी	१३९१.००	१४१८.००	१४५३.००	
	50.0 mm2 Copper Conductor Armoured	र.मी	१९०६.००	१९४४.००	१९९३.००	
	70.0 mm2	र.मी	२६७८.००	२७३१.००	२७९९.००	
	95.0 mm2	र.मी	३६०५.००	३६७७.००	३७६९.००	
	120.0 mm2	र.मी	४५३२.००	४६२२.००	४७३८.००	
	150.0 mm2	र.मी	५५६२.००	५६७३.००	५८१५.००	
	<b>c) 3.5 Core</b>					
	25.0 mm2	र.मी	१२५७.००	१२८२.००	१३१४.००	
	35.0 mm2	र.मी	१५९७.००	१६२८.००	१६६९.००	
	50.0 mm2	र.मी	२२४५.००	२२८९.००	२३४६.००	
	70.0 mm2	र.मी	३०९०.००	३१५१.००	३२३०.००	

Handwritten signatures and initials.

Handwritten signature/initials.



Handwritten signature/initials.

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	95.0 mm <sup>2</sup>	र.मी	४१२०.००	४२०२.००	४३०७.००	
	120.0 mm <sup>2</sup>	र.मी	५४०८.००	५५१६.००	५६५४.००	
	150.0 mm <sup>2</sup>	र.मी	६३८६.००	६५१३.००	६६७६.००	
	185.0 mm <sup>2</sup>	र.मी	७९३१.००	८०८९.००	८२९१.००	
	240.0 mm <sup>2</sup>	र.मी	१०४०३.००	१०६११.००	१०८७६.००	
	300.0 mm <sup>2</sup>	र.मी	१३१८४.००	१३४४७.००	१३७८३.००	
	400.0 mm <sup>2</sup>	र.मी	१७३०४.००	१७६५०.००	१८०९१.००	
	<b>d) 4 Core</b>					
	1.5 mm <sup>2</sup>	र.मी	१५५.००	१५८.००	१६२.००	
	2.5 mm <sup>2</sup>	र.मी	२२१.००	२२५.००	२३१.००	
	4.0 mm <sup>2</sup>	र.मी	३१९.००	३२५.००	३३३.००	7
	6.0 mm <sup>2</sup>	र.मी	४१२.००	४२०.००	४३१.००	
	10.0 mm <sup>2</sup>	र.मी	६१८.००	६३०.००	६४६.००	
	16.0 mm <sup>2</sup>	र.मी	९०१.००	९१९.००	९४२.००	
	25.0 mm <sup>2</sup>	र.मी	१३३९.००	१३६५.००	१३९९.००	
	35.0 mm <sup>2</sup>	र.मी	१८०३.००	१८३९.००	१८८५.००	
	50.0 mm <sup>2</sup>	र.मी	२५७५.००	२६२६.००	२६९२.००	
	70.0 mm <sup>2</sup>	र.मी	३५०२.००	३५७२.००	३६६१.००	
	95.0 mm <sup>2</sup> Copper Conductor Armoured	र.मी	४७३८.००	४८३२.००	४९५३.००	
	120.0 mm <sup>2</sup>	र.मी	५९७४.००	६०९३.००	६२४५.००	
	150.0 mm <sup>2</sup>	र.मी	७४१६.००	७५६४.००	७७५३.००	
	185.0 mm <sup>2</sup>	र.मी	९०६४.००	९२४५.००	९४७६.००	
	240.0 mm <sup>2</sup>	र.मी	१२३६०.००	१२६०७.००	१२९२२.००	
	300.0 mm <sup>2</sup>	र.मी	१४८३२.००	१५१२८.००	१५५०६.००	
	400.0 mm <sup>2</sup>	र.मी	२००८५.००	२०४८६.००	२०९९८.००	
४९	<b>Copper Conductor Unarmoured Power Cables NS marked or equivalent</b>					
	<b>a) 1-core</b>					
	10 sq. mm.	र.मी	४३.००	४३.००	४४.००	
	16 sq. mm.	र.मी	६५.००	६६.००	६८.००	
	25 sq. mm.	र.मी	७६.००	७७.००	७९.००	
	35 sq. mm.	र.मी	९१.००	९२.००	९४.००	
	50 sq. mm.	र.मी	१२१.००	१२३.००	१२६.००	
	70 sq. mm.	र.मी	१५८.००	१६१.००	१६५.००	
	95 sq. mm.	र.मी	२१४.००	२१८.००	२२३.००	
	120 sq. mm.	र.मी	२६०.००	२६५.००	२७२.००	
	150 sq. mm.	र.मी	३०८.००	३१४.००	३२२.००	
	<b>b) 2-core</b>					
	1.5 sq. mm Copper Conductor Unarmoured	र.मी	७२.००	७३.००	७५.००	


Handwritten signatures and initials.

Handwritten signature/initials.

Handwritten signature/initials.

५६



सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	2.5 sq.mm	र.मी	१०३.००	१०५.००	१०८.००	
	4 sq.mm	र.मी	१४४.००	१४६.००	१५०.००	
	6 sq.mm	र.मी	१९६.००	१९९.००	२०४.००	
	10 sq.mm	र.मी	३०९.००	३१५.००	३२३.००	
	16 sq.mm	र.मी	४२७.००	४३५.००	४४६.००	
	25 sq.mm	र.मी	६५९.००	६७२.००	६८९.००	
	35 sq.mm	र.मी	८९६.००	९१३.००	९३६.००	
	50 sq.mm	र.मी	१२३६.००	१२६०.००	१२९२.००	
	70 sq.mm	र.मी	१२३६.००	१२६०.००	१२९२.००	
	95 sq.mm	र.मी	२३१८.००	२३६४.००	२४२३.००	
	120 sq.mm	र.मी	३०३९.००	३०९९.००	३१७६.००	
	150 sq.mm	र.मी	३८११.००	३८८७.००	३९८४.००	
	<b>c) 3-core</b>					
	1.5 sq.mm. 3- core copper conductor	र.मी	९३.००	९४.००	९६.००	
	2.5 sq.mm	र.मी	१३४.००	१३६.००	१३९.००	
	4 sq.mm	र.मी	१९६.००	१९९.००	२०४.००	
	6 sq.mm	र.मी	२७८.००	२८३.००	२९०.००	
	10 sq.mm	र.मी	४३८.००	४४६.००	४५७.००	
	16 sq.mm	र.मी	६३९.००	६५१.००	६६७.००	
	25 sq.mm	र.मी	९७९.००	९९८.००	१०२३.००	
	35 sq.mm	र.मी	१३१८.००	१३४४.००	१३७८.००	
	50 sq.mm	र.मी	१८५४.००	१८९१.००	१९३८.००	
	70 sq.mm	र.मी	२५७५.००	२६२६.००	२६९२.००	
	95 sq.mm	र.मी	३५०२.००	३५७२.००	३६६१.००	
	120 sq.mm	र.मी	४४२९.००	४५१७.००	४६३०.००	
	150 sq.mm	र.मी	५४५९.००	५५६८.००	५७०७.००	
	<b>d) 3.5 core</b>					
	25 sq.mm	र.मी	१२०५.००	१२२९.००	१२६०.००	
	35 sq.mm Copper Conductor Unarmoured	र.मी	१५४५.००	१५७५.००	१६१४.००	
	50 sq.mm	र.मी	२१६३.००	२२०६.००	२२६१.००	
	70 sq.mm	र.मी	३०१३.००	३०७३.००	३१५०.००	
	95 sq.mm	र.मी	४०६९.००	४१५०.००	४२५४.००	
	120 sq.mm	र.मी	५३५६.००	५४६३.००	५६००.००	
	150 sq.mm	र.मी	६३३५.००	६४६१.००	६६२३.००	
	<b>e) 4-core Copper Conductor Unarmoured</b>					
	1.5 sq.mm	र.मी	११३.००	११५.००	११८.००	
	2.5 sq.mm	र.मी	१७०.००	१७३.००	१७७.००	
	4 sq.mm	र.मी	२५२.००	२५७.००	२६३.००	
	6 sq.mm	र.मी	३५०.००	३५७.००	३६६.००	



५६

H.P.

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			केफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	10 sq.mm	र.मी	५५६.००	५६७.००	५८१.००	
	16 sq.mm	र.मी	८४५.००	८६१.००	८८३.००	
	25 sq.mm	र.मी	१३१८.००	१३४४.००	१३७८.००	
	35 sq.mm	र.मी	१७७२.००	१८०७.००	१८५२.००	
	50 sq.mm	र.मी	२४७२.००	२५२१.००	२५८४.००	
	70 sq.mm	र.मी	३४५१.००	३५२०.००	३६०८.००	
	95 sq.mm	र.मी	४६८७.००	४७८०.००	४९००.००	
	120 sq.mm	र.मी	५९२३.००	६०४१.००	६१९२.००	
	150 sq.mm	र.मी	७३६५.००	७५१२.००	७७००.००	
	185 sq.mm	र.मी	९०६४.००	९२४५.००	९४७६.००	
	240 Sq. mm	र.मी	१२२५७.००	१२५०२.००	१२८१५.००	
	300 Sq. mm	र.मी	१४८३२.००	१५१२८.००	१५५०६.००	
	400 Sq. mm	र.मी	२००८५.००	२०४८६.००	२०९९८.००	
५०	Aluminum conductor Armoured (Power) cable NS marked or eqv.					
	a) 2-core					
	1.5 sq.mm	र.मी				
	2.5 sq.mm	र.मी	९३.००	९४.००	९६.००	
	4 sq.mm	र.मी	११८.००	१२०.००	१२३.००	
	6 sq.mm	र.मी	१३४.००	१३६.००	१३९.००	
	10 sq.mm	र.मी	१६०.००	१६३.००	१६७.००	
	16 sq.mm	र.मी	१८०.००	१८३.००	१८८.००	
	25 sq.mm	र.मी	२१६.००	२२०.००	२२६.००	
	35 sq.mm	र.मी	२४७.००	२५१.००	२५७.००	
	50 sq.mm	र.मी	३१९.००	३२५.००	३३३.००	
	70 sq.mm	र.मी	३९७.००	४०४.००	४१४.००	
	95 sq.mm	र.मी	५०५.००	५१५.००	५२८.००	
	b) 3-core					
	2.5 sq.mm. Aluminum conductor Armoured	र.मी	१०८.००	११०.००	११३.००	
	4 sq.mm	र.मी	१३४.००	१३६.००	१३९.००	
	6 sq.mm	र.मी	१४९.००	१५१.००	१५५.००	
	10 sq.mm	र.मी	१८०.००	१८३.००	१८८.००	
	16 sq.mm	र.मी	२०६.००	२१०.००	२१५.००	
	25 sq.mm Aluminum conductor Armoured	र.मी	२७८.००	२८३.००	२९०.००	
	35 sq.mm	र.मी	३३५.००	३४१.००	३५०.००	
	50 sq.mm	र.मी	४२७.००	४३५.००	४४६.००	
	70 sq.mm	र.मी	५४१.००	५५१.००	५६५.००	
	95 sq.mm	र.मी	४९४.००	५०३.००	५१६.००	
	120 sq.mm	र.मी	८३४.००	८५०.००	८७१.००	
	150 sq.mm	र.मी	१००४.००	१०२४.००	१०५०.००	



H.P.



सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	185 sq.mm	र.मी	१२३६.००	१२६०.००	१२९२.००	
	240 sq.mm	र.मी	१५१४.००	१५४४.००	१५८३.००	
	300 sq.mm	र.मी	१८५४.००	१८९१.००	१९३८.००	
	400 sq.mm	र.मी	२३१८.००	२३६४.००	२४२३.००	
	<b>c) 3.5 core</b>					
	25 sq.mm.	र.मी	३१९.००	३२५.००	३३३.००	
	35 sq.mm	र.मी	३७१.००	३७८.००	३८७.००	
	50 sq.mm	र.मी	४८९.००	४९८.००	५१०.००	
	70 sq.mm	र.मी	६२८.००	६४०.००	६५६.००	
	95 sq.mm	र.मी	८०३.००	८१९.००	८३९.००	
	120 sq.mm Aluminum conductor Armoured	र.मी	९७९.००	९९८.००	१०२३.००	
	150 sq.mm	र.मी	११७४.००	११९७.००	१२२७.००	
	185 sq.mm	र.मी	१४२१.००	१४४९.००	१४८५.००	
	240 sq.mm	र.मी	१७७२.००	१८०७.००	१८५२.००	
	300 sq.mm	र.मी	२२१५.००	२२५९.००	२३१५.००	
	400 sq.mm	र.मी	२७८१.००	२८३६.००	२९०७.००	
	<b>d) 4-core</b>					
	2.5 sq.mm	र.मी	१२४.००	१२६.००	१२९.००	
	4 sq.mm	र.मी	१५५.००	१५८.००	१६२.००	
	6 sq.mm	र.मी	१८०.००	१८३.००	१८८.००	
	10 sq.mm	र.मी	१९६.००	१९९.००	२०४.००	
	16 sq.mm	र.मी	२५२.००	२५७.००	२६३.००	
	25 sq.mm	र.मी	३४०.००	३४६.००	३५५.००	
	35 sq.mm	र.मी	४०२.००	४१०.००	४२०.००	
	50 sq.mm	र.मी	५४८.००	५५८.००	५७२.००	
	70 sq.mm	र.मी	७००.००	७१४.००	७३२.००	
	95 sq.mm	र.मी	९०१.००	९१९.००	९४२.००	
	120 sq.mm	र.मी	१०८२.००	११०३.००	११३१.००	
	150 sq.mm	र.मी	१३७०.००	१३९७.००	१४३२.००	
	185 sq.mm	र.मी	१६२७.००	१६५९.००	१७००.००	
	240sq.mm	र.मी	२०३९.००	२०७९.००	२१३१.००	
	300 sq.mm Aluminum conductor Armoured	र.मी	२५२४.००	२५७४.००	२६३८.००	
	400sq.mm	र.मी	३१९३.००	३२५६.००	३३३७.००	
५१	<b>Aluminium conductor unarmoured (power) cable NS marked or eqv.</b>					
	<b>a) 1-core</b>					
	16 sq.mm	र.मी	५२.००	५३.००	५४.००	
	25 sq.mm	र.मी	७२.००	७३.००	७५.००	
	35 sq.mm	र.मी	८८.००	८९.००	९१.००	
	50 sq.mm	र.मी	११३.००	११५.००	११८.००	


H.P.

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	70 sq.mm	र.मी	१४४.००	१४६.००	१५०.००	
	95 sq.mm	र.मी	१९६.००	१९९.००	२०४.००	
	120 sq.mm	र.मी	२३७.००	२४१.००	२४७.००	
	150 sq.mm	र.मी	३९१.००	३९८.००	४०८.००	
	185 sq.mm	र.मी	३६१.००	३६८.००	३७७.००	
	240 sq.mm	र.मी	४४३.००	४४९.००	४६२.००	
	300 sq.mm	र.मी	५३६.००	५४६.००	५६०.००	
	<b>b) 2-core Aluminium conductor unarmoured</b>					
	2.5 sq.mm	र.मी	५२.००	५३.००	५४.००	
	4 sq.mm	र.मी	६२.००	६३.००	६५.००	
	6 sq.mm	र.मी	७७.००	७८.००	८०.००	
	10 sq.mm	र.मी	९८.००	९९.००	१०१.००	
	16 sq.mm	र.मी	१०३.००	१०५.००	१०८.००	
	25 sq.mm	र.मी	१४४.००	१४६.००	१५०.००	
	35 sq.mm	र.मी	१८५.००	१८८.००	१९३.००	
	50 sq.mm	र.मी	२३७.००	२४१.००	२४७.००	
	70 sq.mm	र.मी	२९९.००	३०४.००	३१२.००	
	95 sq.mm 2 core	र.मी	४०२.००	४१०.००	४२०.००	
	<b>c) 3-core</b>					
	2.5 sq.mm	र.मी	६२.००	६३.००	६५.००	
	4 sq.mm	र.मी	७२.००	७३.००	७५.००	
	6 sq.mm	र.मी	८८.००	८९.००	९१.००	
	10 sq.mm	र.मी	१२४.००	१२६.००	१२९.००	
	16 sq.mm	र.मी	१४४.००	१४६.००	१५०.००	
	25 sq.mm	र.मी	२०६.००	२१०.००	२१५.००	
	35 sq.mm	र.मी	२५८.००	२६३.००	२७०.००	
	50 sq.mm	र.मी	३४०.००	३४६.००	३५५.००	
	70 sq.mm	र.मी	४५३.००	४६२.००	४७४.००	
	95 sq.mm	र.मी	५९७.००	६०८.००	६२३.००	
	120 sq.mm	र.मी	७४२.००	७५६.००	७७५.००	
	150 sq.mm	र.मी	८८६.००	९०३.००	९२६.००	
	185 sq.mm	र.मी	१११२.००	११३४.००	११६२.००	
	240 sq.mm	र.मी	१३८०.००	१४०७.००	१४४२.००	
	300 sq.mm Aluminium conductor unarmoured	र.मी	१७५१.००	१७८६.००	१८३१.००	
	<b>d) 3.5-core</b>				०.००	
	25 sq.mm	र.मी	२५८.००	२६३.००	२७०.००	
	35 sq.mm	र.मी	३०९.००	३१५.००	३२३.००	
	50 sq.mm	र.मी	४१२.००	४२०.००	४३१.००	
	70 sq.mm	र.मी	५६७.००	५७८.००	५९२.००	











Handwritten initials/signature.

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	95 sq.mm	र.मी	७४२.००	७५६.००	७७५.००	
	120 sq.mm	र.मी	९२७.००	९४५.००	९६९.००	
	150 sq.mm	र.मी	१११२.००	११३४.००	११६२.००	
	185 sq.mm	र.मी	१३९१.००	१४१८.००	१४५३.००	
	240 sq.mm	र.मी	१७५१.००	१७८६.००	१८३१.००	
	300 sq.mm	र.मी	२१६३.००	२२०६.००	२२६१.००	
	e) 4-core core aluminium unarmoured				०.००	
	2.5 sq.mm	र.मी	७२.००	७३.००	७५.००	
	4 sq.mm	र.मी	८२.००	८३.००	८५.००	
	6 sq.mm	र.मी	९८.००	९९.००	१०१.००	
	10 sq.mm	र.मी	१३४.००	१३६.००	१३९.००	
	16 sq.mm	र.मी	१९६.००	१९९.००	२०४.००	
	25 sq.mm	र.मी	२८८.००	२९३.००	३००.००	
	35 sq.mm	र.मी	३५०.००	३५७.००	३६६.००	
	50 sq.mm	र.मी	४८४.००	४९३.००	५०५.००	
	70 sq.mm 4	र.मी	६३९.००	६५१.००	६६७.००	
	95 sq.mm	र.मी	८४५.००	८६१.००	८८३.००	
	120 sq.mm	र.मी	१०३०.००	१०५०.००	१०७६.००	
	150 sq.mm	र.मी	१२८८.००	१३१३.००	१३४६.००	
	185 sq.mm	र.मी	१५९७.००	१६२८.००	१६६९.००	
	240 sq.mm	र.मी	२००९.००	२०४९.००	२१००.००	
	300 sq.mm	र.मी	२४७२.००	२५२१.००	२५८४.००	
५२	<b>General Lightig ANCHOR, C/G, Eqv.</b>					
	1 x 40 W FTL Patti fitting	सेट	२५२.००	२५७.००	२५७.००	
	1 x 20 W FTL Patti fitting	सेट	२३२.००	२३६.००	२३६.००	
	1 x 40 W FTL Box Fitting	सेट	४२७.००	४३५.००	४३५.००	
	1 x 20 W FTL Box fitting	सेट	४१७.००	४२५.००	४२५.००	
	9/11W Mini mirror light with electronic Blast suitable for PL lamp	सेट	३५५.००	३६२.००	३६२.००	
५३	<b>GEWISS /BEC PVC Conduit product of Italy</b>					
	<b>RK Range</b>					
	16 mm medium rigid conduit DX 25 316	र.मी	८८.००	८९.००	९१.००	
	20 mm medium rigid conduit DX 25 320	र.मी	१२४.००	१२६.००	१२९.००	
	25 mm medium rigid conduit DX 25 325	र.मी	१७५.००	१७८.००	१८२.००	
	32 mm medium rigid conduit DX 25 332	र.मी	२५२.००	२५७.००	२६३.००	
	40 mm medium rigid conduit DX 25 340	र.मी	३४५.००	३५१.००	३६०.००	
	50 mm medium rigid conduit DX 25 350	र.मी	५३०.००	५४०.००	५५४.००	
	63 mm medium rigid conduit DX 25 363	र.मी	९९९.००	१०१८.००	१०४३.००	
	16 mm heavy rigid conduit DX 25 716	र.मी	१६५.००	१६८.००	१७२.००	

Handwritten signatures and initials.

Handwritten signature.

Handwritten initials/signature.





विद्युतिय सामग्रीहरु

Handwritten signature/initials.

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	20 mm heavy rigid conduit DX 25 720	र.मी	२१६.००	२२०.००	२२६.००	
	25 mm heavy rigid conduit DX 25 725	र.मी	२६८.००	२९३.००	३००.००	
	32 mm heavy rigid conduit DX 25 732	र.मी	४३३.००	४४९.००	४४२.००	
	40 mm heavy rigid conduit DX 25 740	र.मी	५६७.००	५९८.००	६१३.००	
	50 mm heavy rigid conduit DX 25 750	र.मी	७९३.००	८०८.००	८२८.००	
	63 mm heavy rigid conduit DX 25 763	र.मी	१४८८.००	१५१७.००	१५५५.००	
	16 mm polymer cable gland GW 52 043 with fixing nut and screws	र.मी	१९६.००	१९९.००	२०४.००	
	20 mm polymer cable gland GW 52 044 with fixing nut and screws	र.मी	२४७.००	२५१.००	२५७.००	
	25 mm polymer cable gland GW 52 045 with fixing nut and screws	र.मी	३७६.००	३८३.००	३९३.००	
	32 mm polymer cable gland GW 52 046 with fixing nut and screws	र.मी	६२३.००	६३५.००	६५१.००	
	40 mm polymer cable gland GW 52 047 with fixing nut and screws	र.मी	७४७.००	७६९.००	७८०.००	
	50 mm polymer cable gland GW 52 048 with fixing nut and screws	र.मी	९६३.००	९८२.००	१००७.००	
	63 mm polymer cable gland GW 52 049 with fixing nut and screws	र.मी	१२००.००	१२२४.००	१२५५.००	
	16 mm shockproof polymer saddle collar clip GW 50 605	र.मी	३१.००	३१.००	३२.००	
	20 mm shockproof polymer saddle collar clip GW 50 606	र.मी	३६.००	३६.००	३७.००	
	25 mm shockproof polymer saddle collar clip GW 50 607	र.मी	४१.००	४१.००	४२.००	
	32 mm shockproof polymer saddle collar clip GW 50 608	र.मी	६२.००	६३.००	६५.००	
	40 mm shockproof polymer saddle collar clip GW 50 630	र.मी	९८.००	९९.००	१०१.००	
	50 mm shockproof polymer saddle collar clip GW 50 631	र.मी	११८.००	१२०.००	१२३.००	
	16 mm conduit coupler DX 40 016	र.मी	३६.००	३६.००	३७.००	
	20 mm conduit coupler DX 40 020	र.मी	४६.००	४६.००	४७.००	
	25 mm conduit coupler DX 40 025	र.मी	५७.००	५८.००	५९.००	
	32 mm conduit coupler DX 40 032	र.मी	१०३.००	१०५.००	१०८.००	
	40 mm conduit coupler DX 40 040	र.मी	१३९.००	१४१.००	१४५.००	
	50 mm conduit coupler DX 40 050	र.मी	२४२.००	२४६.००	२५२.००	
	63 mm conduit coupler DX 40 063	र.मी	४५८.००	४६७.००	४७९.००	
	16 mm tight bend DX 40 116	र.मी	५७.००	५८.००	५९.००	
	20 mm tight bend DX 40 120	र.मी	८२.००	८३.००	८५.००	
	25 mm tight bend DX 40 125	र.मी	१२९.००	१३१.००	१३४.००	
	32 mm tight bend DX 40 132	र.मी	२३७.००	२४१.००	२४७.००	
	40 mm tight bend DX 40 140	र.मी	३३५.००	३४१.००	३५०.००	
	50 mm tight bend DX 40 150	र.मी	६०३.००	६१५.००	६३०.००	
	63 mm tight bend DX 40 163	र.मी	२३५९.००	२४०६.००	२४६६.००	
	4 way junction box DX 45 004	र.मी	६७०.००	६८३.००	७००.००	
	7 way junction box DX 45 007	र.मी	८०३.००	८१९.००	८३९.००	
	10 way junction box DX 45 010	र.मी	१०२०.००	१०४०.००	१०६६.००	
	Closing cap for junction box DX 47 000	र.मी	११८.००	१२०.००	१२३.००	
	16 mm inspectionable T bend DX 40216	र.मी	११८.००	१२०.००	१२३.००	
	20 mm inspectionable T bend DX 40220	र.मी	१४९.००	१५१.००	१५५.००	


Handwritten signatures and initials at the bottom left of the page.

Handwritten signature/initials at the bottom right of the page.

H.P.

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	25 mm inspectionable T bend DX 40225	र.मी	१९६.००	१९९.००	२०४.००	
	32 mm inspectionable T bend DX 40232	र.मी	२३७.००	२४१.००	२४७.००	
	16 mm inspectionable bend DX 40 316	र.मी	९८.००	९९.००	१०१.००	
	20 mm inspectionable bend DX 40 320	र.मी	११८.००	१२०.००	१२३.००	
	25 mm inspectionable bend DX 40 325	र.मी	१५५.००	१५८.००	१६२.००	
	32 mm inspectionable bend DX 40 332	र.मी	१८५.००	१८८.००	१९३.००	
५४	<b>GEWISS/BEC Cable Tray with Cover and Accessories BRN Range</b>					
	65X35 mm2 hot deep galvanised steel cable tray MV 40 100	र.मी	८१९.००	८३५.००	८५६.००	
	95X35 mm2 hot deep galvanised steel cable tray MV 40 101	र.मी	९७३.००	९९२.००	१०१७.००	
	125X35 mm2 hot deep galvanised steel cable tray MV 40 102	र.मी	११७४.००	११९७.००	१२२७.००	
	155X35 mm2 hot deep galvanised steel cable tray MV 40 103	र.मी	१३१८.००	१३४४.००	१३७८.००	
	185X35 mm2 hot deep galvanised steel cable tray MV 40 104	र.मी	१५४०.००	१५७०.००	१६०९.००	
	215X35 mm2 hot deep galvanised steel cable tray MV 40 105	र.मी	१७१०.००	१७४४.००	१७८८.००	
	245X35 mm2 hot deep galvanised steel cable tray MV 40 106	र.मी	२१३७.००	२१७९.००	२२३३.००	
	305X35 mm2 hot deep galvanised steel cable tray MV 40 108	र.मी	२५१३.००	२५६३.००	२६२७.००	
	365X35 mm2 hot deep galvanised steel cable tray MV 40 110	र.मी	३०९०.००	३१५१.००	३२३०.००	
	395X35 mm2 hot deep galvanised steel cable tray MV 40 111	र.मी	३२८१.००	३३४६.००	३३३०.००	
	65X50 mm2 hot deep galvanised steel cable tray MV 40 120	र.मी	९८४.००	१००३.००	१०२८.००	
	95X50 mm2 hot deep galvanised steel cable tray MV 40 121	र.मी	११७९.००	१२०२.००	१२३२.००	
	125X50 mm2 hot deep galvanised steel cable tray MV 40 122	र.मी	१२९८.००	१३२३.००	१३५६.००	
	155X50 mm2 hot deep galvanised steel cable tray MV 40 123	र.मी	१४६८.००	१४९७.००	१५३४.००	
	185X50 mm2 hot deep galvanised steel cable tray MV 40 124	र.मी	१६६३.००	१६९६.००	१७३८.००	
	215X50 mm2 hot deep galvanised steel cable tray MV 40 125	र.मी	१८५९.००	१८९६.००	१९४३.००	
	245X50 mm2 hot deep galvanised steel cable tray MV 40 126	र.मी	२२७६.००	२३२१.००	२३७९.००	
	305X50 mm2 hot deep galvanised steel cable tray MV 40 128	र.मी	२६५७.००	२७१०.००	२७७८.००	
	365X50 mm2 hot deep galvanised steel cable tray MV 40 130	र.मी	३४५६.००	३५२५.००	३६१३.००	
	395X50 mm2 hot deep galvanised steel cable tray MV 40 131	र.मी	३७४९.००	३८२३.००	३९१९.००	
	515X50 mm2 hot deep galvanised steel cable tray MV 40 135	र.मी	४५८४.००	४६७५.००	४७९२.००	
	95X65 mm2 hot deep galvanised steel cable tray MV 40 141	र.मी	१३१३.००	१३३९.००	१३७२.००	
	215X65 mm2 hot deep galvanised steel cable tray MV 40 145	र.मी	२१२२.००	२१६४.००	२२१८.००	
	305X65 mm2 hot deep galvanised steel cable tray MV 40 148	र.मी	२७८१.००	२८३६.००	२९०७.००	
	395X65 mm2 hot deep galvanised steel cable tray MV 40 151	र.मी	३८५२.००	३९२९.००	४०२७.००	
	515X65 mm2 hot deep galvanised steel cable tray MV 40 155	र.मी	४८३६.००	४९३२.००	५०५५.००	
	605X65 mm2 hot deep galvanised steel cable tray MV 40 157	र.मी	५४४९.००	५५५७.००	५६९६.००	
	125X80 mm2 hot deep galvanised steel cable tray MV 40 162	र.मी	१४९४.००	१५२३.००	१५६१.००	
	215X80 mm2 hot deep galvanised steel cable tray MV 40 165	र.मी	२२७१.००	२३१६.००	२३७४.००	
	305X80 mm2 hot deep galvanised steel cable tray MV 40 168	र.मी	२८८४.००	२९४१.००	३०१५.००	
	395X80 mm2 hot deep galvanised steel cable tray MV 40 171	र.मी	४१५१.००	४२३४.००	४३४०.००	














Handwritten signature

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	515X80 mm2 hot deep galvanised steel cable tray MV 40 175	र.मी	५०९६.००	५१९६.००	५२४४.००	
५५	<b>Intrusion Detection System Make Honeywell or equivalent</b>					
	<b>Main Controller-CONTROL,FIRE/BURG COMMERCIAL VISTA-128FBP</b>	सेट	३८८५१.००	३९६२८.००	४०६१९.००	
	<b>Smoke &amp; Heat Detector-Wireless Smoke and Head Detector</b>	सेट	१०५४५.००	१०७५५.००	११०२४.००	
	<b>Door Contact-Wireless Door Contact with transmitter</b>	सेट	२६७८.००	२७३९.००	२७९९.००	
	<b>Motion Detector-Wireless Passive Infrared, Pet Immune Motion Detector</b>	सेट	४१७८.००	४२६९.००	४३६८.००	
	<b>Panic Switch-Wireless Panic Transmitter</b>	सेट	४९२९.००	५०९९.००	५१४४.००	
	<b>Key -Wireless Key to Arm and Disarm the System</b>	सेट	४७८०.००	४८७५.००	४९९७.००	
	<b>Window Contact- Wired door Contact with transmitter slim</b>	सेट	२८९२.००	२८६८.००	२९४०.००	
	Earth Quake Detector( JDS Inc, USA)-Quake Alarm	पिस	३६०९.००	३६७३.००	३७६५.००	
५६	<b>Automatic Motor Operator for water motor</b>					
	Upto 1/2 HP single phase motor	सेट	४१२०.००	४२०२.००	४३०७.००	
	Upto 1 HP single phase motor	सेट	५६६५.००	५७७८.००	५९२२.००	
	Upto 5 HP three phase motor	सेट	९२७०.००	९४५५.००	९६९९.००	
५७	<b>Earthing Materials (ISI or other International Standard)</b>					
	6 mm thick 600mm× 600 mm G.I. Plate	गोटा	२८२९.००	२८८५.००	२९५७.००	
	Funnelling Mechanism with cover (mild steel)	सेट	६९८.००	६३०.००	६४६.००	
	3.2 mm thick 600mm× 600 mm Copper Plate	गोटा	९५१७.००	९७०७.००	९९५०.००	
	Copper wire (10 SWG)	र.मी.	१५५.००	१५८.००	१६२.००	
	<b>Service wire (Al)</b>					
	2.5 mm <sup>2</sup>	र.मी.	१८.००	१८.००	१८.००	
	4.0 mm <sup>2</sup>	र.मी.	२२.००	२२.००	२३.००	
	6.0 mm <sup>2</sup>	र.मी.	२८.००	२८.००	२९.००	
५८	<b>Lightening Arrestor for 3 Phase .</b>					
	0.5 KV	सेट	१२३६.००	१२६०.००	१२९२.००	
	11 KV	सेट	४३२६.००	४४१२.००	४५२२.००	
	Cross Arms V Channel.	गोटा	३०९०.००	३१५१.००	३२३०.००	
	Stay set with accessories.					
	GI wire	गोटा	११८२.००	१२०५.००	१२३५.००	
	GI Plate	गोटा	११८५.००	१२०८.००	१२३८.००	
	Gay Insulator.	गोटा	५६.००	५७.००	५८.००	
	Elbow	गोटा	१०३.००	१०५.००	१०८.००	
	Rod , Nut	गोटा	४४५.००	४५३.००	४६४.००	
	Grip	गोटा	४९.००	४९.००	५०.००	
५९	<b>Overhead Insulators (0.4KV)</b>	गोटा				
	Sackle Insulator	गोटा	३९.००	३९.००	३२.००	
	D-Iron	गोटा	९३.००	९४.००	९६.००	
	Nut Bolt (3" with 8 mm Ø)	गोटा	१५.००	१५.००	१५.००	
	Nut Bolt (6" with 8 mm Ø) to clamp on Poles	गोटा	२३.००	२३.००	२४.००	

Handwritten signatures and initials

Handwritten signature


सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
६०	<b>Overhead Insulators with fixing accessories (11KV)</b>					
	Pin Insulator	गोटा	१८५.००	१८८.००	१९३.००	
	Disc Insulator	गोटा	९८९.००	१००८.००	१०३३.००	
	Cross Arms V Channel.	गोटा	२७९९.००	२७७३.००	२८४२.००	
	Sqarrel ACSR conductor 20mm <sup>2</sup>	र.मी.	१७.००	१७.००	१७.००	
	weasel ACSR conductor 30 mm <sup>2</sup>	र.मी.	३८.००	३८.००	३९.००	
	Rabbit ACSR conductor 50 mm <sup>2</sup>	र.मी.	५८.००	५९.००	६०.००	
	Dog ACSR conductor 100 mm <sup>2</sup>	र.मी.	११०.००	११२.००	११५.००	
६१	<b>Supply of aluminium ABC cable</b>					
	25mm square 4 core ABC cable	र.मी.	१५५.००	१५८.००	१६२.००	
	50 mm square 4 core ABC cable	र.मी.	२५८.००	२६३.००	२७०.००	
	95 mm square 4 core ABC cable	र.मी.	५०५.००	५१५.००	५२८.००	
६२	<b>Alternator 3 Phase Brush less with compounded Excitation.</b>					
	<b>AMF with ATS palel for DG Ankur metal or Equivalent</b>					
	5KVA AMF with ATS palel	सेट	२२६६०.००	२३१९३.००	२३६९९.००	
	7.5KVA AMF with ATS palel	सेट	२८८४०.००	२९४९६.००	३०१५९.००	
६३	<b>10KVA AMF with ATS palel</b>	सेट	३६०५०.००	३६७७९.००	३७६९०.००	
	15KVA AMF with ATS palel	सेट	४६३५०.००	४७२७७.००	४८४५९.००	
	20KVA AMF with ATS palel	सेट	६६९५०.००	६८२८९.००	६९९९६.००	
	25KVA AMF with ATS palel	सेट	७७२५०.००	७८७९५.००	८०७६५.००	
	30KVA AMF with ATS palel	सेट	९२७००.००	९४५५४.००	९६९९८.००	
६४	<b>MCB/SOLATOR ORIENT or equivalent</b>					
	B CURVE MCB SP 6A-32A	पोल	२३९.००	२४३.००	२४९.००	
	B CURVE MCB SP 40A	पोल	२८९.००	२८६.००	२९३.००	
	B CURVE MCB SP 50A-63A	पोल	२८९.००	२८६.००	२९३.००	
	C CURVE MCB SP 0.5-4A	पोल	२८९.००	२८६.००	२९३.००	
	C CURVE MCB SP 6-32A	पोल	२३९.००	२४३.००	२४९.००	
	C CURVE MCB SP 40A	पोल	४४६.००	४५४.००	४६५.००	
	C CURVE MCB SP 50-63A	पोल	४४६.००	४५४.००	४६५.००	
	C CURVE MCB SPN 0.5-4A	पोल	४७९.००	४८८.००	५००.००	
	C CURVE MCB SPN 6-32A	पोल	५१३.००	५२३.००	५३६.००	
	C CURVE MCB SPN 40A	पोल	५६९.००	५७२.००	५८६.००	
	C CURVE MCB SPN 50-63A	पोल	५६९.००	५७२.००	५८६.००	
	C CURVE MCB DP 0.5-4A	पोल	६९७.००	६२९.००	६४५.००	
	C CURVE MCB DP 6-32A	पोल	५६४.००	५७५.००	५८९.००	
	C CURVE MCB DP 40A	पोल	६९७.००	६२९.००	६४५.००	
	C CURVE MCB DP 50-63A	पोल	६९७.००	६२९.००	६४५.००	
	C CURVE MCB TP 0.5-4A	पोल	९२५.००	९४३.००	९६७.००	
	C CURVE MCB TP 6-32A	पोल	८४७.००	८६३.००	८८५.००	
	C CURVE MCB TP 40A	पोल	९२५.००	९४३.००	९६७.००	
	C CURVE MCB TP 50-63A	पोल	९२५.००	९४३.००	९६७.००	

*Handwritten signature*

*Handwritten signature*

*Handwritten signature*

*Handwritten signature*




Handwritten signature/initials.

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			केफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	C CURVE MCB TPN 0.5-4A	पोल	१२०६.००	१२३०.००	१२६१.००	
	C CURVE MCB TPN 6-32A	पोल	११०३.००	११२५.००	११५३.००	
	C CURVE MCB TPN 40A	पोल	१२०६.००	१२३०.००	१२६१.००	
	C CURVE MCB TPN 50-63A	पोल	१२०६.००	१२३०.००	१२६१.००	
	C CURVE MCB FP 0.5-4A	पोल	१२९०.००	१३१५.००	१३४८.००	
	C CURVE MCB FP 6-32A	पोल	११८०.००	१२०३.००	१२३३.००	
	C CURVE MCB FP 40A	पोल	१२९०.००	१३१५.००	१३४८.००	
	C CURVE MCB FP 50-63A	पोल	१२९०.००	१३१५.००	१३४८.००	
	ISOLATOR DP 40A	पोल	५५१.००	५६२.००	५७६.००	
	ISOLATOR DP 63A	पोल	५५१.००	५६२.००	५७६.००	
	ISOLATOR DP 80-100A	पोल	५७६.००	५८७.००	६०२.००	
	ISOLATOR DP 125A	पोल	६११.००	६२३.००	६३९.००	
	ISOLATOR FP 40A	पोल	९०२.००	९२०.००	९४३.००	
	ISOLATOR FP 63A	पोल	९०२.००	९२०.००	९४३.००	
	ISOLATOR FP 80-100A	पोल	९९८.००	१०१७.००	१०४२.००	
	ISOLATOR FP 125A	पोल	९९८.००	१०१७.००	१०४२.००	
	RCCB DP 25A 30mA	पोल	३५४७.००	३६१७.००	३७०७.००	
	RCCB DP 40A 30mA	पोल	३५४७.००	३६१७.००	३७०७.००	
	RCCB DP 63A 30mA	पोल	३५४७.००	३६१७.००	३७०७.००	
	RCCB DP 25A 100mA	पोल	३३४५.००	३४११.००	३४९६.००	
	RCCB DP 40A 100mA	पोल	३३४५.००	३४११.००	३४९६.००	
	RCCB DP 63A 100mA	पोल	३३४५.००	३४११.००	३४९६.००	
	RCCB DP 25A 300mA	पोल	३३४५.००	३४११.००	३४९६.००	
	RCCB DP 40A 300mA	पोल	३३४५.००	३४११.००	३४९६.००	
	RCCB DP 63A 300mA	पोल	३३४५.००	३४११.००	३४९६.००	
	RCCB FP 25A 30mA	पोल	४१५५.००	४२३८.००	४३४४.००	
	RCCB FP 40A 30mA	पोल	४१५५.००	४२३८.००	४३४४.००	
	RCCB FP 63A 30mA	पोल	४१५५.००	४२३८.००	४३४४.००	
	RCCB FP 25A 100mA	पोल	४००४.००	४०८४.००	४१८६.००	
	RCCB FP 40A 100mA	पोल	४००४.००	४०८४.००	४१८६.००	
	RCCB FP 63A 100mA	पोल	४००४.००	४०८४.००	४१८६.००	
	RCCB FP 25A 300mA	पोल	४००४.००	४०८४.००	४१८६.००	
	RCCB FP 40A 300mA	पोल	४००४.००	४०८४.००	४१८६.००	
	RCCB FP 63A 300mA	पोल	४००४.००	४०८४.००	४१८६.००	
६५	LED AC Street Light (संसोधित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)					
	LED AC Street Light 24W With Auto on Off Switch and dimming option Including all accessories and excludig installation	गाटा			७०००.००	
	LED AC Street light SOW with auto on-off switch and auto dimmig option including all accesories and excluding. installation	गाटा			९०००.००	

Handwritten signatures/initials.

Handwritten signature/initials.

Handwritten signature/initials.



विद्युतिय सामाग्रीहरु

५५

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	LED AC Street light 100 W with auto on-off switch and auto dimming option Including all Accessories and Excluding installation	गोटा			१६०००.००	
	smartbright LED street light Up-to 70% energy saving, Polycarbonate cover with high impact resistance, Robust PDC housing LM6 alloy with IP66 protection, Long life of as compared to MH/SON streetlights, System power consumption / Light output 50W/5500lm, 1 to 1 replacement for 1x150W SON streetlights					
	15W	गोटा			४०००.००	
	25W	गोटा			१०१००.००	
	35W	गोटा			१२१००.००	
	70W	गोटा			२१५००.००	
	20W 2000lm AC 90-300v Pressure Die-cast aluminium with PC cover & PMMA lens LED street light	गोटा			३७००.००	
	30W 3000lm AC 90-300v Pressure Die-cast aluminium with PC cover & PMMA lens LED street light	गोटा			४५५०.००	
	40W 4000lm AC 90-300v Pressure Die-cast aluminium with PC cover & PMMA lens LED street light	गोटा			५३५०.००	
	50W 5000lm AC 90-300v Pressure Die-cast aluminium with PC cover & PMMA lens LED street light	गोटा			६८५०.००	
	100W 10000lm AC 90-300v Pressure Die-cast aluminium with PC cover & PMMA lens LED street light	गोटा			९३००.००	
*	<b>LED BULBS (सम्बन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)</b>					
	LED Bulb(Wh,R,Bi,Or, G,Y) 0.5 W B22	गोटा			६३.००	
	LED Bulb 3W B22/E27 2700K/6500K	गोटा			१२४.००	
	LED Bulb 5W B22/E27 2700K/6500K	गोटा			१३९.००	
	LED Bulb 8.3W B22/E27 2700K/6500K	गोटा			१८३.००	
	LED Bulb 9W B22/E27 2700K/6500K	गोटा			१८३.००	
	LED Bulb 11W B22/E27 2700K/6500K	गोटा			२७०.००	
	LED Bulb 14W B22/E27 2700K/6500K	गोटा			३४२.००	
	High Power LED 20W E27 2700K/6500K	गोटा			५२२.००	
	High Power LED 28W E27 2700K/6500K	गोटा			७८३.००	
	High Power LED 40W E27 2700K/6500K	गोटा			१००७.००	
	High Power LED 50W E27 2700K/6500K	गोटा			१२६२.००	
	1W 301m AC 90-300v,50/60Hz 270° Beam angle,IP44 B22 white/ yellow/ Red/ Blue/ Green/ Orange/Pink LED Bulb	गोटा			८५.००	
	3W/SW/7W/9W @100lm/watt with 220° Beam Angle 3000k-6500k, IP44 B22/E27 Aluminium+ ThermoPlastic LED Bulb	गोटा			२४०.००	
	12W/15W/18W/20W @100lm/watt with 220° Beam Angle 3000k- 6500k, IP44 B22/E27Aluminium+ ThermoPlastic LED Bulb	गोटा			७८५.००	
	25W/35W/40W @120lm/Watt with 180° Beam Angle 3000k-6500k,IP44 B22/E27 Aluminium+Thermoplastic+Polycarbonate LED Bulb	गोटा			५५७५.००	
	40W/60W @95lm/Watt with 120° beam angle E27 6500k eco friendly,long life span 50,000 hrs Aluminium+thermoplastic LED High Bulb	गोटा			७७००.००	
	3W/SW @100lm/watt dimmable with 220° Beam Angle 2700k-6500k, IP44 E14 Aluminium+ ThermoPlastic LED Candle Bulb	गोटा			४५५.००	
६६	<b>LED BULKHEAD</b>					
	9W/15W IP65 With Milky glass diffuser Die-cast Aluminum Powder coated 3000k-6500k eco friendly LED Bulkhead	गोटा			२८५०.००	

५५

५५

५५

५५



Handwritten signature/initials

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	EnduraLED Bulkhead luminaire is a sustainable and reliable offering for indoor or semi-outdoor public area with IP66 ingress protection. The product offers two lumen packs with two different CCT's and suitable for verstellie applications such as staircases, industrial areas, circulation areas, lift wells etc. Pressure die cast housing and high impact resistance polycarbonate cover make this bulkhead maintenance free solution for heavy duty industries. High ingress protection-IP66, Impact resistant-IK09, Color temperature - 4000K / 6500K and Lumen packs - 700 lm /1100 lm, Pressure diecast housing with robust polycarbonate cover, Long lifetime: 50000 Hrs.					
	6W	गोटा			४०९०.००	
	10W	गोटा			५५००.००	
६७	<b>Wall LIGHT</b>					
	UNO Wall light	गोटा			१०६०.००	
	Nova Wall Light	गोटा			१३१०.००	
	COMETwall Light	गोटा			१३१०.००	
	OMEGA wall light	गोटा			१६७०.००	
६८	<b>LED STEP/FOOT LIGHT</b>					
	5W IP65 Moisture proof pressure Die-cast Aluminium 3000k-6500k eco friendly LED step/Foot Light	गोटा			१५००.००	
६९	<b>FOOT LIGHT/STEP LIGHT</b>					
	LED step/foot light with long life LED driver No harmful UV/IR radiation, Durable aluminium housing, with IP20/P44 protection from dust and water, 3000k/6500k					
	2W Step/Foot light Indoor	गोटा			२२००.००	
	3W Step/Foot light Indoor	गोटा			२८५०.००	
	2W Step/Foot light Outdoor	गोटा			२४२०.००	
	3W Step/Foot light Outdoor	गोटा			३२२५.००	
७०	<b>LED STRIP LIGHT</b>					
	24W/36W IP20/IP6S/IP67 Waterproof WW/CW/R/G/B, 60 LED/Meter 12v, 2A long life, Eco-friendly, Energy saving LED strip light	गोटा			५७०.००	
	Power adaptor 2N/5A	गोटा			२१००.००	
७१	<b>STRIP/COVE/ROPE LIGHT</b>					
	LED cove lighting with 6W/mtr with high efficient led chips, warm white(3000k/natural white(4000k Cool day light(6500k) for wider options, with good colour rendering(CRI-80).No harmful UV/R radiation,					
	24W/28W LED strip light(SMtr roll) 1P20	र.मौ			५३८.००	
	2A LED driver for strip light	गोटा			१२७५.००	
	Marathon Rope light IP 66 400lm/watt LED Rope light	र.मौ			४८०.००	
	IP 66 driver for marathon rope light.	गोटा			६७५.००	
७२	<b>GARDEN SPIKE LIGHT</b>					
	Anthracite COB garden spike light with Aluminium Housing Outdoor Ambient Lighting, omnidirectional protection from dust and water IP65					
	7w	गोटा			३७९०.००	
	12w	गोटा			५७८०.००	
७३	<b>LED TRACK LIGHT</b>					
	3W @ 100lm/watt IP20 24°-36° Beam angle AC 90-300v, 50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा			१४५०.००	

Handwritten signatures and initials at the bottom of the page.

४२/१

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०/८१	
	6W @100lm/watt IP20 24°-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा			१९५०.००	
	9W @100lm/watt 1P20 24°-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा			२६५०.००	
	16W @100lm/watt IP20 24°-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा			४४००.००	
	24W @100lm/watt IP20 24°-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Truck/Surface Mounted LED track light	गोटा			५३५०.००	
	30W @100lm/watt [P20 24°-.36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा			६३५०.००	
	40W @100lm/watt IP20 24°-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा			८६५०.००	
	50W @100lm/watt IP20 24°-36° Beam angle AC 90-300v,50HZ Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा			९३००.००	
	Stick 1MTR for Track light	गोटा			१५००.००	
७४	<b>SURFACE MOUNTING DOWNLIGHT</b>					
	Downlight Square 6W 3000K/6500K	गोटा			४४४.००	
	Downlight Square 12W 3000K/6500K	गोटा			६२८.००	
	Downlight Square 18W 3000K/6500K	गोटा			७७९.००	
	Downlight Round 6W 3000K/6500K	गोटा			४४४.००	
	Downlight Round 12W 3000K/6500K	गोटा			६२८.००	
	Downlight Round 18W 3000K/6500K	गोटा			७८३.००	
	<b>Surface Mount Downlight Luminaries:</b>					
	Surface Mount Circular / Sqaure Downlights-Non Dimmable: SM250C LED7S-6500 PSU	गोटा			२९९२.००	
	Surface Mount Circular / Sqaure Downlights-Non Dimmable: SM250C LED12S-6500 PSU WH	गोटा			३२६४.००	
	Surface Mount Circular / Sqaure Downlights-Non Dimmable: SM251C LED16S-8500 PSU WH	गोटा			४७६०.००	
	Surface Mount Circular / Sqaure Downlights-Non Dimmable: SM251C LED20S-6500 PSU WH	गोटा			५३०४.००	
	<b>RECESS MOUNTING DOWNLIGHT</b>					
	Downlight Square 6W 3000K/6500K	गोटा			४२३.००	
	Downlight Square 12W 3000K/6500K	गोटा			५५७.००	
	Downlight Square 18W 3000K/6500K	गोटा			७४६.००	
	Downlight Round 6W 3000K/6500K	गोटा			४२३.००	
	Downlight Round 12W 3000K/6500K	गोटा			५५७.००	
	Downlight Round 18W 3000K/6500K	गोटा			७४६.००	
	LED Panel Light (Slim) 2'X2' 38W 4000K/6500K	गोटा			३९७८.००	
	LED Panel Cover (Surface/Recess)2'X2'	गोटा			७४६.००	
	<b>Recessed Circular Downlight Luminaries:</b>					
	Circular Downlight Non Dimmable - DN295B LED6S-6500 PSU	गोटा			३८०८.००	
	Circular Downlight Non Dimmable - DN295B LED8S-6500 PSU	गोटा			४२९६.००	
	Circular Downlight Non Dimmable - D295B LED10S-6500 PSU	गोटा			४६२४.००	
	Circular Downlight Non Dimmable - D296B LED12S-6500 PSU	गोटा			५७९२.००	
	Circular Downlight Non Dimmable - D296B LED15S-6500 PSU	गोटा			६८००.००	
	Circular Downlight Non Dimmable - D298B LED20S-6500 PSU	गोटा			८९६०.००	

४२/१

४२/१

४२/१


४२/१

४२/१





सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	Circular Downlight Dimmable - DN296B LED12S-6500 PSd	गोटा			९५२०.००	
	Circular Downlight Dimmable - DN296B LED15S-6500 PSd	गोटा			१०८८०.००	
	Circular Downlight Dimmable - DN296B LED20S-6500 PSd	गोटा			१३०५६.००	
७५	<b>LED TUBELIGHTS</b>					
	8W T5 TUBE SET 2700K FIX	गोटा			७५०.००	
	18W T5 TUBE SET 2700K FIX	गोटा			९५०.००	
	20W LED TUBE SET FIX	गोटा			१२५०.००	
	10W LED TUBE ONLY T8	गोटा			९५०.००	
	10W LED TUBE PATTI T8	गोटा			५५०.००	
	20W LED TUBE ONLY TB	गोटा			१०००.००	
	20W LED TUBE PATTI T8	गोटा			६५०.००	
	40W DOUBLE LED TUBE PATTI TB	गोटा			१७५०.००	
	16W LED TUBE SET FIX 6500K	गोटा			१२५०.००	
	32W DOUBLE LED TUBE SET FIX 6500K	गोटा			२५००.००	
	4W/8W/20W LED Tubelight batten Square body 3000k/4000k/6500k 1ft/2ft/4ft LED batten light	गोटा			७६०.००	
	LED Tubelight 18W 6500K	गोटा			२६८.००	
	LED Tubelight With Holder 18W 6500K	गोटा			४२३.००	
७६	<b>Floodlights</b>					
	flood lingshts 20w 6500k	गोटा			१३१२.००	
	flood lingshts 30w 6500k	गोटा			१५७३.००	
	flood lingshts 50w 6500k	गोटा			२२८७.००	
	flood lingshts 70w 6500k	गोटा			३५४३.००	
	20w 6500 LED+MULTIPLUG	गोटा			९६९०.००	
	30w flood LIGHT+ChARGEABLE	गोटा			१२२४५.००	
	10w Flood Light 6500k	गोटा			१७८०.००	
	20w Flood Light 6500k	गोटा			३१७०.००	
	30w Flood Light 6500k	गोटा			३७२०.००	
	50w Flood Light 6500k	गोटा			६०३०.००	
	30w Flood Light 2700k	गोटा			३९५०.००	
	50w Flood Light 2700k	गोटा			६२५०.००	
	150w Flood Light 6500k	गोटा			१६२३०.००	
	100w Flood Light 6500k	गोटा			१०६४०.००	
	200w Flood Light 6500k	गोटा			२७३३५.००	
	400w Flood Light 6500k	गोटा			४०५००.००	
	10w Flood Light SENSOR 6500k	गोटा			२३५०.००	
	20w Flood Light SENSOR 6500k	गोटा			३८५०.००	
	30w Flood Light SENSOR 6500k	गोटा			४२५०.००	
	50w Flood Light SENSOR 6500k	गोटा			४९००.००	



५३

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	50W POLE LIGHT 6500K	गोटा			८९४५.००	
	100W POLE LIGHT 6500K	गोटा			१४७५०.००	
	50W HIGH BAY LIGHT	गोटा			८५००.००	
	100W HIGH BAY LIGHT	गोटा			१०५००.००	
	20W TRACK LIGHT 6500/2700 K	गोटा			४६२०.००	
	1 METER TRACK STICK	गोटा			१०२०.००	
	Exterior Rated Flood Lights - Low Power	गोटा			१८४९६०.००	
	Exterior Rated Flood Lights - High Power	गोटा			५०३२००.००	
	Exterior Rated Flood Lights - Extra High Power	गोटा			७३९८४०.००	
	<b>LED FLOOD LIGHT</b>					
	10W 1000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा			१५५०.००	
	20W 2000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा			२६००.००	
	40W 4000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा			४९००.००	
	60W 6000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा			५७००.००	
	90W 9000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा			९६५०.००	
	120W 12000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा			११०००.००	
	150W 15000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा			१५०००.००	
	200W 20000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा			१९७००.००	
	<b>Smartbright LED flood light having 30000 burning hours, Polycarbonate cover enhances impact strength (IK07 (rated), Pressure die-cast housing offers excellent corrosion resistance, 4KV surge protection, IP65 certified, Overheating protection, Pressure die-cast housing</b>					
	10W	गोटा			३३५०.००	
	20W	गोटा			४४००.००	
	30W	गोटा			६२५०.००	
	50W	गोटा			१४५००.००	
	70W	गोटा			१९०००.००	
	105W Tempo Flood light	गोटा			८५०००.००	
	300w Tango Flood Light	गोटा			१२००००.००	
७७	<b>PANEL LIGHT</b>					
	3W RD CONCEAL PANEL LIGHT (WWWH)	गोटा			६७५.००	
	6W RD CONCEAL PANEL LIGHT (WWWH)	गोटा			८२५.००	
	8W RD CONCEAL PANEL LIGHT WWWHY	गोटा			११००.००	
	12W RD CONCEAL PANEL LIGHT (WWWH)	गोटा			१४००.००	
	18W RO CONCEAL PANEL LIGHT (WWWH)	गोटा			१८७५.००	
	20W RD CONCEAL PANEL LIGHT WH	गोटा			२२७५.००	
	26W RD CONCEAL PANEL LIGHT WH	गोटा			२९२५.००	
	26W RD CONCEAL PANEL LIGHT WH	गोटा			३०००.००	
	3W SQ CONCEAL PANEL LIGHT WWWH	गोटा			६७५.००	


५३

५३

५३

५३

५३



*Handwritten signature*

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	6W SQ CONCEAL PANEL LIGHT (WWW)	गोटा			८२५.००	
	12W SQ CONCEAL PANEL LIGHT (WWW)	गोटा			१४००.००	
	24W SQ CONCEAL PANEL LIGHT (WWW)	गोटा			३६००.००	
	6W RD SURFACE PANEL LIGHT (WWW)	गोटा			११७५.००	
	12W RD SURFACE PANEL LIGHT (WWW)	गोटा			१७७५.००	
	12W SQ SURFACE PANEL LIGHT (WWW) PC + AL	गोटा			१५५०.००	
	18W SQ SURFACE PANEL LIGHT (WWW) PC + AL	गोटा			२५९०.००	
	18W SQ SURFACE PANEL LIGHT	गोटा			१६५०.००	
	24W SQ SURFACE PANEL LIGHT	गोटा			३८५०.००	
	3W COB CONCEAL LIGHT (WWW)	गोटा			८७०.००	
	5W COB CONCEAL LIGHT (WWW)	गोटा			९९०.००	
	7W COB CONCEAL LIGHT (WWW)	गोटा			९७५.००	
	8W COB CONCEAL LIGHT WH	गोटा			९७५.००	
	TOW COB CONCEAL LIGHT WH	गोटा			१०५०.००	
	12W COB CONCEAL LIGHT WH	गोटा			१६९०.००	
	15W COB CONCEAL LIGHT WH	गोटा			१३७५.००	
	30W COB CONCEAL LIGHT WH	गोटा			२६५०.००	
	2X2 40W SO CONCEAL PANEL LIGHT WH	गोटा			६७८०.००	
	2X2 36W SO SURFACE PANEL LIGHT WH	गोटा			५५००.००	
	1X2 20W SQ CONCEAL PANEL LIGHT WH	गोटा			५५००.००	
	1X4 40W SQ CONCEAL PANEL LIGHT WH	गोटा			९५००.००	
	2X4 BOW SQ CONCEAL PANEL LIGHT WH	गोटा			१८५००.००	
	<b>LED SURFACE/RECESSED PANEL LIGHT</b>	गोटा				
	5W 500lm AC 90-300v long life 50,000hrs pressure die cast aluminium housing flicker free 120 beam angle RD/SQ LED surface pane	गोटा			७२०.००	
	8W 800lm AC 90-300v long life 50,000hrs pressure die cast aluminium housing flicker free 120 beam angle RD/SQ LED surface panel	गोटा			१०२०.००	
	12W 1200lm AC 90-300v long life 50,000hrs pressure die cast aluminium housing flicker free 120 beam angle RD/SQ LED surface PANE	गोटा			१२३५.००	
	15W 1500lm AC 90-300v long life 50,000hrs pressure die cast aluminium housing flicker free 120 beam angle RD/SQ LED surface pane	गोटा			१४०५.००	
	18W 1800lm AC 90-300v long life 50,000hrs pressure die cast aluminium housing flicker free 120 beam angle RD/SQ LED surface pane	गोटा			१७५०.००	
	20W 2000lm AC 90-300v long life 50,000hrs pressure die cast aluminium housing flicker free 120 beam angle RD/SQ LED surface Panel	गोटा			१९००.००	
	<b>LED PANEL LIGHTS</b>					
		70W गोटा			१९०००.००	
		105W Tempo Flood light गोटा			८५०००.००	
		300w Tango Flood Light गोटा			१२००००.००	
७७.१	<b>PANEL LIGHTS</b>					
	3W RD CONCEAL PANEL LIGHT (WWW)	गोटा			६७५.००	
	6W RD CONCEAL PANEL LIGHT WWW	गोटा			८२५.००	
	8W RD CONCEAL PANEL LIGHT WWW	गोटा			११००.००	
	12W RD CONCEAL PANEL LIGHT WWW	गोटा			१४००.००	
	18W RD CONCEAL PANEL LIGHT (WWW)	गोटा			१८७५.००	
	20W RD CONCEAL PANEL LIGHT WH	गोटा			२२७५.००	

*Handwritten signature*

*Handwritten signature*

*Handwritten signature*

*Handwritten signature*

*Handwritten signature*



*Handwritten signature/initials*

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	26W RD CONCEAL PANEL LIGHT WH	गोटा			२९२५.००	
	26W RD CONCEAL PANEL LIGHT WH	गोटा			३०००.००	
	3W SQ CONCEAL PANEL LIGHT (WWWH)	गोटा			६७५.००	
	6W SQ CONCEAL PANEL LIGHT (WWWH)	गोटा			८२५.००	
	12W SQ CONCEAL PANEL LIGHT (WWWH)	गोटा			१४००.००	
	24W SQ CONCEAL PANEL LIGHT (WWWH)	गोटा			३६००.००	
	6W RD SURFACE PANEL LIGHT (WWWH)	गोटा			११७५.००	
	12W RD SURFACE PANEL LIGHT (WWWH)	गोटा			१७७५.००	
	12W SQ SURFACE PANEL LIGHT (WW/WH) PC + AL	गोटा			१५५०.००	
	18W SQ SURFACE PANEL LIGHT (WWWH) PC + AL	गोटा			२५९०.००	
	18W SQ SURFACE PANEL LIGHT	गोटा			१६५०.००	
	24W SQ SURFACE PANEL LIGHT	गोटा			३८५०.००	
	3W COB CONCEAL LIGHT (WWWH)	गोटा			८७०.००	
	5W COB CONCEAL LIGHT (WWWH)	गोटा			९९०.००	
	7W COB CONCEAL LIGHT (WWWH)	गोटा			९७५.००	
	8W COB CONCEAL LIGHT WH	गोटा			९७५.००	
	10W COB CONCEAL LIGHT WH	गोटा			१०५०.००	
	12W COB CONCEAL LIGHT WH	गोटा			१६१०.००	
	15W COB CONCEAL LIGHT WH	गोटा			१३७५.००	
	30W COB CONCEAL LIGHT WH	गोटा			२६५०.००	
	2X2 40W SQ CONCEAL PANEL LIGHT WH	गोटा			६७८०.००	
	2X2 36W SQ SURFACE PANEL LIGHT WH	गोटा			५५००.००	
	1X2 20W SQ CONCEAL PANEL LIGHT WH	गोटा			५५००.००	
	1X4 40W SQ CONCEAL PANEL LIGHT WH	गोटा			९५००.००	
	2X4 80W SQ CONCEAL PANEL LIGHT WH	गोटा			१८५००.००	
७७.९	<b>LED SURFACE/RECESSED PANEL LIGHT</b>					
	5V/ 500lm AC 90-300v long life 50,000hrs pressure die cast aluminium housing flicker free 120 beam angle RD/SQ LED surface panel	गोटा			७२०.००	
	8W 800lm AC 90-300v long life 50,000hrs pressure die cast aluminium housing flicker free 120 beam angle RD/SQ LED surface panel	गोटा			१०२०.००	
	12W 1200lm AC 90-300v long life 50,000hrs pressure die cast aluminium housing flicker free 120 beam angle RD/SQ LED surface panel	गोटा			१२३५.००	
	15W 1500lm AC 90-300v long life 50,000hrs pressure die cast aluminium housing flicker free 120 beam angle RD/SQ LED surface panel	गोटा			१४०५.००	
	18W 1800lm AC 90-300v long life 50,000hrs pressure die cast aluminium housing flicker free 120 beam angle RD/SQ LED surface panel	गोटा			१७५०.००	
	20W 2000lm AC 90-300v long life 50,000hrs pressure die cast aluminium housing flicker free 120 beam angle RD/SQ LED surface panel	गोटा			१९००.००	
	<b>LED PANEL LIGHTS</b>					
	2 x 2 ,24W ,@120lm/watt with long life,CRCA housing. Low glare, reduced flicker and no blue light hazard, Wide voltage protection 160-360V, Surge protection 2.5kV, Even and uniform light. No dark spots with CCT 3000k/4000k/6500k(RC370B TROFER 24W LED 30S RECESS)	गोटा			८९६०.००	
	1 x 1, 15W,@120lm/watt with long life,CRCA housing Low glare, reduced flicker and no blue light hazard, Wide voltage protection 160-360V, Surge protection 2.5kV, Even and uniform light. No dark spots with CCT 3000k/4000k/6500k(RC3758 CORELINE 15W LED 30S RECESS)	गोटा			५९१५.००	
	1x1, 24W 2160lm AC 90-300v,50Hz, Pressure Die-Cast Aluminium Eco friendly slim design Panel light	गोटा			४७००.००	
	2x2, 36W 3600lm AC 90-300v, 50Hz, Armstrong, surface, Recessed, suspended MS sheet Panel light	गोटा			५७००.००	
	1x4, 36W 3600lm AC 90-300v, 50Hz, Armstrong ,Recessed,suspended sheet Aluminium Panel light	गोटा			१०७००.००	
	<b>Stellar Bright/Ace saver energy saving bulbs IP44 withlow glare, reduced flicker,no blue light hazard, wide voltage protection</b>					
	2.7W/4WITW	गोटा			३१०.००	

*Handwritten signatures and initials at the bottom of the page.*

*(Handwritten signature)*


सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	10.5W/12W/14W	गोटा			६८०.००	
	17W/20W	गोटा			९३५.००	
	40W/50W	गोटा			२९६०.००	
७८	<b>Smart Lighting Fixtures:</b>					
	Recessed Downlight: RCI, Ceiling Recessed LED Adjustable Downlight. Power: 12w, COB, 3000K, 100 lm/W, CRI>90. Dimension: L100*W100*H108MM Cutout: Dia 80 mm, Beam Angle:36 Degree, Cable: 300 mm. IP44, Color: Inner Black, Border: White, With 0-10 Dimmable Driver	गोटा			४५६९.००	
	Recessed Downlight: RC2/RC3/RC4/RC6/RC7, Ceiling Recessed LED Adjustable Downlight, Power: 12W, COB, 3000K, 100 lm/w, CRI>90, Dimension: Dia 90*H1 13mm Cutout: Dia 78 mm, Beam Angle: 40/15 degree, Cable: 300mm, IP44, Color: Inner Black, Border: White, With 0. 10 Dimmable Driver	गोटा			३९९८.००	
	Recessed Downlight: RC2/RC3/RC4/RC6/RC7, Ceiling Recessed LED Adjustable Downlight, Power: 12W, COB, 3000K, 100 lm/w, CRI>90, Dimension: Dia 90*H1 13mm Cutout: Dia 78 mm, Beam Angle: 40/15 degree, Cable: 300mm, IP44, Color: Inner Black, Border: White, With 0. 10 Dimmable Driver	गोटा			२०७०.००	
	Recessed Downlight: RC5, Ceiling Recessed LED Adjustable Downlight, Power: 12w, COB, 3000k, 100lm/W, CRI>90, Dimension: Dia 90° HI 13 MM Cutout: Dia 78MM, Beam Angle: 40 degree, Cable: 300mm, IP44, Color: Inner Black, Border: White, With Non Dimmable Driver	गोटा			४९९८.००	
	Recessed Downlight: RC5, Ceiling Recessed LED Adjustable Downlight, Power: 12w, COB, 3000k, 100lm/W, CRI>90, Dimension: Dia 90° HI 13 MM Cutout: Dia 78MM, Beam Angle: 40 degree, Cable: 300mm, IP44, Color: Inner Black, Border: White, With Non Dimmable Driver	गोटा			२९४२.००	
	Recessed Underground LED Light: RGI, Dia 100*H 100 mm, cutout: Dia 95 mm, 3W, 3000K, IP67, CRI> 85, Beam Angle: 15 degree	गोटा			२४९९.००	
	IP67 Non Dimmable Driver: IP67, Outdoor Driver, DCI2V, 35W Capacity	गोटा			९९९९.००	
	LED Strip Light: SL1/SL2/SL3a, Flexible Led Strip Light Wattage: 9.6 W/Meter Colour Temp: 3000 k Input Voltage: 24 V Beam Angle: 120 degree, IP20, CRI>90, 5m/Roll	गोटा			७८५.००	
	0-10 Dimmable Driver: Power: 50 W, 0-10V dimmable	गोटा			४२९२.००	
	Aluminium Channel Option 2: Channel With Cover, 3m/PC	र.मि			५४२.००	
	LED Strip Light: SL1a, Flexible Led Strip Light Wattage: 4.8 W/Meter Colour Temp: 3000K Input Voltage: 24V Beam Angle: 120 degree, IP20. CRI>90, 5m/Roll	र.मि			४९४.००	
	Non Dimmable Driver: 150w 1P20 Non Dimmable Driver	गोटा			९७८५.००	
	LED Strip Light : SL3, Flexible Led Strip Light Wattage: 14.4 W/Meter Colour Temp: 3000K Input Voltage: 24V Beam Angle: 120 degree, LP20, CRI>90, 5m/Roll	र.मि			९९०६.००	
	0-10 Dimmable Driver: Power: 150 W, 0-10V dimmable	गोटा			९९००.००	
	Aluminium Channel: Channel With Cover, 3m/Pc	र.मि			६७८.००	
	Gateway: DIN-Rail Mounted Intelligent Gateway, as per the confirmed technical details	गोटा			९३५६६०.००	
	Power Supply: DIN System Power Supply, as per the confirmed technical details	गोटा			९८५६४.००	
	Central Distribution Box: Suitable with modules	सेट			३५७००.००	
	Central Control Panel: Touch screen, Adroid System Control Computer, 18.5 inches	सेट			२५७०४०.००	
	Software: PPS Programming software, we can also program and customize as per client request	सेट			३९९८४०.००	
	Leading Edge Dimmer Module: 4 Channels Leading Edge Dimmer (Module, as per the confirmed technical details	गोटा			९९९६०.००	
	0-10V Dimmer Module: 4 Channels of 0-10 V Dimmer Module with 4*16A Switch, as per the confirmed technical details	गोटा			८८५३६.००	
	Switch Module: 4 Channel 16A, as per the confirmed technical details	गोटा			७२८२८.००	

*(Handwritten signature)*

*(Handwritten signature)*

*(Handwritten signature)*

*(Handwritten signature)*



H.P.

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	8-Key Intelligent Wallplate: 8 Keys, as per the confirmed technical details	गोटा			५९९७६.००	
	Bus Cascade Module with power supply: ACI 10-220V wide voltage power supply, as per the confirmed technical details	गोटा			३२८४४.००	
	DIN System Power Supply: Supplies 24 V. 2.5 A DC Power, as per the confirmed technical details	गोटा			२५७०४.००	
	Distribution Box 1: Suitable with modules	सेट			६४२६०.००	
	Ceiling Light: Suitable with modules	गोटा			१२१३८०.००	
	<b>275 gsm Pregalvanized Cable Tray &amp; Raceways</b>					
७९	<b>CABLE SUPPORT SYSTEM - FINISH - (275GSM)</b>					
	Slotted Z Section - (2500MM LONG) Pre Galvanized (PG 275)	र.मि			८३५.००	
	Rung slotted "C CHANNEL" • Pre Galvanized (PG 275)	र.मि			५४८.००	
	Punched Plate 30x5mm THK, HDG 65 Micron (PG 275GSM)	र.मि			७८३.००	
	Splice plate 35x200x2.00 (PG 120)/ Coupler plate 38x110mm	गोटा			५७४.००	
	Splice plate 62x90x2.00 (PG 120)/Coupler plate 62x110mm	गोटा			६००.००	
	M8-Threaded rod Electroplated, 1000 mm long	र.मि			१९८.००	
	M10-Threaded rod Electroplated, 1000 mm long	र.मि			३०२.००	
	Rod coupler, M-8, Electroplated	गोटा			९९.००	
	Rod coupler, M-10, Electroplated	गोटा			१०९.००	
	WDJ Coupler 100,150 & 200 mm	गोटा			६००.००	
	275 gsm Pregalvanized Junction Box	गोटा			२६११.००	
	Coupler for BRT 900,750,450,300 & 150MM	गोटा			२६१.००	
	Coupler for PCT 600,450,300,200,150 & 100MM	गोटा			२८७.००	
	Bottle Bracket for BRT 100 X50MM	गोटा			२६१.००	
	Bottle Bracket for BRT 150 XSOMM	गोटा			४१७.००	
	Bottle Bracket for PCT 200 XS0MM	गोटा			५७४.००	
	METAL GRIP/FASTNER	गोटा			९४.००	
	BRT Reducer Bend 450-150, 50 mm Height ,PG275GSM	गोटा			५२२.००	
	BRT Hardware/PCT Hardware	गोटा			३१.००	
८०	<b>LADDER CABLE TRAY (15X30X15) Pre Galvanized (275 Gsm)</b>					
	Pre Galvanized (275Gsm) Bolted Rungs Type (15X30x 15) ladder Cable Tray	र.मि			३३६८.००	
	Pre Galvanized (275Gsm) Bolted Rungs Type (15X30x15) ladder Cable Tray	र.मि			२६११.००	
	Pre Galvanized (275Gsm) Bolted Rungs Type (15X30x15) ladder Cable Tray	र.मि			१९२३.००	
	Pre Galvanized (275Gsm) Bolted Rungs Type (15X30x15) ladder Cable Tray	र.मि			१७२३.००	
	Pre galvanized (9275Gsm)Bolted Rungs type (15*30*15) ladder cable tray	र.मी			१५१४.००	
८१	<b>Raceways Pre Galvanized (275GSM) Joggled wire Ducts 2500mm long</b>					
	Raceways 2mm thk WDJ (PG275GSM) Base with cover & strap -100mm	र.मी			२६८९.००	
	Raceways 2mm thk WDJ (PG275GSM) Base with cover & strap -150mm	र.मी			३३९४.००	
	Raceways 2mm thk WDJ (PG275GSM) Base with cover & strap -200mm	र.मी			३६५५.००	
	<b>perforated Cable tray 1.6 mm thick-2500mm long, pre Galvanized</b>					
	perforated Cable tray PCT 100 MM pre Galvanized (275GSM)				१३५०.००	



विद्युतिय सामग्रीहरू

Handwritten signature/initials.

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	perforated Cable tray PCT 150 MM pre Galvanized (275GSM)				१६८०.००	
	perforated Cable tray PCT 200 MM pre Galvanized (275GSM)				२०४०.००	
	perforated Cable tray PCT 300 MM pre Galvanized (275GSM)				२४००.००	
	perforated Cable tray PCT 450 MM pre Galvanized (275GSM)				३६६०.००	
	perforated Cable tray PCT 600 MM pre Galvanized (275GSM)				४६८०.००	
८२	<b>perforated Cable tray 2 mm thick-2500mm long, pre Galvanized(275 GSM)</b>					
	perforated Cable tray PCT 100 MM pre Galvanized (275GSM)	र.मी			१२२२.००	
	perforated Cable tray PCT 150 MM pre Galvanized (275GSM)	र.मी			१५०८.००	
	perforated Cable tray PCT 200 MM pre Galvanized (275GSM)	र.मी			१८४६.००	
	perforated Cable tray PCT 300 MM pre Galvanized (275GSM)	र.मी			२१३२.००	
	perforated Cable tray PCT 450 MM pre Galvanized (275GSM)	र.मी			३२८६.००	
	perforated Cable tray PCT 600 MM pre Galvanized (275GSM)	र.मी			४१९९.००	
८३	<b>perforated Cable tray 2 mm thick pre Galvanized(275 GSM) with cover - 250 mm long</b>					
	perforated Cable tray with 2mm thk Cover PCT 100 MM pre Galvanized	र.मी			२०५५.००	
	perforated Cable tray with 2mm thk Cover PCT 300 MM pre Galvanized	र.मी			४२१२.००	
	perforated Cable tray with 2mm thk Cover PCT 450 MM pre Galvanized	र.मी			६५००.००	
	Rigid round conduit unplasticised polyvinyl Chloride (upvc) pipes, laser engraved, fire retardant corrosion free FRLS with thermal resistance from -5c to +60C durable and impact resistant					
८४	<b>Medium / Heavy Mechanical Stress (MMS)</b>					
	20 MM MMS/HMS Ivory/Black/Grey/White/Red/Yellow/Blue/Green	र.मी			११५.००	
	25 MM MMS/HMS Ivory/Black/Grey/White/Red/Yellow/Blue/Green	र.मी			१४४.००	
	32 MM MMS/HMS Ivory/Black/Grey/White/Red/Yellow/Blue/Green	र.मी			२७९.००	
	Precision Circular Boxes and Adapter Boxes are provided with M4 brass insert with a load suspension capacity of 3Kgs a 60 C Unplasticised Polyvinyl Chloride(uPVC) Pipes, laser engraved, Fire retardant corrosion free FRLS with thermal resistance from -5 C to +60 C, durable and impact resistant					
	20 mm 1 way/2way/3way/4way with cover/without cover	गोटा			९३.००	
	20 mm 1 way/2way/3way/4way with cover/without cover	गोटा			१०४.००	
	20 mm 1 way/2way/3way/4way with cover/without cover	गोटा			२२२.००	
८५	<b>DEEP TYPE</b>					
	20 mm 1 way/2way/3way/4way with cover/without cover	गोटा			१५०.००	
	20 mm 1 way/2way/3way/4way with cover/without cover	गोटा			१७८.००	
	20 mm 1 way/2way/3way/4way with cover/without cover	गोटा			२३४.००	
८६	<b>SADDLE, COUPLER, BEND, ELBOW, TEE, BUSH ADAPTER</b>					
	20/25 MM Round U Cap/Space Bar Saddle	गोटा			४३.००	
	20/25 MM Coupler	गोटा			२६.००	
	20/25 MM Slip type Bend	गोटा			९२.००	
	20/25 MM Round Elbow	गोटा			४५.००	

Handwritten signature/initials.

Handwritten signature/initials.

Handwritten signature/initials.



*Handwritten signature/initials*

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
	20/25 MM Round Tee	गोटा			६३.००	
	20/25 MM Male/female Bush Adaptor	गोटा			४९.००	
८७	<b>POLY PROPLENE CORRUGATED FLEXIBLE CONDUITS PIPE</b>					
	16/20/25 mm Flexiable conduits pipe	र.मी			९४.००	
	32/40 mm Flexiable conduits pipe	र.मी			१८३.००	
८८	<b>FRPP(FIRE RETARDAND POLY PROPLENE CORRUGATED FLEXIABLE CONDUITS</b>					
	16/20/25 mm Flexiable conduits pipe	र.मी			१२४.००	
	32/40 mm Flexiable conduits pipe	र.मी			२१३.००	
८९	<b>FLEXIABLE PIPE GLAND</b>					
	16/20/25 mm PVC GLAND	गोटा			७८.००	
	32/40 mm PVC GLAND	गोटा			१११.००	
९०	<b>Upvc MINI/MAXI TRUNKING PROFILE(LISTY) made with unplasticides polyvinyl chloride with fast installation,easy maintenance, secure and elegant look, durable and impact resistance, fire retardant, corrsion free.thermal resistance from -5 C to 60 C</b>					
	16*16 mm	र.मी			४६.००	
	25*15mm	र.मी			६०.००	
	50*50mm	र.मी			४९९.००	
	50*100mm	र.मी			१९३४.००	
९१	<b>Suspended-Surface Mounted Luminaires</b>					
	pure line slim Surface & Suspended 60 mm/75 mm width Suspended 60mm/75 mm width aluminium extruded linear lighting luminaires with superior white powder coated finish. Multiple options of light distribution, run lengths and lumen packages for different application to choose from type					
	SP780 PLED52S-6500 PSU W6L224 OD SI	गोटा			४६९८३.००	
	SP780 PLED26S-6500 PSU W6L224 OD SI	गोटा			२३४९९.००	
	SP781 XLED46S-6500 PSU W7L224 OD SI	गोटा			५८७२८.००	
	SP781 XLED22S-6500 PSU W6L224 OD SI	गोटा			२७४०६.००	
	END Plate SP780EP60 GREY	गोटा			५४६.००	
	ZPH780N2000	गोटा			९८८.००	
	ZPH780 1MTR5C 0.75 sq mm Transparent cable	गोटा			९३६.००	
९२	<b>Pureline Slim Connector 60mm</b>					
	Pureline Slim Connector 60mm Pureline Slim Family can be conjoined in multiple way like L,+T,Y etc Type					
	SP781XLED44S-6K PSU W6 SI L CONN 22*2	गोटा			९८८०.००	
	CCT options: 4000K, 5700K,6500K. Available in DALI also at NPR 3200/- additional on fixed output (PSU)MRP	गोटा			६३४४.००	
९३	<b>Pureline Taper</b>					
	Pureline Taper PureLine Taper is an elegant suspended lighting solution with taper end (bottom width of 60 mm & top width of 50 mm), it also has option of designer end caps which provide design inspiration throuth geometric patterns. Multiple option of light distribution, run lengths,color option & lumen pack for different application available Type .					


*Handwritten signature*

*Handwritten signature*

*Handwritten signature*

*Handwritten signature*





*(Handwritten signature)*

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	SP811P LED33S-6500 PSU W6L120 OD SI	गोटा			२९३६४.००	
	SP811P LED26S-6500 PSU W6L120 OD SI	गोटा			२४४७९.००	
	SP811P LED66S-6500 PSU W6L120 OD SI	गोटा			५६७२६.००	
	SP811P LED52S-6500 PSU W6L120 OD SI	गोटा			४७९६९.००	
९४	<b>Pureline Slim Connectors &amp; Decorative Shapes 50 mm</b>					
	PureLine Slim Connectors & Decorative Shapes 50 mm recessed Mounted 50 mm aluminium extruded linear fixtures to align the linear lighting layout with the office architecture or create playful environments with shapes like square, hexagon, etc. Multiple options of light distribution, run lengths and lumen packages for different application to choose from					
	SP780P LED66S-6500 PSU W5 OD WH HX CONN	गोटा			५२६५५.००	
	SP780P LED48S-6500 PSU W5 OD WH X CONN	गोटा			३७६६४.००	
	SP780P LED44S-6500 PSU W5 OD WH SQ CONN	गोटा			३९३२९.००	
	SP780X LED48S-6500 PSU W5 OD WH+CONN	गोटा			४७९६९.००	
	SP780P LED36S-6500 PSU W5 OD WH Y CONN	गोटा			२६९७२.००	
	SP780XLED36S-6500 PSU W5 OD WH T CONN	गोटा			९६००९.००	
	SP780P LED24S-6500 PSU W5 OD WH L CONN	गोटा			९९५७५.००	
९५	<b>Pureline</b>					
	Pureline Extruded Aluminium Suspended Diffused Office Lighting Solutions with up-down light distribution, available in standalone and continuous mounting versions in 4ft & 8ft run lengths					
	SP680P LED39S-6500 PSU WH L 120 SI	गोटा			९७०३९.००	
	SP680P LED78S-6500 PSU WH L 240 SI	गोटा			३३२६०.००	
	SP680XI LED34S-6500 PSU WH L 120 SI	गोटा			३३२६०.००	
	SP680P LED68S-6500 PSU WH L 240 SI	गोटा			३९३२९.००	
	SP680XI LED78S4000-6500 PSU WH L 240 SI	गोटा			२७२००.००	
	SP680X2 LED78S4000-6500 PSU WH L 240 SI	गोटा			२७२००.००	
९६	<b>SmartBrite Linear</b>					
	SmartBrite Linear provides an extremely durable and high efficacy yet cost effective linear solution surfae mounted and suspended applications like offices, retail stores, metro stations, etc					
	SP095V LED40S 865 W7L120 PSU WH	गोटा			९६००.००	
	SP095V LED26S 865 W7L120 PSU WH	गोटा			६६००.००	
९७	<b>SmartBrite Surface</b>					
	smartbrite surface Low height general purpose suspended/surface mounted LED luminaire with diffused optics offering perfect illumination for indoor space.					
	SM270C LED 30S 6500 PSU WH	गोटा			६६००.००	
९८	<b>Cirrus Surface</b>					
	Cirrus Surface Mounted general purpose square shaped luminaire with low height CRCA housing and high transmittivity diffuser suitable for office application. Available in options of white & grey housing with profiled & flat diffuser type.					
	SM365C LED 32-6500 PSU OD GR	गोटा			६६००.००	

*(Handwritten signature)*

*(Handwritten signature)*

*(Handwritten signature)*

*(Handwritten signature)*

*(Handwritten signature)*

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	SM366C LED 32-6500,4000 PSU OD GR	गोटा			८८००.००	
	SM366C LED 32-6500,4000 PSU OD WH	गोटा			८८००.००	
९९	<b>Cirrus Mini Pro</b>					
	Cirrus mini Pro is a general lighting application luminaire (with a dimension of 312 mm *312mm), a perfect solution for all surface mount indoor general lighting application. Type					
	SM200C LED 15S 4000-6500 PSU OD WH	गोटा			४९६०.००	
	SM200C LED 16S 6500 PSU OD WH	गोटा			६०६८.००	
१००	<b>DaySpace Suspended</b>					
	daySpace is a unique 2'*2' LED luminaire suitable for grid ceiling. With options of using the false ceiling tile or back plate of users choice the fixture seamlessly blends into the office environment/architecture and also declutters the ceiling with it unique design .					
	SP740B LED25S/865 W60L60 PSU WH	गोटा			३३२८०.००	
	SP740B LED30S/865 W60L60 PSU WH	गोटा			३७९९५.००	
	SP740B LED36S/865 W60L60 PSU WH	गोटा			४३०६७.००	
	SP740B LED25S/865 W60L60 PSD WH	गोटा			४५०२६.००	
	SP740B LED30S/865 W60L60 PSD WH	गोटा			४६९८३.००	
	SP740B LED36S/865 W60L60 PSD WH	गोटा			४९५०.००	
१०१	<b>DaySpace Recessed Mounted</b>					
	DaySpace Recessed Dayspace is a unique 2'*2' LED luminaire suitable for grid ceiling. With options of using the false ceiling tile or back plate of users choice the fixture seamlessly blends into the office environment/architecture and also declutters the ceiling with it unique design .					
	RC740B LED25S/865 W60L60 PSU WH	गोटा			२६४२७.००	
	RC740B LED36S/865 W60L60 PSU WH	गोटा			४९९९९.००	
१०२	<b>PowerBalance</b>					
	PowerBalance Aluminium extruded recessed luminaire with 135 diffused compartment available both in standalone & continuous options suitable for armstrong techzone ceiling					
	RC600BM LED30S-6500 PSU W30L120 WH	गोटा			२३४९९.००	
	RC600BM LED30S-6500 PSU W60L60 WH	गोटा			३०३४३.००	
१०३	<b>Wingline</b>					
	Wingline Recessed mounted general purpose square shaped luminaire with high transmittivity diffuser suitable for office application available in options of white & grey housing with profiled & flat diffuser					
	RC480B LED25S/865 W60L60 PSU WH	गोटा			९७८७.००	
१०४	<b>CoreView</b>					
	CoreView a unique recessed mounted 2'*2' LED luminaire suitable for grid ceiling with 100% indirect lighting, delivering soft and uniform light for excellent visual comfort					
	RC 420B M LED 30S 6500 PSU WH	गोटा			९९४७५.००	
	RC 420B M LED 30S 6500 PSD WH	गोटा			९४६८९.००	
१०५	<b>PureLine Techzone G2</b>					

*(Handwritten signature)*

*(Handwritten signature)*

*(Handwritten signature)*

*(Handwritten signature)*


सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	Pureline Techzone G2 Puriline Techzone is offered in two versions suitable for 150 mm & 100 mm technical zone. Sturdy extruded Aluminium housing with sliding PC diffuser offering uniform lighting distribution. CRCA end Caps and external gear for ease of maintenance					
	RC810B LED26S 6500 PSU W10L120 OD WH	गोटा			१४८७०.००	
	RC810B LED52S 6500 PSU W10L240 OD WH	गोटा			२४४८०.००	
	RC810B LED26S 6500 PSU W15L120 OD WH	गोटा			१७१२९.००	
	RC810X LED40S 6500 PSU W15L240 OD WH	गोटा			३४८२३.००	
	RC810W10E ENDPLATE	गोटा			६६०.००	
	RC810 W10L120 ACCESSORY DIFFUSER	गोटा			९५०.००	
	RC810 W15L240 ACCESSORY DIFFUSER	गोटा			१०३५.००	
१०६	<b>Pureline Slim Recessed 60 mm/75mm</b>					
	Pureline Slim Recessed 60 mm/75mm Recessed 60mm/75mm width aluminium extruded linear lighting luminaires with superior anodised aluminium finish. Multiple options of light distribution, run length and lumen packages for different application to choose from					
	RC780B LED52S- 6500 PSU W7L240 OD SI	गोटा			४३२९४.००	
	RC780B LED26S- 6500 PSU W7L120 OD SI	गोटा			२२०२३.००	
१०७	<b>Pureline Slim Recessed 50mm</b>					
	Pureline Slim Recessed 50 mm/75mm Recessed Mounted 50mm aluminium extruded linear lighting luminaires with superior White powder coated finish. Multiple options of light distribution, run length and lumen packages for different application to choose from					
	RC780B LED52S- 6500 PSU W5L226 OD WH	गोटा			२८२३५.००	
	RC780X LED12S- 6500 PSU W5L56 OD WH	गोटा			९०३६.००	
	RC780X LED52S- 6500 PSU W5L226 OD WH	गोटा			२७६७०.००	
१०८	<b>Pureline Techzone</b>					
	Pureline Techzone Aluminium extruded recessed luminaire with 135mm diffused compartment available both in standalone & continuous options suitable for armstrong techzone ceiling type.					
	RC820B LED 26S 6500 PSU W15L120 OD SI	गोटा			१५०५९.००	
	RC820B LED 52S 4000 PSU W15L240 OD SI	गोटा			३०९१७.००	
१०९	<b>Full Glow 1'*4'</b>					
	Full Glow 1'*4' fully diffused recessed mounted 1'*4' LED luminaire with high transmittive diffuser suitable for indoor spaces					
	RC380B LED30S-6500 G5 L3W12 PSU OD	गोटा			१२२३५.००	
	RC380B LED43S-6500 G5 L3W12 PSU OD	गोटा			१६०००.००	
	RC380B LED36S-6500 G5 L3W12 PSU OD	गोटा			१४९१७.००	
११०	<b>GreenSquare</b>					
	GreenSquare General purpose recessed mounted 2'*2' LED luminaire with central light exit and profiled CRCA housing for better and soothing light distribution.					
	RC140B LED30S-6500 PSU WH OD	गोटा			८२८२.००	
	RC140B LED30S-4000 PSD WH OD	गोटा			१०९६४.००	
१११	<b>Cirrus</b>					

५३

५३

५३

५३




विद्युतिय सामग्रीहरु

Handwritten signature/initials.

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/१७९	आ.व २०७९/१८०	आ.व २०८०/८१	
	Cirrus Recessed mounted general purpose square shaped luminaire with high transmittivity diffuser suitable for office application available in options of white & grey housing with profiled & flat diffuser					
	LED33-6500 PSU OD WH	गोटा			९०३५.००	
	RC366B LED33-6500 PSU OD WH	गोटा			९०३५.००	
११२	<b>SmartBright</b>					
	SmartBright Extrude aluminium batten available in 2 ft & 4ft run length with multiple lumen packages and suitable for surface. Wall & Conduit mounting (with accessories)					
	BN 021 LED40S-6500 PSU GR(4ft)	गोटा			२८२९.००	
११३	<b>Downlighters &amp; Spot lights</b>					
	GreenSpace Flex Greenspace Fles is a modular range of downlighters, with extremely low glare(UGR the range is available in Narrow (15),medium (24) & wide Beam (38) optics, suitable for different applications & ceiling heights					
	RS378Z M102 D150 R-R AJU	गोटा			८४७०.००	
	RS378Z M87 D130 R-R AJ	गोटा			६७७६.००	
	RS378Z M55 D75 R-U AJ	गोटा			२८२३.००	
	RS378Z M55 D75 R-R AJ Trim	गोटा			३२००.००	
	RS378Z M55 D75 R-R FX PH WP	गोटा			२८२३.००	
	RS378B P6 927 PSU-E MB M55	गोटा			५६४७.००	
	RS378B P6 927 PSU-E WB M55	गोटा			९०३५.००	
	RS378B P6 930 PSU-E WB M55	गोटा			१६९४९.००	
११४	<b>LuxSpace Pro</b>					
	LuxSpace Pro is a deep recessed downlighter range with wxtremely low glare(UGR& high quality faceted reflector for superior lightning and aesthetics. The range is available in medium(32)& wide (65) optics for both standard and high ceiling applications					
	DN590B M LED6S-6500 PSU WH WB	गोटा			९०३५.००	
	DN590B M LED10S-6500 PSU WH WB	गोटा			९०३५.००	
	DN590B M LED20S-6500 PSU WH WB	गोटा			९०३५.००	
११५	<b>Green Perform Sleek</b>					
	Green Perform Sleek is a high performance low-height LED downlighter suited for requirements of any modern professional workspace Robust PDC housing ensures long system narrow rim renders a pleasing aesthetic look.					
	DN295B LED6S-6500 PSU WH	गोटा			२६३५.००	
	DN295B LED10S-6500 PSU WH	गोटा			३२००.००	
	DN296B LED12S-6500 PSU WH	गोटा			३९५२.००	
	DN296B LED15S-6500 PSU WH	गोटा			४७०५.००	
	DN296B LED20S-6500 PSU WH	गोटा			५६४७.००	
११६	<b>Sleek Surface Downlight</b>					
	Sleek Surface Downlight Slim profile surface mounted downlight with options of 700 to 2000 lumen					
	SM250C LED7S-6500 PSU WH	गोटा			२०७०.००	
	SM250C LED12S-6500 PSU WH	गोटा			२२५९.००	

Handwritten signatures and initials at the bottom left of the page.

Handwritten signature/initials at the bottom right of the page.



Handwritten signature/initials.

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०/८१	
	SM251C LED16S-6500 PSU WH	गोटा			३२००.००	
	SM250C LED12S-6500 PSU WH	गोटा			२२५८.००	
	SM251C LED20S-6500 PSU WH	गोटा			३६७०.००	
११७	<b>Archspace</b>					
	Archspace is the perfect choice when it comes to surface and suspended cylindrical downlighting applications such as those in Retail, Offices, Hotels, Lobbies and School/universities etc. with its differentiated aesthetics with extruded aluminium housing and a superior powder coated finish, multiple choices of lumen packs, two diameters, flexible height, uniform lighting distribution and superior features of Driver make archspace an undisputed winner when it comes to the surface/cylindrical downlight category .					
	SP320P LED6S-6500 PSU DIA100WH	गोटा			७७१७.००	
	SP320P LED6S-6500 PSU DIA80WH	गोटा			८६५८.००	
११८	<b>GreenLED Ultima Square</b>					
	GreenLED Ultima Square Ultra sleek recessed downlight for low height false ceiling in square profile					
	DN096B LED6S-6500 PSU WH	गोटा			२९७४.००	
	DN097B LED10S-6500 PSU WH	गोटा			३७२७.००	
११९	<b>GreenLed Ultima Round</b>					
	GreenLED Ultima Round ultra sleek recessed downlight for low height false ceiling in round profile					
	DN091B LED6S-6500 PSU WH	गोटा			२९७४.००	
	DN092B LED10S-6500 PSU WH	गोटा			३७२४.००	
१२०	<b>Skyspot COB</b>					
	SKyspot COB New series of LED Spot fixtures specially designed for commercial use. Ideal for retail showrooms, hospitality, offices. Elegant fixed sopt with a focused 36 degree beam angle Long life with 30000 burning hours with CRI>80 Wide choice Available in 7/12/18/22 W, Round, 3000K &6500					
	7W sky Spot COB(ww)	गोटा			२६६३.००	
	12W sky Spot COB(Cw)	गोटा			३३२२.००	
	18W sky Spot COB(Cw)	गोटा			४९४९.००	
	22W sky Spot COB(Cw)	गोटा			४९४९.००	
१२१	<b>Green LED I</b>					
	Green LED I High Performance LED Downlights for commercial applications 100 lumen/watt efficacy . Efficient heat sink (die cast) with steel clips. Integrated driver control (for easy installation)					
	DN191B LED6S-6500 PSU WH S2	गोटा			२६६३.००	
	DN192B LED10S-6500 PSU WH S2	गोटा			३३२२.००	
	DN193B LED12S-6500 PSU WH S2	गोटा			४९४९.००	
	DN194B LED16S-6500 PSU WH S2	गोटा			५९७६.००	
	DN195B LED20S-6500 PSU WH S2	गोटा			६२९९.००	
१२२	<b>Essential Smart Bright Track Lights</b>					

Handwritten signatures and initials at the bottom of the page.

H.P.


सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	Essential Smart Bright Track Lights range is high performance, hassle free solution for up to 5 years of use range has high efficacy of up to 100 lm/w, and aluminium housing for better thermal management. Available in back & white color housing					
	ST030T LED8/830 8W 220-240V 1 MB WH	गोटा			४०००.००	
	ST030T LED12/830 14W 220-240V 1 NB W	गोटा			४५००.००	
	ST030T LED20/830 23W 220-240V 1 NB WH	गोटा			५५००.००	
	ST030T LED30/830 35W 220-240V 1 NB WH	गोटा			६५००.००	
	TRACK LIGHT STICK BK 1-MTR	गोटा			२८००.००	
१२३	<b>EcoAccent</b>					
	EcoAccent recessed mounted accent lightining luminaire with diecast aluminium heat sink and sand grain finishing reflector, available in two lumen packs with option of dali dimmable driver					
	RS271B LED20/830 PSU-E NB WH	गोटा			११२९४.००	
	RS271B LED20/850 PSD MB WH	गोटा			१४११७.००	
	RS271B LED40/850 PSD MB WH	गोटा			१५०५८.००	
१२४	<b>Optimus LED Trunking</b>					
	Optimus LED Trunking Trunking based solution for large open areas with high ceiling requiring continuous linear installation Luminaire is snap fit mount on trunking system, available in two lumen packs. Accessories need to be additionally ordered.					
	LL199X 1XDLED40-6500 PSE OD WH SI	गोटा			८४७०.००	
	LL199x1xDLED57-6500PSEODWH				११६७०.००	
	TTX199/01 LED HANGING KIT				१८८२.००	
१२५	<b>waterproof LED Luminaires</b>					
	Smartbright Waterproof IPS65 Dust and WATERPROOF led Luminaire with polycarbonate Housing suitable for walland ceiling mount applications					
	WT201C LED44S-6500 PSU L 120				७५२९.००	
	WT201C LED24S-6500 PSU L 120				५६४७.००	
१२६	<b>waterproof LED Luminaires</b>					
	waterproof LED Luminaire surface/Suspended Mounted waterproof (IP65) Luminaire suitable for single and twin T 8 TLED LAMPS					
	TCW450 P 1XTLED 19W P3397				४१४१.००	
	TCW450 P 2XTLED 19W P3397				४७०५.००	
१२७	<b>PureSpace Clean Room Range</b>					
	PureSpace Clean Room Range puresaacc is a comprehensive Cleanroom luminaires range with options for botton opening, top opening 2x2 as well 1xx4					
	CR652B LED60S-6500 PSU CA TO W30L120 WH				३३८८२.००	
	CR652B LED36S-6500 PSU CA TO W60L60 WH				२४४७०.००	
	CR652B LED80S-6500 PSU CA TO W6060 WH				३३८८२.००	
१२८	<b>Skyline Street Light</b>					
	Skyline Skyline Family is an IP66 road lighting luminaire with Single Die ceramic base high power LED light source, PDC housing with top openable access to drivers for ease of maintenance. Integrated optics ensure uniform distribution and higher efficacy thus offering higher spacing between poles and maintenance free system. Ideal for road width up to 8-12 mts. Pole Dia: 48-60mm Type HSN Code					

H.P.

H.P.

H.P.

H.P.




Handwritten signature/initials.

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	BRP 340 LED 150 CW HO SLC S2 PSU GR				२६३५२.००	
	BRP 340 LED 175 CW HO SLC S2 PSU GR				३०११७.००	
	BRP 340 LED 200 CW HO SLC S2 PSU GR				३३८८२.००	
१२९	<b>Skyline Xtra Street Light</b>					
	Skyline Xtra Skyline Xtra family is an IP66 road lighting luminaire with high power LED light source, PDC housing with top openable access to drivers for ease of maintenance. Integrated optics ensure uniform distribution and higher efficacy thus offering higher spacing between poles and maintenance free system ideal for road width up to 8-15 mts.(170W -235W). Pole Dia: 48-60mm					
	BRP360 LED 213 CW HO SLC SI PSU GR				४५१७६.००	
	BRP360 LED 240 CW HO SLC S1 PSU GR				५०८२३.००	
	BRP360 LED 265 CW HO SLC SI PSU GR				५४५८८.००	
	BRP360 LED 295 CW HO SLC SI PSU GR				६२११७.००	
१३०	<b>GreenLine V2 Street Light</b>					
	GreenLine V2 GreenLine V2 is an IP66 road lighting luminaire with Single Die ceramic base high power LED light source, PDC housing, Toughened Glass cover and unique peanut lens to ensure uniform light distribution, higher spacing between poles and maintenance free system.Suitable for A1 and A2 category roads. Pole Dia: 48-60mm Type					
	BRP409 LED115 CW SLC FG PSU GR V2				१७६९४.००	
	BRP409 LED130 CW SLA FG PSU GR V2				१९२००.००	
१३१	<b>SmartBright Essential</b>					
	SmartBright Essential SmartBright Essential is a street lighting luminaire with PDC housing and street light optics to ensure uniform distribution.					
	BRP042 P LED25 CW SLE PSU GR DX				५६४७.००	
	BRP030 LED35 CW MR PSU GR DX				६५८८.००	
	BRP031 LED45 CW MR PSU GR DX				९४११.००	
	BRP032 LED70 CW MR PSU GR DX				१३१७६.००	
	BRP046 LED 30 CW MR SI PSU GR				८४७०.००	
	BRP046 LED 36 CW MR SI PSU GR				९४५०.००	
	BRP046 LED 39 CW MR SI PSU GR				९९७५.००	
१३२	<b>Tango XL LED</b>					
	Tango XL LED Tango XL LED - with "Best in class Lens Design & Optical intgration" is a Flood lighting luminaire with Single Die ceramic base high power LED, PDC Housing with integrated flood optics (AWS,FLNB,NB) to ensure uniform distribution and maintenance free system. ideal for Reacreational sports lighting, area lighting and high mast lighting					
	BVP485 LED370 CW AWS PSU SPD GR				१०७६७०.००	
	BVP485 LED427 CW NB PSU SPD GR				११७४५८.००	
	BVP485 LED540 CW AWS PSU SPD GR				१४६८३२.००	
	BVP485 LED560 CW AWS PSU SPD GR				१५६२३५.००	
१३३	<b>Tempo Mini</b>					
	Tempo Mini Tempo Mini is a flood lighting luminaire with PDC Housing and unique flood optics( NB) to ensure uniform distribution					
	BVP180 LED50 CW FC WB SOW 120-270 PSU				९५००.००	


Handwritten signatures and initials at the bottom of the page.

Handwritten signature/initials at the bottom right.



सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	BVPI81 LED62 CW PC WB 70W 120-270 PSU				१३५००.००	
	BVPI82 LED100 CW FG WB 100W 120-270 PSU				१९०००.००	
१३४	<b>SmartBright Essential</b>					
	SmartBright Essential SmartBright essential flood light is aesthetically designed flood lighting luminaire for superior performance. Type					
	BVP183 LED140 CW FG WB 150W PSU				२६३५२.००	
	BVPI84 LED196 CW FG WB 200W PSU				३३८८२.००	
१३५	<b>Landscape Lighting</b>					
	Town Glow Post Top Town Glow is a contemporary designer IP66/IK 10 Post Top lantern with symmetric Light distribution					
	BGP300 LED28 757 PSU PC IN SI				३३८८२.००	
	BGP300 LED40 757 PSU PC IN SI				३५७६४.००	
	BGP300 LED50 757 PSU PC IN SI				३७६४७.००	
	LED Post Top Reliable and asthetic designed IP6S post top lantern with symmetric light distribution and limited upward light component. Type H					
	BGPI61 LED2500/NW PSU 220-240V 7043 IN				३७६४७.००	
१३६	<b>CityCube Bollard P</b>					
	CityCube Bollard is a robustly designed IP65/IK 10 bollard and is easy to install with base plate.					
१३७	<b>CityCube Bollard T</b>					
	BCP400 LED09 T CW PSU GR SI				३२०००.००	
१३८	<b>CityCube Bollard D</b>					
	BCP400 LED09 D CW PSU GR SI				२९६४७.००	
१३९	<b>LED Bollard</b>					
	BCP151 LED150/WW PSU 220-240V 7043				२२५८८.००	
१४०	<b>LED Step Light</b>					
	BWGI50 LED50/WW PSU 220-240V 1P67 7043				१३९७६.००	
१४१	<b>UNIlIn-ground: LED Marker</b>					
	UNIlIn-ground Range Uniln Ground LED ground burial range is compact, robust design IP67/IK 10 with aluminum diecast housing and stainless trim, IP67 waterproof connectors ensure easy installation & maintenance free					
	BBP210 LED50/WW IW 12V 30D				२२५८.००	
	BBP211 LED90/WW 2W 12V 30D				३०९९.००	
	Driver & accessories price extra for 12 V.				२२५८.००	
१४२	<b>UNIlIn-ground: LED Ground Guide</b>					
	Multiple lighting emission windows to make space out.					
	BBP212 LED45/WW 3W 100-240V				४९४९.००	
	BBP213 LED1 10/WW 6W 100-240V				६०२३.००	
१४३	<b>UNIlIn-ground: Ground Burial</b>					
	UNIlIn-ground: Ground Burial Compact and robust design with diecast aluminum housing and stainless trim. IP68 waterproof connectors					
	BBP340 LED220/WW 3W 20D 100-240V				९४९९.००	






*Handwritten signature/initials*

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			केफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	BBP341 LED540/WW 6W 20D 100-240V				१३२२२.००	
	BBP342 LED1200/WW 12W 20D 100-240V				२३४९९.००	
	BBP343 LED1800/WW 18W 20D 100-240V				२७२९४.००	
	BBP344 LED3600/WW 36W 20D 100-240V				२८२३३.००	
	BBP343 LED RGB 18W 20D 24V				३०९९३.००	
	BBP343 LED R 18W 20D 100-240V				२९६४०.००	
१४४	<b>UNIIn-ground: Linelite</b>					
	UNIIn-ground: Linelite UniNground Linear makes space distinctive with more safety and convenience of installation					
	BBP403 LEDS0/WW 2W 24V L300				१३९७६.००	
	BBP403 LED RGB 9W 24V L300 GM				१७८८२.००	
	BBP412 LED200/WW 7W 24V L1200				२५४९९.००	
	BBP412 LED RGB 36W 24V L1200 GM				३२९४९.००	
१४५	<b>Tunnel Lights</b>					
	Flow Base Flowbase is High performance IP66 Tunnel light with High Power LED light source, PDC housing with high impact resistance (IK08) . It comes with four sizes of configuration with mounting angle of 60 to -60 Degrees. Flowbase optics ensure uniform distribution and savings up to 50%* w.r.t conventional system and maintenance free system.					
	BWP352 LED69/NW 60W 220-240V DM2 MPI				७५९५.००	
	BWP352 LED137/NW 120W 220-240V DM2 MP1				१३९७६५.००	
	BWP352 LED206/NW 180W 220-240V DM2 MPI				१६९४९९.००	
	BWP352 LED274/NW 240W 220-240V DM2 MP1				२३५२९५.००	
१४६	<b>UNI Urban</b>					
	BDP461 LED33 WW 110-277V TS				७५२९४.००	
	BDP461 LED6S WW 110-277V TS				९४९९७.००	
	BDP461 LED100 WW 110-277V TS				१३९७६४.००	
१४७	<b>Jargeua - Post Top</b>					
	Jargeva - Post Top Jargeau LED combines the heritage look of four-sided street luminaire with the technical performance of high performance optics, Aluminium Die cast housing having IP65/IK08 protection.					
	Jargeua -Post Top				७५२९४.००	
१४८	<b>Architectural Lights color kinetics</b>					
	Blast* This high-performance line of exterior luminaires offers an extremely wide range of light output, beam angles, and accessories					
	Intellihue Blast Gen4 Powercore, Clear Lens, White Housing, UI/Ce				१६९४९९.००	
	Graze* This high-performance linear exterior wall grazing family of luminaires offers high-quality light in a wide range of luminaire lengths, beam angles, output levels, and power consumption levels					
	ColorGraze Intellihue Powercore, 1ft, 9 Degree				१४९९७६.००	
	Reach & Reach Compact* Reach Powercore is ideal for illuminating large surfaces. Flood luminaires can throw fully-saturated light to great heights.					
	ColorReach Powercore, GEN2, RGBW, 100-277V, UI/CE				२८२३५२.००	

*Handwritten signatures and initials at the bottom of the page.*



*Handwritten signature/initials*


सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	Burst* This family of high-output, exterior-rated LED lighting luminaires is designed for accent and site lighting. Most versions feature multiple housing colors and standard architectural and landscape formats.					
	ColorBurst Intellihue Powercore, White Housing, Architectural Mount				९४९९७.००	
	ReachElite* Go farther with powerful, precision-controlled light that reaches new heights. ReachElite delivers exceptional light to bridges, façades, monuments, and skyscrapers illuminating the tallest structures and highlighting details up to 564 m (1,852 ft) away with the 300 W luminaire. This family of long-throw exterior LED luminaires make it happen with high punch and rack-solid reliability.					
	ReachElite Intellihue Powercore, 200W, 100-277V UL/CE/COC				४७०५८८.००	
	Accent Compact This family of direct view linear LED luminaires is ideally suited for displaying large-scale video, graphics, and intricately designed effects.					
	iColor Accent Compact, RGBW, Ethernet, 1.2M (4f), Clear Flat Lens				१५०५८८.००	
	Archpoint ArchiPoint Color Powercore is a daylight-visible, exterior-rated LED point of light ideally suited for a range of direct-view and beacon applications					
	Archpoint iColor Powercore, Clear Flat Lens, 100-240V, UL/CE				३७६४७.००	
	iColor MR Lamp iColor MR Gen3 is an intelligent color-changing lamp that delivers intense, saturated bursts of color and color-changing effects. The stylish housing fits into most standard MR16 luminaires, including tracks, cables, rails, and pendants					
	iColor MR G3, 30 Degree				१५०५८.००	
	Flex Cover almost any structure with flexible strands of bright LED nodes. Flex means maximum flexibility. Strands of efficient, addressable Flex nodes can be arranged along a nearly limitless array of surfaces and unconventional structures. Our proven Flex family of direct-view LED luminaires can do it all- from display+ Bling messages on curved building façades to bringing stunning LED light shows to stadium roofs.					
	iColor Flex LMX GEN2, 12IN OC, white node/cable, clear flat lens, 3ft leader				४७०५८.००	
	iColor Flex LMX GEN2, 12IN OC, white node/cable, translucent dome lens, 3ft leader				४७०५८.००	
१४९	<b>Controllers / Power Supplies / Keypads / Softwares</b>					
	Controller, Light System Manager (Gen 5) 15000 Node				१४९९७६.००	
	Ethernet Switch with POE Ports For Use with Colordial2				१६०००.००	
	Controller, Activesite Gateway				१९२९४९.००	
	Uniflood C UniFlood C is a circular shaped, exterior-rated architectural LED floodlight that is designed for facade, landscape and outdoor flood lighting applications like; illuminating multi-story exterior facades, bridges, landmarks and monuments. Available in white, monochromatic colors, RGB, RGBW and tunable white and DMX512/RDM control options.					
	Uniflood C Small (27W-36W)				१५०५८८.००	
	Uniflood C large(1 10W-150W)				१७८८२३.००	
	UniStrip G4 UniStrip G4 (AC) is a surface mounted, exterior-rated LED linear flood light luminaire that is designed for wall washing and grazing architectural lighting applications like; illuminating buildings facades, bridges, overpasses and any application that requires a linear lighting solution. Available in white, monochromatic colors, RGB, RGBW and tunable white with different lengths (300mm, 500mm, 520m & 1000mm)					
	UniStrip G4 AC BCP383(15W-SOW)				२३५२९४.००	
	UniStrip G4 AC BCP385 (SOW-120W)				३७६४७०.००	
	Green Perform Elite Highbay Awarded with IF Design and Red Dot Design Awards in 2019, GreenPerform Elite Highbay is a power pack of superior performance, best in class efficacy and unmatched product design					
	BY718P LED100/CW PSU NB IN				२६३५२.००	

*Handwritten mark*

*Handwritten signature*

*Handwritten mark*

*Handwritten signature*



*Handwritten signature/initials*

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	BY718P LED150/CW PSU NB IN				३३८८२.००	
	BY718P LED200/CW PSU NB IN				३७६४७.००	
१५०	<b>Industrial Battens</b>					
	EnduraLED Next Flicker free, high efficiency and robust industrial batten family suitable for Surface, Wall and Conduit mounting. The product family offers dimmable and connected batten option					
	BN308C LED20S-6500 L60 PSU WH				३५७६.००	
	BN308C LED40S-6500 L120 PSU WH				८४७०.००	
	BN308C LED60S-6500 L120 PIR WH				१०९६४.००	
१५१	<b>TMC 501 Mounting rail for TLED lamps.</b>					
	TMC S01 P 1xT-LED 22W P3241				१८८२.००	
	TMC S01 P 2xT-LED 22W P3242				३०११.००	
१५२	<b>Highbays</b>					
	BY51SP LED100S 5700 NB PSU GR				२४४७०.००	
	BY51SP LED150S 5700 NB PSU GR				२८२३५.००	
	BY51SP LED250S 5700 NB PSU GR				४१४११.००	
१५३	<b>Upvc Conduit Pipe</b>					
	Upvc Conduit Pipe (Light Stress)					
	20mm				१२८.००	
	25mm				१६५.००	
	32mm				२२५.००	
	Upvc Conduit Pipe (Medium Stress)					
	20mm				१८८.००	
	25mm				२२५.००	
	32mm				२८५.००	
	Upvc Conduit Pipe (Heavy Stress)					
	20mm				३९२.००	
	25mm				४५०.००	
	32mm				५२५.००	
१५४	<b>Upvc Elec. Conduit Fittings</b>					
	Circular Box - Terminal (1 way)					
	20mm				४६.००	
	25mm				५७.००	
	Circular Box - Angle (2 way)					
	20mm				५५.००	
	25mm				६२.००	
	Circular Box - Through (2 way)					

*Handwritten signatures and initials*

*Handwritten signature/initials*



Handwritten signature

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
		20mm			५७.००	
		25mm			६२.००	
	Circular Box - Tee (3 way)					
		20mm			६२.००	
		25mm			६९.००	
	Circular Box - Intersection (4 way)					
		20mm			६९.००	
		25mm			७४.००	
	Deep Circular Box - Terminal (1 way)					
		20mm			८९.००	
		25mm			१०९.००	
		32mm			१२५.००	
	Deep Circular Box - Angle (2 way)					
		20mm			९८.००	
		25mm			११४.००	
		32mm			१३६.००	
	Deep Circular Box - Through (2 way)					
		20mm			११४.००	
		25mm			१२५.००	
		32mm			१२६.००	
	Deep Circular Box - Tee (3 way)					
		20mm			१०३.००	
		25mm			१२०.००	
		32mm			१४७.००	
	Deep Circular Box - Intersection (4 way)					
		20mm			१०९.००	
		25mm			१२५.००	
		32mm			१५८.००	
	Slip Type Bend - Long					
		20mm			४४.००	
		25mm			५७.००	
	Slip Type Bend - Normal					
		20mm			२६.००	
		25mm			३७.००	
		32mm			९५.००	
	Coupler					

Handwritten signature

Handwritten signature

Handwritten signature

Handwritten signature



विद्युत्तिय सामग्रीहरु

Handwritten signature/initials.

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
		20mm			१३.००	
		25mm			१९.००	
		32mm			३६.००	
	Reducer Coupler 25 x 20	25mm			२२.००	
	Space Bar Saddle	20mm			२४.००	
		25mm			३०.००	
		32mm			४२.००	
	Elbow	20mm			२३.००	
		25mm			३२.००	
	Tee	20mm			३६.००	
	Fan Box with Rod 20mm X	25mm			१७०.००	
	Fan Box with Rod 20mm X	25mm			५७५.००	
	Inspection Tee	20mm			८०.००	
		25mm			११०.००	
	Circular Extension Ring	20mm			३०.००	
		25mm			३७.००	
	Female Bush Adaptor	20mm			२९.००	
		25mm			३७.००	
	Bending Spring	20mm			११५०.००	
		25mm			१२५०.००	

Handwritten signatures and initials.

Handwritten signature/initials.



# Solar Power

Handwritten signature


सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
१	Solar PV Module	प्रति.वाट	९०.००	९०.००	९२.००	
२	Solar Tubular Battery ( 200Ah@c20,12v)	गोटा	३२९००.००	३२९००.००	३२९०३.००	
३	Solar Tubular Battery ( 150 Ah@c20,12v)	गोटा	२४५००.००	२४५००.००	२५९९३.००	
४	Solar Tubular Battery ( 100 Ah@c20,12v)	गोटा	१७०००.००	१७०००.००	१७४२५.००	
५	Solar Tubular Battery ( 80 Ah@c20,12v)	गोटा	१६९००.००	१६९००.००	१७३२३.००	
६	Solar Tubular Battery ( 60 Ah@c20,12v)	गोटा	१२२००.००	१२२००.००	१२५०५.००	
७	Solar Tubular Battery ( 40 Ah@c20,12v)	गोटा	८०००.००	८०००.००	८२००.००	
८	Solar Gel Battery ( 200 Ah@c20,12v)	गोटा	६६७००.००	६६७००.००	६८३६८.००	
९	Solar Gel Battery ( 150 Ah@c20,12v)	गोटा	५०२००.००	५०२००.००	५१४५५.००	
१०	Solar Gel Battery ( 100 Ah@c20,12v)	गोटा	३६९००.००	३६९००.००	३७००३.००	
११	Solar Gel Battery ( 80 Ah@c20,12v)	गोटा	३१९००.००	३१९००.००	३१८७८.००	
१२	Solar Gel Battery ( 75 Ah@c20,12v)	गोटा	२७६००.००	२७६००.००	२८२९०.००	
१३	Solar Gel Battery ( 40 Ah@c20,12v)	गोटा	१५८००.००	१५८००.००	१६९९५.००	
१४	Solar Lithinium Ion Battery (100AH@c10,12V)	गोटा	३६७००.००	३६७००.००	३७६९८.००	
१५	Solar Lithinium Ion Battery (80AH@c10,12V)	गोटा	३२६००.००	३२६००.००	३३४९५.००	
१६	Solar Lithinium Ion Battery (50AH@c10,12V)	गोटा	१८७००.००	१८७००.००	१९९६८.००	
१७	Charge controller (60A/24-48V)	गोटा	३२५००.००	३२५००.००	३३३९३.००	
१८	Charge controller 45A/12-24-48 V	गोटा	२३९००.००	२३९००.००	२४४९८.००	
१९	Charge controller 30A/12-24-48 V	गोटा	१९८००.००	१९८००.००	२०२९५.००	
२०	Charge controller 25A/12-24-48 V	गोटा	१४८००.००	१४८००.००	१५९७०.००	
२१	Charge controller 20a/12-24 V	गोटा	६०००.००	६०००.००	६१५०.००	
२२	Charge controller 15a/12-24 V	गोटा	४९००.००	४९००.००	५०२३.००	
२३	Charge controller 10a/12-24 V	गोटा	२७००.००	२७००.००	२७६८.००	
२४	Charge controller 5a/12-24 V	गोटा	१६००.००	१६००.००	१६४०.००	
२५	Solar dusk to down controller 20A/12Vwith driver curcuit	गोटा	४५००.००	४५००.००	४६९३.००	
२६	Solar street light 40W- 12V DC with autodimming system	गोटा	३९६००.००	३९६००.००	३२३९०.००	
२७	Solar street light 30W- 12V DC with autodimming system	गोटा	२४३००.००	२४३००.००	२४९०८.००	
२८	Solar street light 20W- 12V DC with autodimming system	गोटा	१५३००.००	१५३००.००	१५६८३.००	
२९	Solar street light 100W	गोटा	४२३००.००	४२३००.००	४३३५८.००	
३०	Solar street light 80W	गोटा	३५८००.००	३५८००.००	३६६९५.००	
३१	Solar street light 60W	गोटा	२६८००.००	२६८००.००	२७४७०.००	
३२	Solar street light 40W	गोटा	१५९००.००	१५९००.००	१५४७८.००	
३३	Solar street light 30W	गोटा	१२०००.००	१२०००.००	१२३००.००	
३४	Solar street light 20W	गोटा	८६००.००	८६००.००	८८९५.००	
३५	Solar street light 12W	गोटा	५६००.००	५६००.००	५७४०.००	
३६	Ms pole 6 m high with rustproof enamel paint dimension 4" for buttom 3 m 3" for top 3 m	गोटा	१७४००.००	१७४००.००	१७८३५.००	
३७	Ms pole 7 m high with rustproof enamel paint dimension 4" for buttom 4 m 6" for top 3 m	गोटा	१९२००.००	१९२००.००	१९६८०.००	
३८	Ms pole 8 m high with rustproof enamel paint dimension 4" for buttom 5 m 6" for top 3 m	गोटा	२१४००.००	२१४००.००	२१९३५.००	
३९	Ms pole 9 m high with rustproof enamel paint dimension 4" for buttom 6 m 6" for top 3 m	गोटा	२१७००.००	२१७००.००	२२२४३.००	

Handwritten signature

Handwritten signature

Handwritten signature

Handwritten signature



# Solar Power

रि.पि.

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
४०	7 m Hot Deep Galvanized Pole with Diameter of Pole section 4" for bottom 4.5 m and 3" for top 2.5 m	गोटा	२१४००.००	२१४००.००	२१९३५.००	
४१	8 m Hot Deep Galvanized Pole with Diameter of Pole section 5" for bottom 4.5 m, 4" for Middle 1.75 m and 3" for top 1.75 m	गोटा	२४७००.००	२४७००.००	२५३१८.००	
४२	9 m Hot Deep Galvanized Pole with Diameter of Pole section 5" for bottom 5 m, 4" for Middle 2m and 3" for top 2m	गोटा	२६९००.००	२६९००.००	२७५७३.००	
४३	10 m Hot Deep Galvanized Pole with Diameter of Pole section 5" for bottom 5.2 m, 4" for Middle 2.4m and 3" for top 2.4m	गोटा	२९१००.००	२९१००.००	२९८२८.००	
४४	Pure sine wave inverter 250 VA /12 V	गोटा	७२००.००	७२००.००	७३८०.००	
४५	Pure sine wave inverter 400 VA /12 V	गोटा	१३५००.००	१३५००.००	१३८३८.००	
४६	Pure sine wave inverter 850 VA /12 V	गोटा	१६५००.००	१६५००.००	१६९१३.००	
४७	Pure sine wave inverter 1000 VA /12 V	गोटा	२२९००.००	२२९००.००	२३४७३.००	
४८	pure sine wave inverter 1400 VA	गोटा	२४३००.००	२४३००.००	२४९०८.००	
४९	Pure sine wave Solar Hybrid Inverter 850VA with inbuilt charge controller	गोटा	२०२००.००	२०२००.००	२०७०५.००	
५०	Pure sine wave Solar Hybrid Inverter 1000VA with inbuilt charge controller	गोटा	२४२००.००	२४२००.००	२४८०५.००	
५१	Pure sine wave Solar Hybrid Inverter 3KVA with 50A inbuilt charge controller	गोटा	७१५००.००	७१५००.००	७३२८८.००	
५२	Pure sine wave Solar Hybrid Inverter 5KVA with 50A inbuilt charge controller	गोटा	१४३०००.००	१४३०००.००	१४६५७५.००	
५३	Ms light Arms	सेट	२२००.००	२२००.००	२२५५.००	
५४	SPV mounting frame	सेट	५८००.००	५८००.००	५९४५.००	
५५	Battery box	सेट	४५००.००	४५००.००	४६१३.००	
५६	Battery stand	सेट	४५००.००	४५००.००	४६१३.००	

रि.पि.

रि.पि.

# SANITARY WORK

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
1	Porcelain Clay Sanitaryware (Hindware, Paryware, Somany, cera, Bencardo or eqv. कम्पनीका)					
	<b>White glazed porcelain pan</b>					
	i)530mm size white glazed without siphon	सेट	2,524.00	2,524.00	2,524.00	
	ii)500 mm size white glazed without siphon	"	2,741.00	2,741.00	2,741.00	
	iii)580 mm size orrisa Pan	"	3,371.00	3,371.00	3,371.00	
	iii)580 mm size white glazed Indian pan	"	1,049.00	1,049.00	1,049.00	
	iv) Siphon 'p' or 's' type	"	590.00	590.00	590.00	
	v) Asian Pan 51x40 Rectangular	"	2,524.00	2,524.00	2,524.00	
	<b>Porcelain Clay Cistern</b>					
	i) white glazed porcelain clay 10 lit cistern complete set (internal part of cistern pvc fittings )	"	3,559.00	3,559.00	3,559.00	
	ii) White glazed porcelain clay 10 lit. Cistern cover only.	"	667.00	667.00	667.00	
	iii) White glazed porcelain clay 12.5 lit. cistern complete set (Brass fittings siphon with plunger plate)	"	3,698.00	3,698.00	3,698.00	
	<b>Commode</b>					
	i) White glaze porcelain clay regular commode with 'p' trap	सेट	1,587.00	1,587.00	1,587.00	
	ii) White glazed porcelain clay EWC regular commode with 's' \ p trap	"	1,825.00	1,825.00	1,825.00	
	iii)(b) White glazed porcelain clay EWC Constellation commode with 'P' & 's' trap and seat cover set.(Hindware, Paryware, Somany, cera, Bencardo or eqv.)	"	18,119.00	18,119.00	18,119.00	
	iv) White glazed porcelain clay One Piece commode with 'P' & 'S' trap and slow falling seat cover complete set.(Hindware, Paryware, Somany, cera, Bencardo or eqv.)	"	28,875.00	28,875.00	28,875.00	
	iv) White glazed porcelain clay One Piece commode with 'P' & 's' trap and slow falling seat cover complete set.(Bolan, Tita, Akwa, Bencardo or eqv.)	"	20,389.00	20,389.00	20,389.00	
	viii)(c) White glazed porcelain clay Ewc wall mounted commode without cistern all complete set..(Bolan, Tita, Akwa, Bencardo or eqv.)	"	5,252.00	5,252.00	5,252.00	
	ix) White glazed porcelain clay Ewc floor mounted commode without cistern all complete set.	"	8,656.00	8,656.00	8,656.00	
	x) 600 to 900 mm Grab bar	"	6,062.00	6,062.00	6,062.00	
	<b>Bidet set</b>		-	-	-	
	i) Porcelain clay white glaze Bidet.	सेट	3,692.00	3,692.00	3,692.00	
	<b>Urinal set</b>					
	i) Porcelain clay white glaze large flat back urinal 61x41x38 cm size (Hindware, Paryware, Somany, cera, Bencardo or eqv.)	सेट	4,174.00	4,174.00	4,174.00	
	ii) Porcelain clay small Urinal (46.5x35.5x26.5) cm size .(Hindware, Paryware, Somany, cera, Bencardo or eqv.)	"	1,880.00	1,880.00	1,880.00	
	iv)White glazed porcelain clay corner Urinal (35x35x44)cm size with complete set.(Hindware, Paryware, Somany, cera, Bencardo or eqv.)	"	1,619.00	1,619.00	1,619.00	
	vi) Wall mounted Urinal with sensor complete set.( Duravit, Grohe, American standard and equivalent)	"	100,291.00	100,291.00	100,291.00	
	<b>Porcelain Clay Urinal Squatting Plate</b>					
	i) white glaze squatting plate Small Size (45x35)cm	सेट	1,212.00	1,212.00	1,212.00	



## SANITARY WORK

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
	ii) Porcelain clay white glaze squatting plate large size	..	1,454.00	1,454.00	1,454.00	
	iii) Porcelain clay super color squatting plate large size.	..	2,831.00	2,831.00	2,831.00	
	iv) Urinal Spreader	..	915.00	915.00	915.00	
	<b>Wash basin</b>			-		
	i) Porcelain clay white glaze wash basin (500×400) cm size regular.	सेट	1,095.00	1,095.00	1,095.00	
	iii) Porcelain clay white glaze wash basin (50×40) cm	..	1,481.00	1,481.00	1,481.00	
	iv) Do but wash basin (45×32)cm	..	1,065.00	1,065.00	1,065.00	
	vi) white glazed porcelain clay Corner basin 40x40 complete set	सेट	1,201.00	1,201.00	1,201.00	
	vii) white glazed porcelain clay U-counter basin complete.(Duravit, Grohe, American standard, Bencardo or equiv)	..	8,348.00	8,348.00	8,348.00	
	ix) white glazed porcelain clay 0-counter wash basin, complete.(Duravit, Grohe, American standard, Bencardo or equiv)	..	13,776.00	13,776.00	13,776.00	
	x)(a) White glazed porcelain clay Semi pedestal large counter wash basin750*500 mm with complete set.(Duravit, Grohe, American standard, Bencardo or equivalent)	..	9,785.00	9,785.00	9,785.00	
	x)(b) White glazed porcelain clay Semi pedestal large counter wash basin750*500 mm with complete set.	..	6,232.00	6,232.00	6,232.00	
	d) White glaze porcelain clay Basin for disable with grab bar all complete	..	20,549.00	20,549.00	20,549.00	
	<b>Pedestal:</b>			-		
	i) Porcelain clay white glaze pedestal	..	1,378.00	1,378.00	1,378.00	
	iii) White glazed Porcelain clay half pedestal complete set.	..	1,670.00	1,670.00	1,670.00	
	iv) First color glazed Porcelain clay half pedestal complete set.	..	1,973.00	1,973.00	1,973.00	
	v) Two piece pedestal with Basin" complete set.( Duravit, Grohe, American standard or equivalent)	..	13,313.00	13,313.00	13,313.00	
	<b>Urinal Partition</b>			-		
	White glaze porcelain clay (68×30)cm division plate	..	1,741.00	1,741.00	1,741.00	
	<b>Lab sink</b>			-		
	i) Porcelain clay white glaze large size	..	2,222.00	2,222.00	2,222.00	
	ii) Porcelain clay white glaze small size	..	1,653.00	1,653.00	1,653.00	
	iii) Porcelain clay janitor sink 58×71×43.5 size	..	27,553.00	27,553.00	27,553.00	
	<b>Kitchen sink</b>			-		
	i) Porcelain clay large	सेट	3,763.00	3,763.00	3,763.00	
	ii) Porcelain clay small	..	3,409.00	3,409.00	3,409.00	
	iii) drain board white 53x45	..	1,304.00	1,304.00	1,304.00	
	iii) Soap dish	..	661.00	661.00	661.00	
	iv) White glaze foot rest	..	419.00	419.00	419.00	
	v) White glaze Toilet paper holder	..	1,157.00	1,157.00	1,157.00	
2	<b>PVC Cistern Set</b>			-		
	i) single flush	सेट	1,973.00	1,973.00	1,973.00	
	ii) Deluxe single flush	..	2,204.00	2,204.00	2,204.00	
	iii) Dual flush 6/3 lit. cistern complete set.	..	2,966.00	2,966.00	2,966.00	

# SANITARY WORK

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
	iv) concealed cistern with plate complete set.( Viega, Geberit, American standard or equivalent)	..	16,862.00	16,862.00	16,862.00	
	v) 32 mm pvc bottel trap set.	पिस	476.00	476.00	476.00	
	vi) 1.5x45 cm pvc pipe connector set.	..	143.00	143.00	143.00	
	vi) Bakelite toilet seat cover set.	..	276.00	276.00	276.00	
3	<b>Stainless Steel Accessories etc.</b>		-	-		
	Stainless steel Deep sink 45x45x30 size	..	18,185.00	18,185.00	18,185.00	
	Stainless steel Orissa pan LP 210 size	..	8,486.00	8,486.00	8,486.00	
	Stainless steel wash basin model 251 12" round size with pedestal	..	13,262.00	13,262.00	13,262.00	
	Stainless steel wash basin 500 mm model 277 with complete set	..	10,276.00	10,276.00	10,276.00	
	Stainless steel commode S trap with self closing complete set	..	17,554.00	17,554.00	17,554.00	
	Wall mixer (single lever) bath faucet with hand shower( Grohe, Hansgrohe, American standard or equivalent)	..	14,634.00	14,634.00	14,634.00	
	Bath tub (single lever )with hand shower( Grohe, Hansgrohe, American standard or equivalent)	..	18,432.00	18,432.00	18,432.00	
	External Shower Wall mixer (single control) bath faucet with hand shower( Grohe, Hansgrohe, American standard or equivalent)	..	25,764.00	25,764.00	25,764.00	
	Wall mixer (single control) bath faucet with hand shower(conceal system)( Grohe, Hansgrohe, American standard or equivalent)	..	15,952.00	15,952.00	15,952.00	
	Wall mixer (single control) shower faucet (conceal system)( Jaquare, Somany, Essel or equivalent)	..	4,182.00	4,182.00	4,182.00	
	conceal mixer faucet( Jaquare, Somany, Essel or equivalent)	..	6,455.00	6,455.00	6,455.00	
	Stainless steel Angle valve( Grohe, Hansgrohe, American standard or equivalent)	..	827.00	827.00	827.00	
	Stainless steel two way Angle valve( Jaquare, Somany, Essel or equivalent)	..	1,157.00	1,157.00	1,157.00	
	Stainless steel bowl 19"x16" diamond board 37" long	..	2,673.00	2,673.00	2,673.00	
	Stainless steel bowl with diamond board 37" long	..	3,660.00	3,660.00	3,660.00	
	Stainless steel bowl with ordinary board 37" long	..	2,314.00	2,314.00	2,314.00	
	Stainless steel double bowl with double drain board 36" * 18 "size	..	13,917.00	13,917.00	13,917.00	
	Stainless steel double bowl with single drain board ordinary	..	5,786.00	5,786.00	5,786.00	
	Stainless steel p trap bottle trap for basin	..	2,324.00	2,324.00	2,324.00	
	Stainless steel Kitchen sink mixture( Jaquar, Somany, Essel or equivalent)	..	8,408.00	8,408.00	8,408.00	
	Stainless steel Kitchen sink faucet( Jaquar, Somany, Essel or equivalent)	..	5,565.00	5,565.00	5,565.00	
	Stainless steel Kitchen sink mixture( Jaquar, Somany, Essel or equivalent)	..	8,408.00	8,408.00	8,408.00	
	Stainless steel 1500mm flexible hose pipe( connection pipe)	..	1,462.00	1,462.00	1,462.00	
	Stainless steel Hose ringer 1200 mm	..	1,274.00	1,274.00	1,274.00	
	Stainless steel commode spray with hose pipe (Grohe, hansgrohe, American standard or equivalent)	..	1,798.00	1,798.00	1,798.00	
	Stainless steel basin mixer( single control)(Grohe, hansgrohe, American standard or equivalent)	..	6,943.00	6,943.00	6,943.00	

# SANITARY WORK

t.f.

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	Stainless steel single faucet for basin( Jaquar, Somany, Essel or equivalent)	"	4,425.00	4,425.00	4,425.00	
	Stainless steel Sink 700*450*200	"	24,246.00	24,246.00	24,246.00	
	Stainless steel Sink table top1200*600*300	"	33,504.00	33,504.00	33,504.00	
	Steel Split clamp with washer all complete		-	-	-	
	75 mm dia	lk;	331.00	331.00	331.00	
	110 mm dia		441.00	441.00	441.00	
	160 mm dia		771.00	771.00	771.00	
	Stainless steel telephonic shower( Jaquare, Somany, Essel or equivalent)	गोटा	1,240.00	1,240.00	1,240.00	
	Stainless steel shower with sliding bar( Jaquare, Somany, Essel or equivalent)	"	2,976.00	2,976.00	2,976.00	
	Stainless steel shower with sliding bar(Grohe, hansgrohe, American standard or equivalent)	"	9,785.00	9,785.00	9,785.00	
	Stainless steel bottle trap ( Viega, Somany, Jaquar or equivalent)	"	647.00	647.00	647.00	
	Stainless steel towel bar 450 mm	"	1,240.00	1,240.00	1,240.00	
	Stainless steel water tank fitting with all complete set (304 grade steel )		-	-	-	
	Capacity 500 ltr	set	12,124.00	12,124.00	12,124.00	
	Capacity 1000 ltr	"	17,699.00	17,699.00	17,699.00	
	Capacity 1500 ltr	"	27,212.00	27,212.00	27,212.00	
	Capacity 2000 ltr	"	32,743.00	32,743.00	32,743.00	
	<b>Sinks Other Types:</b>					
	<b>Scrub sink</b>					
	a) 1.2 mts (18" deep+6" splash )	सेट	-	-	-	
	b) 1.5 mts (18" deep+6" splash )	"	-	-	-	
	c) 1.0 mts (18" deep+6" splash )	"	-	-	-	
	d) 0.9 mts (18" deep+6" splash )	"	-	-	-	
	a) 1.2 mts (21" deep+6" splash )	"	-	-	-	
	b) 1.5 mts (21" deep+6" splash )	"	-	-	-	
	c) 1.0 mts (21" deep+6" splash )	"	-	-	-	
	d) 0.9 mts (21" deep+6" splash )	"	-	-	-	
	<b>Table Top with Sink</b>					
	42"x24"x12" deep+ 6" splash with		-	-	-	
	18"x24" drain and 24"x18"x12" sink		-	-	-	
	a) without frame and legs	सेट	-	-	-	
	b) with s.s. frame and legs	"	-	-	-	
	<b>Deep Scrub Sink</b>					
	28"x28"x24" deep+ 6" splash with		-	-	-	
	24"x24"x24" sink		-	-	-	
	a) without frame and legs	सेट	-	-	-	
	b) with s.s. frame and legs	"	-	-	-	
	<b>Super lab sink</b>					
	i) super lab sink large size	"	4,313.00	4,313.00	4,313.00	
	ii) super lab sink small size	"	3,401.00	3,401.00	3,401.00	
	<b>Super kitchen sink</b>					
	i) super kitchen sink large size	"	7,465.00	7,465.00	7,465.00	
	ii) super kitchen sink small size	"	6,756.00	6,756.00	6,756.00	
4	<b>Modern Sanitaryware:Grohe, Hansgrohe, American Standard or eqv.</b>					
	iv) Hand dryer Germany	"	19,397.00	19,397.00	19,397.00	

SP

[Handwritten Signature]

[Handwritten Signature]

t.f.

# SANITARY WORK

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
	v) Hand Dryer Chinese	"	7,164.00	7,164.00	7,164.00	
	vi) Indian Mark Brand Flush valve	"	5,731.00	5,731.00	5,731.00	
	xii) Auto sensor for basin - Grohe, hansgrohe, American standard or equiv.	"	35,267.00	35,267.00	35,267.00	
	xv) European pattern liquid soap container stainless steel	"	6,062.00	6,062.00	6,062.00	
	xvii) Looking Mirror Modi guard 450x600mm (18"x 24")	"	1,459.00	1,459.00	1,459.00	
	<b>European Pattern C.P. Grab Bar for disable</b>		-	-	-	
	a) 30cm long bend type	"	4,786.00	4,786.00	4,786.00	
	b) 45 cm long bend type	"	5,012.00	5,012.00	5,012.00	
	c) 60 cm long bend type	"	6,418.00	6,418.00	6,418.00	
5	<b>C.P. Accessories( jaquar, somany, essel or equivalent)</b>		-	-	-	
	1) Toilet paper holder	"	510.00	510.00	510.00	
	2) Soap dish	"	510.00	510.00	510.00	
	3) Towel rod 1/2"x18" size	"	510.00	510.00	510.00	
	4) Towel rod 3/4" x24" size	"	567.00	567.00	567.00	
	5) Glass shelf	"	680.00	680.00	680.00	
	6) C.P. bottle trap	"	1,246.00	1,246.00	1,246.00	
	7) 32 mm x 60cm long C.P flush pipe	"	510.00	510.00	510.00	
	8) 15 mm flush cock push type	"	1,133.00	1,133.00	1,133.00	
	9) 15 mm dia. C.P. shower arm	"	976.00	976.00	976.00	
	10) 15 mm dia. C.P. spreader	"	940.00	940.00	940.00	
	11) 15 mm dia. C.P. wall mixture	"	5,435.00	5,435.00	5,435.00	
	i) 3" dia. Shower rose , revolving type	"	906.00	906.00	906.00	
	ii) 4" dia. Shower rose , revolving type	"	1,020.00	1,020.00	1,020.00	
	iii) Shower rose ordinary	"	567.00	567.00	567.00	
	iv) Shower rod 12" long	"	283.00	283.00	283.00	
	C.P. 15 mm dia. Angle Valve	"	1,244.00	1,244.00	1,244.00	
	C.P. 15 mm dia Concealed Stop Cock	"	1,807.00	1,807.00	1,807.00	
	C.P. 15mm Bib Cock	"	1,361.00	1,361.00	1,361.00	
	C.P. 15 mm dia swan neck Pillar Cock	"	1,331.00	1,331.00	1,331.00	
	C.P. 15 mm dia Stop Cock	"	1,331.00	1,331.00	1,331.00	
	C.P. 15 mm dia Sink Cock	"	1,309.00	1,309.00	1,309.00	
	C.P. 15 mm dia Sink Mixture	"	4,472.00	4,472.00	4,472.00	
	C.P. 32 mm dia Flush Valve	"	5,404.00	5,404.00	5,404.00	
	C.P. 32 mm dia Waste Coupling for basin	"	424.00	424.00	424.00	
	C.P. 32 mm dia Waste Coupling for Urinal	"	689.00	689.00	689.00	
	C.P. Basin Mixture	सेट	4,640.00	4,640.00	4,640.00	
	15 mm dia Bath Tub Spout with Wall Hinge	"	1,731.00	1,731.00	1,731.00	
	C.P. Exclusive Shower Arm with Hinge	"	2,014.00	2,014.00	2,014.00	
	15 mm bath tub spout with bottom attachment of telephonic shower	"	4,169.00	4,169.00	4,169.00	
	15 mm wall mixture lever type telephonic shower of flexible type heavy.	"	6,849.00	6,849.00	6,849.00	
	C.P. flexible pipe	गेटा	181.00	181.00	181.00	
	C.P. Grating		-	-	-	
	i) 4" dia.	"	50.00	50.00	50.00	
	ii) 5" dia.	"	62.00	62.00	62.00	
	i) C.P. Toilet Paper Holder	"	929.00	929.00	929.00	
	ii) C.P. Soap Dish(Polyurethane)	"	1,042.00	1,042.00	1,042.00	

# SANITARY WORK

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
	iii) C.P. Towel Rod 18"	"	1,578.00	1,578.00	1,578.00	
	iv) C.P. Towel Rod 24"	"	1,663.00	1,663.00	1,663.00	
	v) C.P. Glass Shelf 22"	"	2,260.00	2,260.00	2,260.00	
	vi) C.P. Coat Hook Double	"	812.00	812.00	812.00	
	C.P. बाट निर्मित सामग्रीहरू( jaquar, somany, essel or equivalent)	"	-	-	-	
	i) C.P. Toilet Paper Holder	"	969.00	969.00	969.00	
	ii) C.P. Soap Dish(Polyurethane)	"	843.00	843.00	843.00	
	iv) C.P. Towel Rod 24"	"	1,643.00	1,643.00	1,643.00	
	v) C.P. Glass Shelf 22"	"	2,232.00	2,232.00	2,232.00	
	vi) C.P. Coat Hook Double	"	758.00	758.00	758.00	
	ix) C.P. Angle Cock	"	-	-	-	
	15mm C.P. Angle Cock	"	927.00	927.00	927.00	
	15 mm C.P. Angle Cock Long Thread	"	986.00	986.00	986.00	
	x) C.P. Conceal Stop Cock	"	-	-	-	
	i) 15 mm Reduced body	"	1,136.00	1,136.00	1,136.00	
	ii) 15 mm Extra Heavy Body	"	1,390.00	1,390.00	1,390.00	
	xi) C.P. Bib Cock	"	-	-	-	
	i) 15mm C.P. Auto Closing Bib Cock With Aerator	"	2,612.00	2,612.00	2,612.00	
	ii) 15mm C.P. Bib Cock	"	952.00	952.00	952.00	
	iii) 15mm C.P. Bib Cock with nozzle	"	1,054.00	1,054.00	1,054.00	
	xii) C.P. Pillar Cock	"	-	-	-	
	i) 15 mm C.P. Pillar Cock With Aerator	"	1,263.00	1,263.00	1,263.00	
	ii) 15mm Auto Closing Pillar Cock With Aerator	"	2,527.00	2,527.00	2,527.00	
	i) 15mm C.P. Sink Cock	"	1,600.00	1,600.00	1,600.00	
	ii) C.P. Sink Mixer	"	3,966.00	3,966.00	3,966.00	
	iii) 15 mm C.P. Sink Mixer With Revolving Spout	"	3,456.00	3,456.00	3,456.00	
	xv) C.P. Bottle Trap 32mm	"	1,852.00	1,852.00	1,852.00	
	32 mm C.P. Conceal Flush Valve Dual Flow	"	3,874.00	3,874.00	3,874.00	
	xvii) C.P. Waste Coupling	"	-	-	-	
	32 mm C.P. Waste Coupling H/T	"	446.00	446.00	446.00	
	32 mm C.P. Waste Coupling F/T	"	446.00	446.00	446.00	
	xviii) 15 mm Urinal Auto-Closing Valve with Built-in Control Cock	"	2,694.00	2,694.00	2,694.00	
	xix) 15 mm C.P. Wall Mixer	"	-	-	-	
	15 mm C.P. Wall Mixer With Lower Bend Pipe	"	4,463.00	4,463.00	4,463.00	
	15 mm C.P. Wall Mixer With Upper Bend Pipe	"	4,463.00	4,463.00	4,463.00	
	xx) C.P. Basin Mixer	"	-	-	-	
	15 mm C.P. Basin Mixer Central Hole With 450mm Long Braided Hoses	"	3,706.00	3,706.00	3,706.00	
	15 mm C.P. Basin Mixer Single Lever With 450mm Long Braided Hoses	"	3,891.00	3,891.00	3,891.00	
	xxi) 15mm Bath Tub Spout with wall flange	"	-	-	-	
	15mm Bath Tub Spout with wall Flange	"	1,263.00	1,263.00	1,263.00	
	15mm Bath Tub Spout with button attachment	"	2,021.00	2,021.00	2,021.00	
	xxii) C.P. Casted Shower Arm with Flange	"	-	-	-	
	15 mm Casted Shower Arm Light	"	673.00	673.00	673.00	
	15 mm Casted Shower Arm Heavy	"	1,094.00	1,094.00	1,094.00	
	xxiii) 15 mm Telephonic Hand Shower	"	-	-	-	
	With 1.50 m. PVC Tube	"	1,791.00	1,791.00	1,791.00	

## SANITARY WORK

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
	With 1.5 Flexible Tube	"	2,779.00	2,779.00	2,779.00	
	<b>xxiv) Auto closing urinal flush valve</b>		-	-	-	
	15mm presmatic auto closing urinal flush valve	गोटा	3,224.00	3,224.00	3,224.00	
	<b>xxiv) Other accessories</b>		-	-	-	
	15mm Wall Mixer Single Lever for Telephonic Shower Arrangement	गोटा	4,834.00	4,834.00	4,834.00	
	15 mm Braided Hose for E. W.C.	"	298.00	298.00	298.00	
	15 mm Health Faucet (Commode Spray)	"	1,146.00	1,146.00	1,146.00	
	15 mm pillar cock with 200 mm extended lever handle	"	1,515.00	1,515.00	1,515.00	
	15 mm Bib cock with 200 mm extended lever handle	"	1,598.00	1,598.00	1,598.00	
	Single lever surgical purpose elbow action basin mixer with extended operating lever	"	5,956.00	5,956.00	5,956.00	
	Single lever surgical purpose elbow action Sink mixer with extended operating lever	"	5,776.00	5,776.00	5,776.00	
	Sensor mixer for wash basin (Battery operated)	"	20,481.00	20,481.00	20,481.00	
	Wall mounted Sensor mixer for operation theater (Battery operated)	"	20,481.00	20,481.00	20,481.00	
	Sensor conceal type flushing valve for Western commode (battery operated)	"	16,221.00	16,221.00	16,221.00	
	Sensor valve for Urinal	"	10,651.00	10,651.00	10,651.00	
	Basin cock Sensor	"	14,418.00	14,418.00	14,418.00	
	15mm U shaped sink cock	"	1,712.00	1,712.00	1,712.00	
	Sink Mixture with U shape swinging spout	"	3,358.00	3,358.00	3,358.00	
	15mm metallic Health Faucet (Commode Spray)	"	2,171.00	2,171.00	2,171.00	
<b>7</b>	<b>Electric &amp; Solar Geyser</b>		-	-	-	
	i) 10 lit. cap. electric water heater	गोटा	11,241.00	11,241.00	11,241.00	
	ii) 25 lit cap. " " "	"	17,331.00	17,331.00	17,331.00	
	iii) 35 lit cap " " "	"	21,546.00	21,546.00	21,546.00	
	iv) 50 lit cap " " "	"	25,762.00	25,762.00	25,762.00	
	iv) Gas water heater with cylinder	"	-	-	-	
	vi) 200 lit cap. 3 panel solar heater with fittings	"	-	-	-	
	vii) 300 lit cap. 3 panel solar heater with fittings	"	-	-	-	
	viii) 400 lit cap. 4 panel solar heater with fittings	"	-	-	-	
	x) 500 lit cap. 4 panel solar heater with fittings	"	-	-	-	
	xi) 15.0 Ltr wate heater including copper pipe connector with coupling and other necessary fittings complete American.	सेट	12,123.00	12,123.00	12,123.00	
<b>8</b>	<b>C.I. Manhole Cover including frame.</b>		-	-	-	
<b>8.1</b>	<b>Square Frame (in outer dia)</b>		-	-	-	
	<b>Medium Duty</b>		-	-	-	
	i) 10" × 10" (4 Kg.)	सेट	590.00	590.00	590.00	
	ii) 12" × 12" (5 Kg.)	"	730.00	730.00	730.00	
	iii) 14" × 14" (7 Kg.)	"	1,090.00	1,090.00	1,090.00	
	v) 16" × 16" (10 Kg.)	"	1,460.00	1,460.00	1,460.00	
	vi) 18" × 18" (14 Kg.)	"	2,270.00	2,270.00	2,270.00	
	viii) 20" × 20" (16 Kg.)	"	2,560.00	2,560.00	2,560.00	
	ix) 22" × 22" (20 Kg.)	"	2,930.00	2,930.00	2,930.00	
	x) 24" × 24" (24 Kg.)	"	4,070.00	4,070.00	4,070.00	
	xi) 27" × 27" (31 Kg.)	"	5,130.00	5,130.00	5,130.00	
	<b>Heavy Duty</b>		-	-	-	
	iii) 14" × 14" (14 Kg.)	"	2,220.00	2,220.00	2,220.00	

# SANITARY WORK

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
	viii) 20" × 20" (16 Kg.)		3,620.00	3,620.00	3,620.00	
	ix) 22" × 22" (22 Kg.)	"	4,950.00	4,950.00	4,950.00	
	xi) 27" × 27" (45 Kg.)	"	7,080.00	7,080.00	7,080.00	
8.2	<b>Rounded Manhole Cover (Outer dia.)</b>			-	-	
	<b>Medium class</b>			-	-	
	i) 18" dia. Round Manhole cover with square frame (60 Kg.)	सेट	8,780.00	8,780.00	8,780.00	
	ii) 20" dia. Round Manhole cover with square frame (70 Kg.)	"	10,240.00	10,240.00	10,240.00	
	iii) 20" dia. Round Manhole cover with square frame (100 Kg.)	"	14,630.00	14,630.00	14,630.00	
	iv) 22" dia. Medium class. (125 Kg.)	"	18,380.00	18,380.00	18,380.00	
	v) 22" dia. Heavy class. (208Kg.)	"	30,490.00	30,490.00	30,490.00	
	vi) 24" dia. Medium class. (40 Kg.)	"	10,530.00	10,530.00	10,530.00	
	vii) 24" dia. Heavy class (Load Test 8 Ton) (50 Kg.)	"	12,710.00	12,710.00	12,710.00	
	viii) 24" Round Manhole cover with square frame (IS:1726 ) (70 Kg.)	"	10,290.00	10,290.00	10,290.00	
	ix) 26" Round Manhole cover with square frame (IS:1726 ) (85 Kg.)	"	12,500.00	12,500.00	12,500.00	
	x) 28" Round Manhole cover with square frame (IS:1726 ) (116 Kg.)	"	17,250.00	17,250.00	17,250.00	
	xi) 28" Round Manhole cover with square frame (IS:1726 ) (116 Kg.)	"	17,250.00	17,250.00	17,250.00	
8.3	<b>C.I. Tank Cover Locking Types</b>			-	-	
	<b>Round</b>			-	-	
	18" (8 Kg.)	सेट	1,690.00	1,690.00	1,690.00	
	20" (12 Kg.)	"	2,479.00	2,479.00	2,479.00	
	22" (14 Kg.)	"	2,816.00	2,816.00	2,816.00	
	24" (16 Kg.)	"	3,379.00	3,379.00	3,379.00	
	28" (24 Kg.)	"	5,069.00	5,069.00	5,069.00	
	<b>Square</b>			-	-	
	18" x 18" (13 Kg.)	सेट	2,788.00	2,788.00	2,788.00	
	24" x 24" (50 Kg.)	"	10,038.00	10,038.00	10,038.00	
	<b>Rectangular</b>			-	-	
	18" x 24" (27 Kg.)	सेट	5,633.00	5,633.00	5,633.00	
8.4	<b>C.I. Gully Gratings &amp; Jali</b>			-	-	
	<b>Round Jali Strip Medium Duty</b>			-	-	
	4"	सेट	100.00	100.00	100.00	
	5"	"	134.00	134.00	134.00	
	6"	"	178.00	178.00	178.00	
	10"	"	613.00	613.00	613.00	
	<b>Square Jali Strip Medium Duty</b>			-	-	
	4" x 4"	सेट	89.00	89.00	89.00	
	5" x 5"	"	112.00	112.00	112.00	
	6" x 6"	"	134.00	134.00	134.00	
	9" x 9"	"	390.00	390.00	390.00	
	10" x 10"	"	502.00	502.00	502.00	
	12" x 12"	"	725.00	725.00	725.00	
	<b>C.I. Gully Gratings</b>			-	-	
	i) 15"×18" Medium (18 Kg.)	सेट	3,718.00	3,718.00	3,718.00	
	ii) 15"×18" Heavy (25 Kg.)	सेट	5,069.00	5,069.00	5,069.00	
	<b>Grit Cover</b>			-	-	

# SANITARY WORK

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
	फलामे एडलको फ्रेममा फलामे पतिका जाली बनाई फिचिकेशन कार्य गरी, एक कोट Red oxide paint लगाई जडान गर्ने काम (विभिन्न साइजमा)	के.जी.	164.00	164.00	164.00	
	<b>Aluminum Grating 4" dia.</b>	गोटा	42.00	42.00	42.00	
9	<b>G.I. Water Tank (17 Gauge)</b>			-	-	
	i) 100 gls	गोटा	8,317.00	8,317.00	8,317.00	
	ii) 200 gls	"	13,066.00	13,066.00	13,066.00	
	iii) 300 gls	"	16,434.00	16,434.00	16,434.00	
	iv) 400 gls	"	19,730.00	19,730.00	19,730.00	
	v) 500 gls	"	23,036.00	23,036.00	23,036.00	
	<b>G.I. Water Tank (16 BWG TATA Sheet)</b>			-	-	
	i) 100 gls	गोटा	8,773.00	8,773.00	8,773.00	
	ii) 200 gls	"	13,267.00	13,267.00	13,267.00	
	iii) 300 gls	"	17,615.00	17,615.00	17,615.00	
	iv) 400 gls	"	21,106.00	21,106.00	21,106.00	
	v) 500 gls	"	24,597.00	24,597.00	24,597.00	
10	<b>Roof Top PVC Water Tank</b>			-	-	
	i) 200 lit – 5000 lit cap.	ली.	11.00	11.00	11.00	
	ii) 5000 lit – 10,000 lit cap	"	12.00	12.00	12.00	
	iii) Horizontal PVC water tank	"	12.00	12.00	12.00	
11	<b>Water Pumps/Hand Pumps</b>			-	-	
	Indian Mark-III , Deep Well Hand Pump			-	-	
	6 No. hand pump	गोटा	1,582.00	1,582.00	1,582.00	
	<b>Water Pump :</b>			-	-	
	i) ½ H.P. Water Pump (Multi stage pump)	सेट	10,885.00	10,885.00	10,885.00	
	ii) ½ H.P. Water Pump mono block type	"	6,258.00	6,258.00	6,258.00	
	iii) 1.0 H.P. water pump Multistage	"	14,258.00	14,258.00	14,258.00	
	iv) 1.0 H.P. water pump (mono block type)	"	9,465.00	9,465.00	9,465.00	
	v) 2.0 H.P. water pump	"	22,587.00	22,587.00	22,587.00	
	vi) 2.0 H.P. 3 phase water pump	"	23,847.00	23,847.00	23,847.00	
	vii) 5.0 HP 3 phase water pump	"	28,656.00	28,656.00	28,656.00	
	<b>Jet Water Pump</b>			-	-	
	i) 1.10 H.P.	सेट	2,163.00	2,163.00	2,163.00	
	ii) Double Stage jet 1.10 H.P.		25,956.00	25,956.00	25,956.00	
	ii) 1.5 H.P.	"	29,201.00	29,201.00	29,201.00	
	<b>Super Sunction</b>			-	-	
	i) ½ H.P.	सेट	8,922.00	8,922.00	8,922.00	
	ii) 0.75 H.P.	"	8,328.00	8,328.00	8,328.00	
	iii) 1.0 H.P.	"	14,276.00	14,276.00	14,276.00	
	<b>Water Pump (Grundfoss, pentair, Pedrello or equiy)</b>			-	-	
	i) 1.0 H.P. Single pump set with Boaster (Pressure Pump) with 25 lit. Pressure Tank.	सेट	18,202.00	18,202.00	18,202.00	
	ii) 2 H.P. single pump set "	"	29,233.00	29,233.00	29,233.00	
	<b>Fire pump</b>			-	-	
	<b>Submersible Pump (Italian)</b>			-	-	
	i) 1.0 H.P.	"	26,089.00	26,089.00	26,089.00	
	ii) 2.0 H.P.	"	48,397.00	48,397.00	48,397.00	
	<b>Electric Water Pump (Chinese)</b>			-	-	
	i) ½ H.P.	"	1,703.00	1,703.00	1,703.00	



# SANITARY WORK

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
	ii) ¼ H.P.	"	2,219.00	2,219.00	2,219.00	
	iii) 1.0 H.P.	"	3,270.00	3,270.00	3,270.00	
	<b>Submersible Pump Sarvo/Bimal or equivalent</b>			-	-	
	i) ½ H.P open well type	"	16,655.00	16,655.00	16,655.00	
	ii) 1.1 H.P open well type	"	24,388.00	24,388.00	24,388.00	
	iii) 1.5 H.P open well type	"	29,741.00	29,741.00	29,741.00	
	<b>Vertical Submersible Pump Sarvo/Bimal or equivalent</b>			-	-	
	i) 1.1 H.P	"	27,254.00	27,254.00	27,254.00	
	iii) 1.5 H.P	"	32,932.00	32,932.00	32,932.00	
12	<b>Fire fighting equipment and accessories ( safeguard india or equiv)</b>			-	-	
	swinging nose nozzle with 20mm hydraulic rubber branded nose length 30m winding up to 170° U-shape hose reel carrier with drum set	सेट		-	-	
	Gun metal two way collection head with 63 mm dia Instantaneous type inlet with built in check meter fore fine bridge connection to under ground tank or to fine reel. minimax	"		-	-	
	IS 5290, hose box size 30"×24"×10", 63 mm hose reel with 30m length or (15×2m) Gun metal branch pope with nozzles coupling set, (Hose box 5063, hose pipe = 7500, nozzles coupling 2500, landing valve	"	-	-	-	
	Stainless steel Horizontal monoblock of pressure 70 m head with 30 mm inlet and outlet 25 mm built in pressure device and thermal over load protection, 0.75 kw single phase	"	-	-	-	
13	<b>Fire extinguisher ABC stored Pressure आपतकालिन आगलागी हुँदा प्रयोग गरिने सामाग्री ९ safeguard india or equivalent)</b>			-	-	
	i) 1 kg size ABC stored pressure type Fire extinguisher	गोटा	-	-	-	
	ii) 2 kg size ABC ,, ,, ,,	गोटा	-	-	-	
	iii) 3.0kg size ABC ,, ,, ,,	"	-	-	-	
	iii) 5.0kg size ABC ,, ,, ,,	"	-	-	-	
	iv) ABC store pressure type 1.0kg cap of fire extinguisher refill	युनिट	-	-	-	
	v) ABC sore pressure type 2.0kg cap of fire extinguisher re-fill	"	-	-	-	
	vi) ABC sore pressure type 5 kg cap of fire extinguisher re-fill	"	-	-	-	
	vii) 4.5 kg size ABC stored pressure type fire extinguisher	"	-	-	-	
	viii) 2.5 kg size ABC ,, ,, ,,	"	-	-	-	
	ix) Co <sub>2</sub> Type fire extinguisher 6.80 lit .	"	-	-	-	
	x) Foam type fire extinguisher 9 lit capacity	गोटा	-	-	-	
14	<b>Insulation for hot water pipe 'Acroflex'</b>			-	-	
	15mm Insulation 6 mm wall thickness	र.मी	-	-	-	
	20mm Insulation 6 mm wall thickness	"	-	-	-	
	25mm Insulation 6 mm wall thickness	"	-	-	-	
	32mm Insulation 6 mm wall thickness '	"	-	-	-	
15	<b>ACRYLIC GLASS SHELF</b>			-	-	
	i) Acrylic glass shelf best quality	सेट	-	-	-	
	ii) Acrylic glass shelf ordinary	"	-	-	-	

# SANITARY WORK

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
	iii) Shower curtain	"	-	-	-	
16	<b>Water Purification System</b>					
	Euro Guard Water purification system (one litre per minute)	युनिट	-	-	-	
	Euro-guard water purification system (hi-flow 3 lit/min)	"	-	-	-	
	AQUA-ALO water purifier (1.0 lit/min)	"	-	-	-	
	AQUA-power water purifier	"	-	-	-	
	RO feed pump	सेट	-	-	-	
	Fire Sprinkler	"	-	-	-	
	Supply, installation, testing and commissioning of Aeration system ( FRP Tray type)	"	-	-	-	
	Supply, installation, testing and commissioning of Dual Media Filter ( DMF) FRP vessel with multiport valve, filter media and required accessories complete set (144"x14" Ø)	"	-	-	-	
	Supply, installation, testing and commissioning of Dosing Pump 0.5 HP (Groundfos or equivalent)	"	-	-	-	
	<b>Filter Media for existing filtration system</b>					
	Pebbles	के.जी.	-	-	-	
	Coarse silex	"	-	-	-	
	Gravel	"	-	-	-	
	Golden sand	"	-	-	-	
	Anthracite	"	-	-	-	
	MNo2	"	-	-	-	
	Activated Carbon	"	-	-	-	
	Motor starter switch	"	-	-	-	
	Pressure sensor switch for water tank(Italian)	"	-	-	-	
17	विभिन्न साइजको <b>Bath tub .fiber ( Duravit, grohe, American standard or equiv)</b>					
	a) Bath tub – 3'6" Medium	सेट	-	-	-	
	Bath tub – 3'6" Heavy	"	-	-	-	
	b) Bath tub – 4'0" Medium	"	6,705.00	6,705.00	6,705.00	
	Bath tub _ 4'0" Heavy	"	7,787.00	7,787.00	7,787.00	
	c) Bath Tub – 4'6" Medium	"	8,111.00	8,111.00	8,111.00	
	Bath tub – 4'6" Heavy	"	8,137.00	8,137.00	8,137.00	
	d) Bath tub – 5'0" Medium	"	8,868.00	8,868.00	8,868.00	
	Bath tub _ 5'0" Heavy	"	29,355.00	29,355.00	29,355.00	
	e) Bath Tub – 5'6" Medium	"	7,957.00	7,957.00	7,957.00	
	Bath tub – 5'6" Heavy	"	9,373.00	9,373.00	9,373.00	
	f) Bath Tub – 6'0" Medium	"	12,875.00	12,875.00	12,875.00	
	Bath tub – 6'0" Heavy	"	36,823.00	36,823.00	36,823.00	
18	<b>Shower Tray 3'0"×3'0"</b>	शोटा	-	-	-	
	<b>Pipes and fittings</b>					
19	<b>PPR Pipe (Poly propylene random co- polymer pipe Panchakanya , Nepatop or Eqv.)</b>					
	<b>1) PP-R Pipe (PN-10)</b>					
	20mm outer, 1.9 mm thick, 0.107 kg/m	र.मि	62.65	62.65	62.65	
	25mm " 2.3 mm thick 0.164kg/m	"	95.04	95.04	95.04	
	32mm 2.9 mm thick 0.26kg/m	"	151.86	151.86	151.86	
	40mm 3.7 mm thick 0.412kg/m	"	239.47	239.47	239.47	
	50mm 4.6 mm thick 0.638kg/m	"	371.68	371.68	371.68	
	63 mm 8.6 mm thick 0.638kg/m	"	587.79	587.79	587.79	

# SANITARY WORK

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
	75 mm	"	819.82	819.82	819.82	
	90 mm	"	1,180.88	1,180.88	1,180.88	
	110 mm	"	1,751.15	1,751.15	1,751.15	
	<b>2) PP-R Pipe (PN-16)</b>		-	-	-	
	20mm 2.80 mm thick 0.148kg/m	"	83.89	83.89	83.89	
	25mm 3.50 mm thick 0.26kg/m	"	130.62	130.62	130.62	
	32mm 3.7 mm thick 0.230kg/m	"	208.67	208.67	208.67	
	40mm 5.50 mm thick 0.575kg/m	"	334.51	334.51	334.51	
	50mm 6.90 mm thick 0.896kg/m	"	521.42	521.42	521.42	
	63 mm 4.6 mm thick 0.638kg/m	"	819.82	819.82	819.82	
	75 mm	"	1,169.20	1,169.20	1,169.20	
	90 mm	"	1,669.91	1,669.91	1,669.91	
	110 mm	"	2,501.42	2,501.42	2,501.42	
	<b>3) PP-R Pipe (PN-20)</b>		-	-	-	
	20mm 3.4 mm thick 0.172 kg/m	"	99.82	99.82	99.82	
	25mm 4.20 mm thick 0.266kg/m	"	155.04	155.04	155.04	
	32mm 5.40 mm thick 0.434kg/m	"	252.21	252.21	252.21	
	40mm 6.70 mm thick 0.671kg/m	"	390.27	390.27	390.27	
	50mm 8.30 mm thick 1.04kg/m	"	605.31	605.31	605.31	
	63mm 8.6mm thick 1.04kg/m	"	960.00	960.00	960.00	
	75 mm	"	1,361.42	1,361.42	1,361.42	
	90 mm	"	1,955.04	1,955.04	1,955.04	
	110 mm	"	2,914.51	2,914.51	2,914.51	
	<b>PP-R Pipe Accessories :</b>		-	-	-	
	<b>Elbow ( 90 ° )</b>		-	-	-	
	20mm	गोटा	13.27	13.27	13.27	
	25mm	"	26.55	26.55	26.55	
	32mm	गोटा	45.13	45.13	45.13	
	40mm	"	94.51	94.51	94.51	
	50mm	"	159.29	159.29	159.29	
	63 mm	"	280.35	280.35	280.35	
	75 mm	"	525.66	525.66	525.66	
	90 mm	"	887.79	887.79	887.79	
	110 mm	"	1,653.45	1,653.45	1,653.45	
	<b>Equal Tee</b>		-	-	-	
	20mm	"	18.05	18.05	18.05	
	25mm	"	32.39	32.39	32.39	
	32mm	"	56.28	56.28	56.28	
	40mm	"	108.85	108.85	108.85	
	50mm	"	184.78	184.78	184.78	
	63mm	"	336.64	336.64	336.64	
	75 mm	"	584.07	584.07	584.07	
	90 mm	"	1,069.38	1,069.38	1,069.38	
	110 mm	"	1,857.88	1,857.88	1,857.88	
	<b>Coupler</b>		-	-	-	
	20mm	गोटा	10.62	10.62	10.62	
	25mm	"	13.27	13.27	13.27	
	32mm	"	26.55	26.55	26.55	
	40mm	"	51.50	51.50	51.50	
	50mm	"	86.02	86.02	86.02	

# SANITARY WORK

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	63 mm	"	150.80	150.80	150.80	
	75 mm	"	292.04	292.04	292.04	
	90 mm	"	431.68	431.68	431.68	
	110 mm	"	788.50	788.50	788.50	
	<b>45 Degree Elbow</b>		-	-	-	
	20 mm	"	18.05	18.05	18.05	
	25 mm	"	29.73	29.73	29.73	
	32 mm	"	46.19	46.19	46.19	
	40 mm	"	86.02	86.02	86.02	
	50 mm	"	143.89	143.89	143.89	
	63 mm	"	237.88	237.88	237.88	
	75 mm	"	467.26	467.26	467.26	
	90 mm	"	788.50	788.50	788.50	
	110 mm	"	1,378.41	1,378.41	1,378.41	
	<b>Union (Plastic)</b>		-	-	-	
	20mm	रोटा	69.56	69.56	69.56	
	25mm	"	118.94	118.94	118.94	
	32mm	"	191.68	191.68	191.68	
	40mm	"	290.44	290.44	290.44	
	50mm	"	455.58	455.58	455.58	
	63mm	"	544.25	544.25	544.25	
	<b>Reducing Coupler</b>		-	-	-	
	25mm*20mm	"	14.40	14.40	14.40	
	32mm*20mm	"	19.48	19.48	19.48	
	32mm*25mm	"	21.17	21.17	21.17	
	40mm*20mm	"	31.34	31.34	31.34	
	40mm*25mm	"	37.27	37.27	37.27	
	40mm*32mm	"	44.04	44.04	44.04	
	50mm*20mm	"	58.44	58.44	58.44	
	50mm*25mm	"	63.52	63.52	63.52	
	50mm*32mm	"	68.60	68.60	68.60	
	50mm*40mm	"	76.23	76.23	76.23	
	63mm*32mm	"	116.88	116.88	116.88	
	63mm*40mm	"	121.96	121.96	121.96	
	63mm*50mm	"	131.28	131.28	131.28	
	75mm*40mm	"	194.80	194.80	194.80	
	75mm*50mm	"	238.85	238.85	238.85	
	75mm*63mm	"	241.39	241.39	241.39	
	90mm*50mm	"	482.77	482.77	482.77	
	90mm*63mm	"	520.89	520.89	520.89	
	90mm*75mm	"	614.05	614.05	614.05	
	110mm*75mm	"	818.17	818.17	818.17	
	110mm*90mm	"	949.46	949.46	949.46	
	<b>Reducing Tee</b>		-	-	-	
	25*20*25 mm	"	26.26	26.26	26.26	
	32*20*32 mm	"	41.50	41.50	41.50	
	32*25*32 mm	"	44.89	44.89	44.89	
	40*20*40 mm	"	66.06	66.06	66.06	
	40*25*40 mm	"	68.60	68.60	68.60	
	40*32*40 mm	"	76.23	76.23	76.23	

# SANITARY WORK

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
	50*20*50 mm	"	88.09	88.09	88.09	
	50*25*50 mm	"	93.17	93.17	93.17	
	50*32*50 mm	"	150.76	150.76	150.76	
	50*40*50 mm	"	160.92	160.92	160.92	
	63*32*63 mm	"	199.04	199.04	199.04	
	63*40*63 mm	"	193.11	193.11	193.11	
	63*50*63 mm	"	214.28	214.28	214.28	
	75*50*75 mm	"	438.73	438.73	438.73	
	75*63*75 mm	"	458.21	458.21	458.21	
	90*63*90 mm	"	925.74	925.74	925.74	
	90*75*90 mm	"	993.50	993.50	993.50	
	110*75*110 mm	"	1,621.95	1,621.95	1,621.95	
	110*90*110 mm	"	1,699.87	1,699.87	1,699.87	
	<b>Reducing Elbow</b>		-	-	-	
	25mm*20mm	"	22.02	22.02	22.02	
	32mm*20mm	"	32.18	32.18	32.18	
	32mm*25mm	"	40.65	40.65	40.65	
	<b>High Footed Pipe Clip</b>		-	-	-	
	20mm	गोटा	14.40	14.40	14.40	
	25mm	"	16.94	16.94	16.94	
	32mm	"	22.02	22.02	22.02	
	40mm	"	25.41	25.41	25.41	
	50mm	"	33.88	33.88	33.88	
	63 mm	"	38.96	38.96	38.96	
	<b>Low Footed Pipe Clip</b>		-	-	-	
	20mm	"	6.78	6.78	6.78	
	25mm	"	7.62	7.62	7.62	
	32mm	"	14.40	14.40	14.40	
	40mm	"	18.63	18.63	18.63	
	50mm	"	29.64	29.64	29.64	
	63 mm	"	38.11	38.11	38.11	
	<b>"Y" type Pipe Clip</b>		-	-	-	
	20mm	"	24.56	24.56	24.56	
	25mm	"	25.41	25.41	25.41	
	32mm	"	33.88	33.88	33.88	
	40 mm	"	48.28	48.28	48.28	
	<b>End Plug (short)</b>		-	-	-	
	20mm	"	14.40	14.40	14.40	
	25mm	"	22.02	22.02	22.02	
	32mm	"	33.88	33.88	33.88	
	<b>End Plug with Ring</b>		-	-	-	
	20mm	"	24.56	24.56	24.56	
	<b>End Plug (long)</b>		-	-	-	
	20mm	"	10.16	10.16	10.16	
	<b>End Cap</b>		-	-	-	
	20mm	"	14.40	14.40	14.40	
	25mm	"	22.02	22.02	22.02	
	32mm	"	33.88	33.88	33.88	
	40mm	"	52.51	52.51	52.51	
	50mm	"	88.09	88.09	88.09	

# SANITARY WORK

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	63 mm	"	164.31	164.31	164.31	
	75 mm	"	245.62	245.62	245.62	
	<b>Cross Tee</b>		-	-	-	
	20mm	"	25.41	25.41	25.41	
	25mm	"	36.42	36.42	36.42	
	32mm	"	63.52	63.52	63.52	
	<b>Short Passover</b>		-	-	-	
	20mm	"	70.30	70.30	70.30	
	25mm	"	99.10	99.10	99.10	
	32mm	"	143.14	143.14	143.14	
	<b>Long Bypass</b>		-	-	-	
	20mm	"	93.17	93.17	93.17	
	25mm	"	134.67	134.67	134.67	
	32mm	"	190.57	190.57	190.57	
	<b>Male Tee</b>		-	-	-	
	20mmx1/2"	"	144.83	144.83	144.83	
	25mmx1/2"	"	142.29	142.29	142.29	
	25mmx3/4"	"	176.17	176.17	176.17	
	32mmx1/2"	"	219.37	219.37	219.37	
	32mmx3/4"	"	224.45	224.45	224.45	
	32mmx1"	"	400.62	400.62	400.62	
	<b>Female Tee</b>		-	-	-	
	20mmx1/2"	"	107.57	107.57	107.57	
	25mmx1/2"	"	121.96	121.96	121.96	
	25mmx3/4"	"	160.08	160.08	160.08	
	32mmx1/2"	"	181.25	181.25	181.25	
	32mmx3/4"	"	199.89	199.89	199.89	
	32mmx1"	"	322.70	322.70	322.70	
	<b>Male elbow</b>		-	-	-	
	20mmx1/2"	"	138.90	138.90	138.90	
	25mmx1/2"	"	143.14	143.14	143.14	
	25mmx3/4"	"	173.63	173.63	173.63	
	32mmx1/2"	"	188.03	188.03	188.03	
	32mmx3/4"	"	204.97	204.97	204.97	
	32mmx1"	"	396.38	396.38	396.38	
	<b>Female elbow</b>		-	-	-	
	20mmx1/2"	"	105.02	105.02	105.02	
	25mmx1/2"	"	148.22	148.22	148.22	
	25mmx3/4"	"	136.36	136.36	136.36	
	32mmx1/2"	"	199.89	199.89	199.89	
	32mmx3/4"	"	228.68	228.68	228.68	
	32mmx1"	"	281.19	281.19	281.19	
	<b>Male Coupling</b>		-	-	-	
	20mmx1/2"	"	136.36	136.36	136.36	
	20mmx3/4"	"	162.62	162.62	162.62	
	25mmx1/2"	"	130.43	130.43	130.43	
	25mmx3/4"	"	164.31	164.31	164.31	
	32mmx1/2"	"	182.10	182.10	182.10	
	32mmx3/4"	"	22.87	22.87	22.87	
	32mmx1"	"	384.53	384.53	384.53	

# SANITARY WORK

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
	40mmx1-1/4"	"	547.99	547.99	547.99	
	50mmx1-1/2"	"	828.34	828.34	828.34	
	63mmx2"	"	1,201.01	1,201.01	1,201.01	
	75mmx2-1/2"	"	329.47	329.47	329.47	
	<b>Female Coupling</b>		-	-	-	
	20mmx1/2"	"	102.48	102.48	102.48	
	20mmx3/4"	"	124.50	124.50	124.50	
	25mmx1/2"	"	114.34	114.34	114.34	
	25mmx3/4"	"	127.89	127.89	127.89	
	32mmx1/2"	"	122.81	122.81	122.81	
	32mmx3/4"	"	131.28	131.28	131.28	
	32mmx1"	"	299.83	299.83	299.83	
	40mmx1-1/4"	"	481.93	481.93	481.93	
	50mmx1-1/2"	"	625.91	625.91	625.91	
	63mmx2"	"	921.51	921.51	921.51	
	75mmx2-1/2"	"	1,821.84	1,821.84	1,821.84	
	<b>Male Union</b>		-	-	-	
	20mmx1/2"	"	244.77	244.77	244.77	
	25mmx3/4"	"	352.34	352.34	352.34	
	32mmx1"	"	505.64	505.64	505.64	
	40mmx1 <sup>1/4</sup> "	"	976.56	976.56	976.56	
	50mmx1/2"	"	1,341.60	1,341.60	1,341.60	
	63mmx2"	"	3,116.86	3,116.86	3,116.86	
	<b>Female Union</b>		-	-	-	
	20mmx1/2"	"	238.00	238.00	238.00	
	25mmx3/4"	"	346.41	346.41	346.41	
	32mmx1"	"	487.01	487.01	487.01	
	40mmx1 <sup>1/4</sup> "	"	746.18	746.18	746.18	
	50mmx1/2"	"	1,252.67	1,252.67	1,252.67	
	63mmx2"	"	2,371.52	2,371.52	2,371.52	
	<b>Stop Valve</b>		-	-	-	
	a) 20 mm	"	287.97	287.97	287.97	
	b) 25 mm	"	381.14	381.14	381.14	
	c) 32 mm	"	461.60	461.60	461.60	
	d) 40mm	"	609.82	609.82	609.82	
	e)50 mm	"	1,012.98	1,012.98	1,012.98	
	f) 63 mm	"	1,461.03	1,461.03	1,461.03	
	<b>Male base elbow</b>		-	-	-	
	20mm x 1/2"	"	138.90	138.90	138.90	
	25mm x 3/4"	"	179.56	179.56	179.56	
	<b>Female base elbow</b>		-	-	-	
	20mm x 1/2"	"	146.53	146.53	146.53	
	25mm x 1/2"	"	175.32	175.32	175.32	
	25mm x 3/4"	"	161.77	161.77	161.77	
	<b>Metal Ball valve (double)</b>		-	-	-	
	20mmx1/2"	"	657.25	657.25	657.25	
	25mmx3/4"	"	886.78	886.78	886.78	
	32mmx1"	"	1,284.01	1,284.01	1,284.01	
	40mmx1-1/4"	"	3,257.45	3,257.45	3,257.45	
	50mmx1-1/2"	"	4,586.35	4,586.35	4,586.35	

# SANITARY WORK

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
	<b>Metal Ball valve (Single)</b>		-	-	-	
	20mmx1/2"	"	647.93	647.93	647.93	
	25mmx3/4"	"	871.53	871.53	871.53	
	32mmx1"	"	1,273.85	1,273.85	1,273.85	
	<b>Conceal Valve (Lux)</b>		-	-	-	
	20mm	"	754.65	754.65	754.65	
	<b>Conceal Valve (Nor)</b>		-	-	-	
	20mm	"	719.08	719.08	719.08	
	<b>Ball Valve (Plastic)</b>		-	-	-	
	20mm	"	111.80	111.80	111.80	
	25mm	"	150.76	150.76	150.76	
	32mm	"	243.93	243.93	243.93	
	40mm	"	477.69	477.69	477.69	
	50mm	"	614.05	614.05	614.05	
	63 mm	"	1,090.90	1,090.90	1,090.90	
	<b>Ball Valve (Brass)</b>		-	-	-	
	20mm	"	310.84	310.84	310.84	
	25mm	"	441.27	441.27	441.27	
	32mm	"	737.71	737.71	737.71	
	40mm	"	1,761.70	1,761.70	1,761.70	
21	<b>CPVC Pipes &amp; Fittings for hot and cold water distribution system CPVC means Chlorinated Poly Vinyl Chloride as per ASTM are as per ASTM F 442, CPVC SOLVENT are as per ASTM F-493 2846 (Flowguard : astral, ashivad, aiav, marvel or eqv</b>					
	<b>CPVC Pipe SDR 13.5 (22.5 Kg/cm2)</b>					
	1/2" dia	Rm	114.94	114.94	122.00	
	3/4" dia	"	160.15	160.15	170.00	
	1" dia	"	209.96	209.96	223.00	
	1-1/4" dia	"	261.29	261.29	277.00	
	1-1/2" dia	"	365.51	365.51	387.00	
	2" dia	"	558.60	558.60	592.00	
	<b>CPVC Pipe SDR 11 (28.1 Kg/cm2)</b>		-	-	-	
	1/2" dia	"	133.33	133.33	141.00	
	3/4" dia	"	177.77	177.77	188.00	
	1" dia	"	248.27	248.27	263.00	
	1-1/4" dia	"	300.37	300.37	318.00	
	1-1/2" dia	"	417.61	417.61	443.00	
	2" dia	"	677.37	677.37	718.00	
	<b>CPVC Pipe SDR 11.0 (Hiltake, Panchakanya, Mangalam flow life or eqv. )</b>		-	-	-	
	1/2" dia	Rm	125.68	125.68	125.68	
	3/4" dia	"	168.17	168.17	168.17	
	1" dia	"	234.40	234.40	234.40	
	1-1/4" dia	"	288.65	288.65	288.65	
	1-1/2" dia	"	402.34	402.34	402.34	
	2" dia	"	679.01	679.01	679.01	
	<b>CPVC Ball Valve (CTS Sockets)</b>		-	-	-	
	1/2"	"	365.42	365.42	365.42	
	3/4"	"	485.98	485.98	485.98	



# SANITARY WORK

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	1"	"	587.69	587.69	587.69	
	1-1/4"	"	1,371.28	1,371.28	1,371.28	
	1-1/2"	"	1,642.52	1,642.52	1,642.52	
	2"	"	2,117.20	2,117.20	2,117.20	
	<b>CPVC Reducer Brass Coupling</b>	सोटा	-	-	-	
	3/4" X 1/2"	"	137.93	137.93	137.93	
	1" X 1/2"	"	180.84	180.84	180.84	
	<b>CPVC Tee</b>	सोटा	-	-	-	
	1/2"	"	36.01	36.01	36.01	
	3/4"	"	76.63	76.63	76.63	
	1"	"	117.24	117.24	117.24	
	1-1/4"	"	219.92	219.92	219.92	
	1-1/2"	"	320.30	320.30	320.30	
	2"	"	686.57	686.57	686.57	
	<b>CPVC Reducer Tee</b>	सोटा	-	-	-	
	1/2" x 1/2" x 3/4"	"	70.50	70.50	70.50	
	3/4" x 3/4" x 1/2"	"	107.28	107.28	107.28	
	3/4" x 1/2" x 3/4"	"	134.10	134.10	134.10	
	3/4" x 1/2" x 1/2"	"	153.25	153.25	153.25	
	1" x 1" x 3/4"	"	160.91	160.91	160.91	
	1-1/2" x 1-1/2" x 1"	"	250.57	250.57	250.57	
	2" x 2" x 1"	"	436.00	436.00	436.00	
	1-1/4" x 1-1/4" x 1/2"	"	141.76	141.76	141.76	
	1-1/4" x 1-1/4" x 1"	"	153.25	153.25	153.25	
	2" x 2" x 1/2"	"	428.34	428.34	428.34	
	1" x 1" x 1/2"	"	99.61	99.61	99.61	
	<b>CPVC Brass FPT Tee</b>	सोटा	-	-	-	
	1/2" x 1/2" x 1/2"	"	120.30	120.30	120.30	
	3/4" x 3/4" x 1/2"	"	124.90	124.90	124.90	
	1" x 1" x 1/2"	"	138.69	138.69	138.69	
	1-1/4" x 1-1/4" x 1-1/4"	"	501.13	501.13	501.13	
	1-1/4" x 1-1/4" x 1/2"	"	272.02	272.02	272.02	
	<b>CPVC Elbow 90°</b>	सोटा	-	-	-	
	1/2"	"	25.29	25.29	25.29	
	3/4"	"	52.11	52.11	52.11	
	1"	"	95.02	95.02	95.02	
	1-1/4"	"	179.30	179.30	179.30	
	1-1/2"	"	267.42	267.42	267.42	
	2"	"	572.40	572.40	572.40	
	<b>CPVC Reducer Elbow 90°</b>		-	-	-	
	3/4" X 1/2"		52.87	52.87	52.87	
	<b>CPVC Brass FPT Elbow 90°</b>	सोटा	-	-	-	
	1/2" x 1/2"	"	83.52	83.52	83.52	
	3/4" x 1/2"	"	97.32	97.32	97.32	
	3/4" x 3/4"	"	111.11	111.11	111.11	
	1" X 1/2"	"	214.55	214.55	214.55	
	1" X 1"	"	596.15	596.15	596.15	
	1-1/4" x 1-1/4"	"	773.92	773.92	773.92	
	<b>CPVC Elbow 45°</b>	सोटा	-	-	-	
	1/2"	"	29.88	29.88	29.88	

# SANITARY WORK

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	3/4"	"	54.40	54.40	54.40	
	1"	"	77.39	77.39	77.39	
	1-1/4"	"	136.39	136.39	136.39	
	1-1/2"	"	196.93	196.93	196.93	
	2"	"	426.81	426.81	426.81	
	<b>CPVC Male Adapter (CPVC Threads)</b>	मेटा	-	-	-	
	1/2"	"	22.22	22.22	22.22	
	3/4"	"	39.08	39.08	39.08	
	1"	"	59.00	59.00	59.00	
	1-1/4"	"	105.74	105.74	105.74	
	1-1/2"	"	148.65	148.65	148.65	
	2"	"	290.41	290.41	290.41	
	<b>CPVC Reducing Male Adapter (CPVC Threads)</b>	मेटा	-	-	-	
	3/4" x 1/2"	"	40.61	40.61	40.61	
	<b>CPVC Male Adapters (Brass Threads)</b>		-	-	-	
	1/2"	"	206.12	206.12	206.12	
	3/4"	"	266.66	266.66	266.66	
	1"	"	421.44	421.44	421.44	
	1-1/4"	"	925.64	925.64	925.64	
	1-1/2"	"	1,080.43	1,080.43	1,080.43	
	2"	"	2,223.69	2,223.69	2,223.69	
	<b>CPVC Reducing Male Adapter (Brass Threads)</b>		-	-	-	
	3/4" x 1/2"	"	229.11	229.11	229.11	
	<b>CPVC Female Adapter (CPVC Threads)</b>		-	-	-	
	1/2"	"	30.65	30.65	30.65	
	3/4"	"	51.34	51.34	51.34	
	1"	"	76.63	76.63	76.63	
	<b>CPVC Female Adapters Brass Threads</b>	मेटा	-	-	-	
	1/2"	"	197.70	197.70	197.70	
	3/4"	"	268.96	268.96	268.96	
	1"	"	349.41	349.41	349.41	
	1-1/4"	"	917.21	917.21	917.21	
	1-1/2"	"	1,019.89	1,019.89	1,019.89	
	2"	"	1,993.81	1,993.81	1,993.81	
	<b>CPVC Caps</b>		-	-	-	
	1/2"	"	13.03	13.03	13.03	
	3/4"	"	24.52	24.52	24.52	
	1"	"	36.78	36.78	36.78	
	1-1/4"	"	72.03	72.03	72.03	
	1-1/2"	"	105.74	105.74	105.74	
	2"	"	225.28	225.28	225.28	
	<b>CPVC Union</b>		-	-	-	
	1/2"	"	270.49	270.49	270.49	
	3/4"	"	397.69	397.69	397.69	
	1"	"	471.25	471.25	471.25	
	1-1/4"	"	862.04	862.04	862.04	
	1-1/2"	"	942.50	942.50	942.50	
	2"	"	1,352.45	1,352.45	1,352.45	
	<b>CPVC Cross Tee</b>		-	-	-	
	1/2"	"	49.04	49.04	49.04	



Handwritten signature or initials at the top right.

# SANITARY WORK

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	3/4"	"	105.74	105.74	105.74	
	CPVC Step Over Bend		-	-	-	
	1/2"	"	62.83	62.83	62.83	
	3/4"	"	104.21	104.21	104.21	
	CPVC Ball Valve (CTS Sockets)		-	-	-	
	1/2"	"	661.28	661.28	661.28	
	3/4"	"	805.34	805.34	805.34	
	1"	"	921.04	921.04	921.04	
	1-1/4"	"	1,878.87	1,878.87	1,878.87	
	1-1/2"	"	2,390.73	2,390.73	2,390.73	
	2"	"	3,075.00	3,075.00	3,075.00	
	CPVC Flow Guard Adhesive Solution		-	-	-	
	50ML	"	199.23	199.23	199.23	
	118ML	"	329.49	329.49	329.49	
	237ML	"	532.55	532.55	532.55	
	473ML	"	838.29	838.29	838.29	
	946ML	"	1,471.22	1,471.22	1,471.22	
	Plastic Strap		-	-	-	
	1/2"	"	4.60	4.60	4.60	
	3/4"	"	5.36	5.36	5.36	
	1"	"	7.66	7.66	7.66	
	1-1/4"	"	11.49	11.49	11.49	
	1-1/2"	"	14.56	14.56	14.56	
	2"	"	18.39	18.39	18.39	
	Metal Strap		-	-	-	
	1/2"	"	13.03	13.03	13.03	
	3/4"	"	16.09	16.09	16.09	
	1"	"	20.69	20.69	20.69	
	1-1/4"	"	24.52	24.52	24.52	
	1-1/2"	"	26.82	26.82	26.82	
	2"	"	29.12	29.12	29.12	
	Tee Holder		-	-	-	
	1/2" X 1/2" X 1/2"	"	5.36	5.36	5.36	
	3/4" X 3/4" X 1/2"	"	7.66	7.66	7.66	
	Elbow Holder		-	-	-	
	1/2" X 1/2"	"	5.36	5.36	5.36	
	1/2" X 3/4"	"	6.90	6.90	6.90	
	Snap Fix Repair Coupling		-	-	-	
	1/2"	"	229.11	229.11	229.11	
	3/4"	"	248.27	248.27	248.27	
	End plug threaded 1/2"	"	11.49	11.49	11.49	
22	MS SEAMLESS PIPES		-	-	-	
	-PIPES: ASTM-A-106 Gr.'B'/SA-106 Gr.'B'/SA-1( API 5L Gr.'B'/IS:1239 (Part/53		-	-	-	
	MS PIPE SEAMLESS SIZE OD (MM)	"	-	-	-	
	21.3 mm OD 1/2" SCH.40, 2.77 mm thickness	"	411.30	419.00	419.00	
	26.7mm OD 3/4" SCH.40, 2.87 mm thickness	"	493.20	503.00	503.00	
	33.4 mm OD 1" SCH.40, 3.38mm thickness	"	618.30	630.00	630.00	
	42.2mm OD 1.1/4" SCH.40, 3.56mm thickness	"	763.20	778.00	778.00	

Handwritten signature or initials at the bottom left.

Handwritten signature or initials at the bottom center-left.

Handwritten signature or initials at the bottom center-right.

Handwritten signature or initials at the bottom right.

# SANITARY WORK

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	48.3 mm OD 1.5" SCH.40, 3.68 mm thickness	"	873.00	890.00	890.00	
	60.3mm OD 2" SCH.40, 3.91 mm thickness	"	1,121.40	1,143.00	1,143.00	
	73mm OD 3" SCH.40,5.16 .mm thickness	"	1,722.60	1,757.00	1,757.00	
	88.9mm OD 3.5" SCH.40, 5.49 mm thickness	"	2,254.50	2,299.00	2,299.00	
	101.6mm OD 4" SCH.40, 5.74 mm thickness	"	2,914.20	2,972.00	2,972.00	
	114.3mm OD 5" SCH.40, 6.02 mm thickness	"	3,210.30	3,274.00	3,274.00	
	141.3mm OD 6" SCH.40, 6.557 mm thickness	"	4,347.00	4,433.00	4,433.00	
	168.3mm OD 4" SCH.40, 7.11 mm thickness	"	5,643.00	5,755.00	5,755.00	
<b>23</b>	<b>ASTRAL FOAMCORE UNDER GROUND PIPING SYSTEMS (GOLDEN BROWN)</b>		-	-	-	
	Single Socket (R/R)	Mtr	410.40	410.40	410.40	
	Single Socket (R/R)	"	762.30	762.30	762.30	
	Single Socket (R/R)	"	820.80	820.80	820.80	
	Single Socket Self Fit	"	1,058.40	1,058.40	1,058.40	
	Single Socket Self Fit	"	1,294.20	1,294.20	1,294.20	
	Single Socket Self Fit	"	1,778.40	1,778.40	1,778.40	
	Single Socket Self Fit	"	2,092.50	2,092.50	2,092.50	
	Single Socket Self Fit	"	2,794.50	2,794.50	2,794.50	
	Single Socket Self Fit	"	3,330.90	3,330.90	3,330.90	
	Long Radius Bend - 45 Degree	Pc	1,082.70	1,082.70	1,082.70	
	Long Radius Bend - 45 Degree	"	1,977.30	1,977.30	1,977.30	
	Long Radius Bend - 45 Degree	"	3,569.40	3,569.40	3,569.40	
	Long Radius Bend - 45 Degree	"	6,921.00	6,921.00	6,921.00	
	Long Radius Bend - 60 Degree	"	1,193.40	1,193.40	1,193.40	
	Long Radius Bend - 60 Degree	"	2,186.10	2,186.10	2,186.10	
	Long Radius Bend - 60 Degree	"	4,010.40	4,010.40	4,010.40	
	Long Radius Bend - 60 Degree	"	7,593.30	7,593.30	7,593.30	
	Long Radius Bend - 90 Degree	"	585.00	585.00	585.00	
	Long Radius Bend - 90 Degree	"	1,413.00	1,413.00	1,413.00	
	Long Radius Bend - 90 Degree	"	2,606.40	2,606.40	2,606.40	
	Long Radius Bend - 90 Degree	"	4,873.50	4,873.50	4,873.50	
	Long Radius Bend - 90 Degree	"	8,980.20	8,980.20	8,980.20	
	Fab. Coupler	"	168.30	168.30	168.30	
	Fab. Coupler	"	404.10	404.10	404.10	
	Fab. Coupler	"	869.40	869.40	869.40	
	Fab. Coupler	"	1,700.10	1,700.10	1,700.10	
	Fab. Coupler	"	3,126.60	3,126.60	3,126.60	
	End Cap	"	360.00	360.00	360.00	
	End Cap	"	592.20	592.20	592.20	
	End Cap	"	945.00	945.00	945.00	
	End Cap	"	1,379.70	1,379.70	1,379.70	
	Equal Tee	"	10,303.20	10,303.20	10,303.20	
	Equal Tee	"	5,929.20	5,929.20	5,929.20	
	Equal Tee	"	3,291.30	3,291.30	3,291.30	
	Gully Trap with grating	"	962.10	962.10	962.10	
	Rodding Point	"	569.70	569.70	569.70	
	Adjustable Bend 7 Degree to 37.5 Degree	"	608.40	608.40	608.40	
	Adjustable Bend 7 Degree to 87.5 Degree	"	834.30	834.30	834.30	
	Inspection Chamber Body	"	2,999.70	2,999.70	2,999.70	
	Inspection Chamber Riser	"	1,490.40	1,490.40	1,490.40	

# SANITARY WORK

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			२०७८/७९	२०७९/८०	२०८०/८१	
	Inspection Chamber Lid with Cover	"	2,828.70	2,828.70	2,828.70	
	Inspection Chamber Body	"	8,283.60	8,283.60	8,283.60	
	Inspection Chamber Riser	"	2,634.30	2,634.30	2,634.30	
	Inspection Chamber Lid with Cover	"	4,394.70	4,394.70	4,394.70	
<b>24</b>	<b>GEBERIT</b>		-	-	-	
	<b>Geberit Products</b>		-	-	-	
	Concealled Cisterns 9cm	"	7,431.30	7,431.30	7,431.30	
	Concealled Cisterns Kombo fix 8cm	"	9,102.60	9,102.60	9,102.60	
	Dual Flush Actuator Plate Shiny Chrome	"	3,645.90	3,645.90	3,645.90	
	Concealled Cisterns 12cm	"	9,140.40	9,140.40	9,140.40	
	Dual Flush Actuator Plate Shiny Chrome	"	3,645.90	3,645.90	3,645.90	
	Traps for Wash Basins	"	1,004.40	1,004.40	1,004.40	
	Sensor for Urinal 9V DC	"	25,764.30	25,764.30	25,764.30	
	Sensor for Urinal 230V AC	"	25,764.30	25,764.30	25,764.30	
	control box for urinal sensor	"	7,077.60	7,077.60	7,077.60	
	Sensor Faucet Cold / Mixed water 6V DC	"	32,158.80	32,158.80	32,158.80	
	Sensor Faucet Cold / Mixed water 230V AC	"	32,158.80	32,158.80	32,158.80	
<b>25</b>	<b>PVC Lead Free White Pipes SCHEDULE 40</b>		-	-	-	
	"LEAD FREE" PVC PLUMBING SYSTEMS (100% SAFE FOR DRINKING WATER) PVC PIPES are as per ASTM D 1785, PVC FITTINGS are as per ASTM D 2466, PVC BRASS SCH 80 FITTINGS are as per ASTM D 2467. PVC SOLVENT as per ASTM D 2564		-	-	-	
	<b>PVC Lead Free White Pipes SCH 40 (..... Kg/cm2)</b>	m.	-	-	-	
	1/2" dia. (42.19 Kg/cm2)	"	114.30	114.30	114.30	
	3/4" dia. (33.75 Kg/cm2)	"	146.70	146.70	146.70	
	1" dia. (31.64 Kg/cm2)	"	225.90	225.90	225.90	
	1-1/4" dia. (26.01 Kg/cm2)	"	279.00	279.00	279.00	
	1-1/2" dia. (23.20 Kg/cm2)	"	342.00	342.00	342.00	
	2" dia. (19.69 Kg/cm2)	"	485.10	485.10	485.10	
	2-1/2" dia. (21.09 Kg/cm2)	"	677.70	677.70	677.70	
	3" dia. (18.28 Kg/cm2)	"	855.90	855.90	855.90	
	4" dia. (15.47 Kg/cm2)	"	1,256.40	1,256.40	1,256.40	
	6" dia. (12.66 Kg/cm2)	"	2,616.30	2,616.30	2,616.30	
	<b>PVC Tee - Soc</b>	गोटा	-	-	-	
	1/2"	"	31.50	31.50	31.50	
	3/4"	"	44.10	44.10	44.10	
	1"	"	69.30	69.30	69.30	
	1-1/4"	"	108.90	108.90	108.90	
	1-1/2"	"	143.10	143.10	143.10	
	2"	"	220.50	220.50	220.50	
	2-1/2"	"	632.70	632.70	632.70	
	3"	"	830.70	830.70	830.70	
	4"	"	1,503.00	1,503.00	1,503.00	
	6"	"	8,335.80	8,335.80	8,335.80	
	<b>PVC Reducer Tee - Soc</b>	गोटा	-	-	-	
	3/4 x 1/2	"	63.00	63.00	63.00	
	1 x 1/2	"	97.20	97.20	97.20	
	1 x 3/4	"	97.20	97.20	97.20	
	1-1/2 X 1/2	"	329.40	329.40	329.40	
	1-1/2 X 3/4	"	329.40	329.40	329.40	

# SANITARY WORK

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
	1-1/2 X 1	"	329.40	329.40	329.40	
	1-1/2 X 1-1/4	"	329.40	329.40	329.40	
	2 X 1/2	"	405.90	405.90	405.90	
	2 X 3/4	"	405.90	405.90	405.90	
	2 X 1	"	405.90	405.90	405.90	
	2 X 1-1/4	"	405.90	405.90	405.90	
	2 X 1-1/2	"	405.90	405.90	405.90	
	2-1/2 X 1/2	"	1,043.10	1,043.10	1,043.10	
	2-1/2 X 3/4	"	1,043.10	1,043.10	1,043.10	
	2-1/2 X 1	"	1,043.10	1,043.10	1,043.10	
	2-1/2 X 1-1/4	"	1,043.10	1,043.10	1,043.10	
	2-1/2 X 1-1/2	"	1,043.10	1,043.10	1,043.10	
	2-1/2 X 2	"	1,043.10	1,043.10	1,043.10	
	3 X 1/2	"	1,522.80	1,522.80	1,522.80	
	3 X 3/4	"	1,522.80	1,522.80	1,522.80	
	3 X 1	"	1,522.80	1,522.80	1,522.80	
	3 X 1-1/4	"	1,522.80	1,522.80	1,522.80	
	3 X 1-1/2	"	1,522.80	1,522.80	1,522.80	
	3 X 2	"	1,522.80	1,522.80	1,522.80	
	3 X 2-1/2	"	1,522.80	1,522.80	1,522.80	
	6 X 1-1/4	"	8,007.30	8,007.30	8,007.30	
	6 X 1-1/2	"	8,007.30	8,007.30	8,007.30	
	6 X 2	"	8,007.30	8,007.30	8,007.30	
	6 X 2-1/2	"	8,007.30	8,007.30	8,007.30	
	6 X 3	"	8,007.30	8,007.30	8,007.30	
	6 X 4	"	8,007.30	8,007.30	8,007.30	
	<b>PVC Brass Tee - Soc x Fipt SCH 80</b>	गोट्टा	-	-	-	
	1/2"	"	161.10	161.10	161.10	
	3/4"	"	291.60	291.60	291.60	
	3/4" X 1/2"	"	236.70	236.70	236.70	
	1" X 1/2"	"	420.30	420.30	420.30	
	<b>PVC 90° Elbow - Soc</b>	गोट्टा	-	-	-	
	1/2"	"	26.10	26.10	26.10	
	3/4"	"	29.70	29.70	29.70	
	1"	"	53.10	53.10	53.10	
	1-1/4"	"	92.70	92.70	92.70	
	1-1/2"	"	108.90	108.90	108.90	
	2"	"	167.40	167.40	167.40	
	2-1/2"	"	495.90	495.90	495.90	
	3"	"	594.00	594.00	594.00	
	4"	"	1,215.90	1,215.90	1,215.90	
	6"	"	5,121.00	5,121.00	5,121.00	
	<b>PVC Brass 90° Elbow Soc x Fipt SCH 80</b>	गोट्टा	-	-	-	
	1/2"	"	172.80	172.80	172.80	
	3/4"	"	242.10	242.10	242.10	
	3/4" X 1/2"	"	250.20	250.20	250.20	
	<b>PVC 45° Elbow - Soc</b>	गोट्टा	-	-	-	
	1/2"	"	54.90	54.90	54.90	
	3/4"	"	85.50	85.50	85.50	
	1"	"	101.70	101.70	101.70	

# SANITARY WORK

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			२०७८/७९	२०७९/८०	२०८०/८१	
	1-1/4"	"	143.10	143.10	143.10	
	1-1/2"	"	180.00	180.00	180.00	
	2"	"	234.00	234.00	234.00	
	2-1/2"	"	668.70	668.70	668.70	
	3"	"	1,039.50	1,039.50	1,039.50	
	4"	"	1,865.70	1,865.70	1,865.70	
	6"	"	5,135.40	5,135.40	5,135.40	
	<b>PVC Coupling - Soc</b>	गोटा	-	-	-	
	1/2"	"	17.10	17.10	17.10	
	3/4"	"	26.10	26.10	26.10	
	1"	"	41.40	41.40	41.40	
	1-1/4"	"	55.80	55.80	55.80	
	1-1/2"	"	75.60	75.60	75.60	
	2"	"	117.00	117.00	117.00	
	2-1/2"	"	246.60	246.60	246.60	
	3"	"	386.10	386.10	386.10	
	4"	"	603.90	603.90	603.90	
	6"	"	2,420.10	2,420.10	2,420.10	
	<b>PVC Reducer Coupling - Soc</b>	गोटा	-	-	-	
	3/4 X 1/2	"	42.30	42.30	42.30	
	1 X 3/4	"	72.90	72.90	72.90	
	1-1/2 X 1-1/4	"	130.50	130.50	130.50	
	2 X 1-1/2	"	207.90	207.90	207.90	
	4 x 2	"	1,392.30	1,392.30	1,392.30	
	4 X 3	"	1,392.30	1,392.30	1,392.30	
	6 X 4	"	2,895.30	2,895.30	2,895.30	
	<b>PVC Reducer Bushing - (Flush Style)</b>	गोटा	-	-	-	
	3/4 X 1/2	"	35.10	35.10	35.10	
	1 X 1/2	"	49.50	49.50	49.50	
	1 X 3/4	"	49.50	49.50	49.50	
	1-1/4 X 1/2	"	85.50	85.50	85.50	
	1-1/4 X 3/4	"	85.50	85.50	85.50	
	1-1/4 X 1	"	85.50	85.50	85.50	
	1-1/2 X 1/2	"	90.00	90.00	90.00	
	1-1/2 X 3/4	"	90.00	90.00	90.00	
	1-1/2 X 1	"	90.00	90.00	90.00	
	1-1/2 X 1-1/4	"	90.00	90.00	90.00	
	2 X 1/2	"	164.70	164.70	164.70	
	2 X 3/4	"	164.70	164.70	164.70	
	2 X 1	"	164.70	164.70	164.70	
	2 X 1-1/4	"	164.70	164.70	164.70	
	2 X 1-1/2	"	164.70	164.70	164.70	
	2-1/2 X 1-1/4	"	232.20	232.20	232.20	
	2-1/2 X 1-1/2	"	232.20	232.20	232.20	
	2-1/2 X 2	"	232.20	232.20	232.20	
	3 X 1-1/2	"	343.80	343.80	343.80	
	3 X 2	"	343.80	343.80	343.80	
	3 X 2-1/2	"	343.80	343.80	343.80	
	4 X 2	"	675.90	675.90	675.90	
	4 X 3	"	675.90	675.90	675.90	

# SANITARY WORK

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	6 X 2	"	2,270.70	2,270.70	2,270.70	
	6 X 3	"	2,270.70	2,270.70	2,270.70	
	6 X 4	"	2,270.70	2,270.70	2,270.70	
	<b>PVC Cap - Soc</b>	सोटा	-	-	-	
	1/2"	"	24.30	24.30	24.30	
	3/4"	"	29.70	29.70	29.70	
	1"	"	42.30	42.30	42.30	
	1-1/4"	"	60.30	60.30	60.30	
	1-1/2"	"	65.70	65.70	65.70	
	2"	"	79.20	79.20	79.20	
	2-1/2"	"	253.80	253.80	253.80	
	3"	"	278.10	278.10	278.10	
	4"	"	632.70	632.70	632.70	
	6"	"	2,498.40	2,498.40	2,498.40	
	<b>PVC Union - Soc With EPDM O-Ring Seal</b>	सोटा	-	-	-	
	1/2"	"	253.80	253.80	253.80	
	3/4"	"	290.70	290.70	290.70	
	1"	"	297.90	297.90	297.90	
	1-1/4"	"	960.30	960.30	960.30	
	1-1/2"	"	1,000.80	1,000.80	1,000.80	
	2"	"	1,350.00	1,350.00	1,350.00	
	2-1/2"	"	1,889.10	1,889.10	1,889.10	
	3"	"	3,017.70	3,017.70	3,017.70	
	4"	"	4,177.80	4,177.80	4,177.80	
	<b>PVC Male Adaptor - Soc x MBSP</b>	सोटा	-	-	-	
	1/2"	"	45.90	45.90	45.90	
	3/4"	"	54.00	54.00	54.00	
	1"	"	71.10	71.10	71.10	
	1-1/4"	"	87.30	87.30	87.30	
	1-1/2"	"	120.60	120.60	120.60	
	2"	"	155.70	155.70	155.70	
	2-1/2"	"	545.40	545.40	545.40	
	3"	"	648.00	648.00	648.00	
	4"	"	1,025.10	1,025.10	1,025.10	
	6"	"	2,358.90	2,358.90	2,358.90	
	<b>PVC Brass Male Adapter - Soc x Mipt SCH 80</b>	सोटा	-	-	-	
	1/2"	"	261.90	261.90	261.90	
	3/4"	"	350.10	350.10	350.10	
	1"	"	526.50	526.50	526.50	
	<b>PVC Female Adaptor - Soc x FBSP</b>	सोटा	-	-	-	
	1/2"	"	59.40	59.40	59.40	
	3/4"	"	61.20	61.20	61.20	
	1"	"	63.90	63.90	63.90	
	1-1/4"	"	166.50	166.50	166.50	
	1-1/2"	"	244.80	244.80	244.80	
	2"	"	237.60	237.60	237.60	
	<b>PVC Brass Female Adapter - Soc x Fipt SCH 80</b>	सोटा	-	-	-	
	1/2"	"	219.60	219.60	219.60	
	3/4"	"	311.40	311.40	311.40	
	1"	"	398.70	398.70	398.70	



# SANITARY WORK

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	<b>PVC Ball Valve - Soc</b>	गोटा	-	-	-	
	1/2"	"	881.10	881.10	881.10	
	3/4"	"	1,047.60	1,047.60	1,047.60	
	1"	"	1,466.10	1,466.10	1,466.10	
	1-1/4"	"	1,984.50	1,984.50	1,984.50	
	1-1/2"	"	3,026.70	3,026.70	3,026.70	
	2"	"	3,827.70	3,827.70	3,827.70	
	2-1/2"	"	6,323.40	6,323.40	6,323.40	
	3"	"	10,017.90	10,017.90	10,017.90	
	4"	"	16,555.50	16,555.50	16,555.50	
	6"	"	35,961.30	35,961.30	35,961.30	
	<b>PVC Adhesive Solution (Med. Bonded 705)</b>	गोटा	-	-	-	
	118ML	"	306.00	306.00	306.00	
	237ML	"	439.20	439.20	439.20	
	473ML	"	794.70	794.70	794.70	
	946ML	"	1,307.70	1,307.70	1,307.70	
	<b>PVC Adhesive Solution (Heavy Bonded 717)</b>	गोटा	-	-	-	
	118ML	"	492.30	492.30	492.30	
	237ML	"	648.90	648.90	648.90	
	473ML	"	1,137.60	1,137.60	1,137.60	
	946ML	"	1,969.20	1,969.20	1,969.20	
26	<b>Rainwater Collection System sintex or Prince Brand Roof)</b>		-	-	-	
	140 mm Dia.		-	-	-	
	<b>ROOF WATER PIPES (HALF ROUND)</b> To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Rm.	159.30	159.30	159.30	
	<b>JOINT BRACKET</b> To connect two lengths of roof water	Pc.	256.50	256.50	256.50	
	<b>RUNNING OUTLET</b> To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	351.90	351.90	351.90	
	<b>90° ELBOW (without outlet)</b> To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	432.00	432.00	432.00	
	<b>90° ELBOW (with outlet)</b> To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	432.00	432.00	432.00	
	<b>SHORT STOP END</b> To close the end of roof water pipe line.	Pc.	95.40	95.40	95.40	
	<b>STOP END OUTLET</b> To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	305.10	305.10	305.10	
	<b>SUPPORT BRACKET</b> To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	76.50	76.50	76.50	

# SANITARY WORK

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
	<b>TOP BRACKET</b> To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	50.40	50.40	50.40	
	<b>CLAMP</b> To ensure perfect fixing between pipe and fittings.	Pc.	31.50	31.50	31.50	
	<b>RAFTER BRACKETS (TOP/SIDE)</b> To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	77.40	77.40	77.40	
	<b>RUBBER GASKET</b> To provide leak proof joints.	Pc.	29.70	29.70	29.70	
	<b>75 mm dia.</b>		-	-	-	
	<b>PIPE CLIP</b> To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	63.00	63.00	63.00	
	<b>RUBBER SEALS</b> To ensure, leak proof joint of single socket elbow.	Pc.	37.80	37.80	37.80	
	<b>SINGLE SOCKET ELBOW</b> To join the roof water outlet with down line pipe.	Pc.	126.00	126.00	126.00	
	<b>180 mm dia.</b>		-	-	-	
	<b>ROOF WATER PIPES (HALF ROUND)</b> To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Pc.	301.50	301.50	301.50	
	<b>JOINT BRACKET</b> To connect two lengths of roof water	Pc.	358.20	358.20	358.20	
	<b>RUNNING OUTLET</b> To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	517.50	517.50	517.50	
	<b>90° ELBOW (without outlet)</b> To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	592.20	592.20	592.20	
	<b>90° ELBOW (with outlet)</b> To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	592.20	592.20	592.20	
	<b>SHORT STOP END</b> To close the end of roof water pipe line.	Pc.	140.40	140.40	140.40	
	<b>STOP END OUTLET</b> To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	423.90	423.90	423.90	
	<b>SUPPORT BRACKET</b> To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	108.00	108.00	108.00	



## SANITARY WORK

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	90.90	90.90	90.90	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	51.30	51.30	51.30	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	109.80	109.80	109.80	
	RUBBER GASKET To provide leak proof joints.	Pc.	40.50	40.50	40.50	

## SANITARY WORK

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	<b>110 mm dia.</b>		-	-	-	
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	68.40	68.40	68.40	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	44.10	44.10	44.10	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	243.00	243.00	243.00	
	<b>250 mm dia.</b>		-	-	-	
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Pc.	585.00	585.00	585.00	
	JOINT BRACKET To connect two lengths of roof water	Pc.	613.80	613.80	613.80	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	964.80	964.80	964.80	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	1,386.90	1,386.90	1,386.90	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	1,386.90	1,386.90	1,386.90	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	301.50	301.50	301.50	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	801.90	801.90	801.90	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	299.70	299.70	299.70	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	163.80	163.80	163.80	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	121.50	121.50	121.50	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	317.70	317.70	317.70	
	RUBBER GASKET To provide leak proof joints.	Pc.	165.60	165.60	165.60	
	<b>160 mm dia.</b>		-	-	-	
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	81.90	81.90	81.90	

# SANITARY WORK

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	190.80	190.80	190.80	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	437.40	437.40	437.40	
			-	-	-	
	<b>ASTRAL "DWV" UPVC DRAIN, WASTE &amp; VENT SYSTEM and Ashirvad SWR Systems</b>					
	<b>ASTRAL DWV FOAM CORE PIPING SYSTEM (ABOVE GROUND) GREY</b>					
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 75mm	per mtr.	246.51	246.51	246.51	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	"	437.58	437.58	437.58	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	262.35	262.35	262.35	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	"	470.25	470.25	470.25	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 110mm	"	447.48	447.48	447.48	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	"	673.20	673.20	673.20	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	473.22	473.22	473.22	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	"	695.97	695.97	695.97	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-2 160 mm dia	"	959.31	959.31	959.31	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4	"	1,195.92	1,195.92	1,195.92	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-2	"	1,021.68	1,021.68	1,021.68	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	1,350.36	1,350.36	1,350.36	
	<b>ASTRAL DWV AND ASHIRVAD SWR FITTINGS (ABOVE GROUND) GREY</b>					
	DWV Bend 45 Degree 75 mm size	pcs	139.59	139.59	139.59	
	DWV Bend 87.5 Degree	"	177.21	177.21	177.21	
	DWV Bend 87.5 Degree with Door	"	81.18	81.18	81.18	
	DWV Socket Plug	"	189.09	189.09	189.09	
	DWV Cleansing Pipe	"	113.85	113.85	113.85	
	DWV Coupler	"	201.96	201.96	201.96	
	DWV Single Tee	"	221.76	221.76	221.76	
	DWV Single Tee with Door	"	349.47	349.47	349.47	
	DWV Cross Tee	"	491.04	491.04	491.04	
	DWV Cross Tee with Door	"	361.35	361.35	361.35	
	DWV Double 'Y'	"	481.14	481.14	481.14	
	DWV Double 'Y' with Door	"	225.72	225.72	225.72	
	DWV Single 'Y'	"	288.09	288.09	288.09	
	DWV Single 'Y' with Door	"	11.88	11.88	11.88	
	DWV Pipe Clip	"	24.75	24.75	24.75	
	DWV Vent Cowel	"	229.68	229.68	229.68	
	DWV Bend 45 Degree 110mm size	"	282.15	282.15	282.15	
	DWV Bend 87.5 Degree	"	322.74	322.74	322.74	
	DWV Bend 87.5 Degree with Door	"	102.96	102.96	102.96	

# SANITARY WORK

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
	DWV Socket Plug	"	370.26	370.26	370.26	
	DWV Cleansing Pipe	"	205.92	205.92	205.92	
	DWV Coupler	"	684.09	684.09	684.09	
	DWV Double 'Y'	"	807.84	807.84	807.84	
	DWV Double 'Y' with Door	"	566.28	566.28	566.28	
	DWV Cross Tee	"	641.52	641.52	641.52	
	DWV Cross Tee with Door	"	370.26	370.26	370.26	
	DWV Single Tee	"	436.59	436.59	436.59	
	DWV Single Tee with Door	"	453.42	453.42	453.42	
	DWV Single 'Y'	"	475.20	475.20	475.20	
	DWV Single 'Y' with Door	"	46.53	46.53	46.53	
	DWV Vent Cowel	"	161.37	161.37	161.37	
	DWV Reducer 110*75 mm	"	35.64	35.64	35.64	
	DWV Pipe Clip 110mm size	"	435.60	435.60	435.60	
	DWV W.C. Connectore (Straight type)	"	348.48	348.48	348.48	
	DWV W.C. Connectore (Bend type)	"	174.24	174.24	174.24	
	DWV Nahani Trap - 3" Height without Jali 75 mm	"	23.76	23.76	23.76	
	DWV Nahani Trap Jali	"	538.56	538.56	538.56	
	DWV P-Trap with Leap Ring 10*110 mm	"	773.19	773.19	773.19	
	DWV P-Trap with Leap Ring 25*110 mm	"	231.66	231.66	231.66	
	DWV Multi Floor Trap 4" w/o Jali 75 mm	"	470.25	470.25	470.25	
	DWV Reducer 60*110 mm	"	449.46	449.46	449.46	
	DWV Coupler 160mm size	"	1,077.12	1,077.12	1,077.12	
	DWV Single Tee	"	1,157.31	1,157.31	1,157.31	
	DWV Single Tee with Door	"	2,015.64	2,015.64	2,015.64	
	DWV Single 'Y'	"	2,117.61	2,117.61	2,117.61	
	DWV Single 'Y' with Door	"	741.51	741.51	741.51	
	DWV Bend 87.5 Degree	"	988.02	988.02	988.02	
	DWV Bend 87.5 Degree with Door	"	864.27	864.27	864.27	
	DWV Bend 45 Degree	"	-	-	-	
	<b>FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR</b>		-	-	-	
	FOAMCORE Plain Both End (3mtrs length) SN-8 110 mm	per mtr.	584.10	584.10	584.10	
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-8	"	605.88	605.88	605.88	
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-8	"	629.64	629.64	629.64	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-8	"	593.01	593.01	593.01	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-8	"	603.90	603.90	603.90	
	FOAMCORE Plain Both End (3mtrs length) SN-4 160 mm	"	1,078.11	1,078.11	1,078.11	
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-4	"	1,119.69	1,119.69	1,119.69	
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-4	"	1,163.25	1,163.25	1,163.25	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	1,095.93	1,095.93	1,095.93	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	1,115.73	1,115.73	1,115.73	
	FOAMCORE Plain Both End (3mtrs length) SN-4 200 mm	"	1,687.95	1,687.95	1,687.95	

# SANITARY WORK

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	1,717.65	1,717.65	1,717.65	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	1,746.36	1,746.36	1,746.36	
	FOAMCORE Plain Both End (3mtrs length) SN-4	"	2,800.71	2,800.71	2,800.71	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	2,849.22	2,849.22	2,849.22	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	2,898.72	2,898.72	2,898.72	
	FOAMCORE Plain Both End (3mtrs length) SN-2 315 mm	"	3,708.54	3,708.54	3,708.54	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-2	"	3,772.89	3,772.89	3,772.89	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-2	"	3,838.23	3,838.23	3,838.23	
	FOAMCORE Plain Both End (3mtrs length) SN-4	"	4,582.71	4,582.71	4,582.71	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	4,662.90	4,662.90	4,662.90	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	4,743.09	4,743.09	4,743.09	
	FOAMCORE Plain Both End (6mtrs length) SN-8	"	583.11	583.11	583.11	
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-8	"	597.96	597.96	597.96	
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-8	"	612.81	612.81	612.81	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-8	"	594.00	594.00	594.00	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-8	"	604.89	604.89	604.89	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	1,077.12	1,077.12	1,077.12	
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-4	"	1,108.80	1,108.80	1,108.80	
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-4	"	1,139.49	1,139.49	1,139.49	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	1,096.92	1,096.92	1,096.92	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	1,115.73	1,115.73	1,115.73	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	1,687.95	1,687.95	1,687.95	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	1,717.65	1,717.65	1,717.65	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	1,747.35	1,747.35	1,747.35	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	2,800.71	2,800.71	2,800.71	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	2,849.22	2,849.22	2,849.22	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	2,897.73	2,897.73	2,897.73	
	FOAMCORE Plain Both End (6mtrs length) SN-2	"	3,708.54	3,708.54	3,708.54	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-2	"	3,772.89	3,772.89	3,772.89	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-2	"	3,838.23	3,838.23	3,838.23	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	4,582.71	4,582.71	4,582.71	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	4,662.90	4,662.90	4,662.90	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	4,743.09	4,743.09	4,743.09	
	<b>ASTRAL FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR</b>		-	-	-	
	DWV Coupler SN-8                      110mm	per pc	294.03	294.03	294.03	

# SANITARY WORK

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
	DWV Coupler SN-4 160 mm	"	707.85	707.85	707.85	
	DWV Coupler SN-4 200 mm	"	1,447.38	1,447.38	1,447.38	
	DWV Coupler SN-4 250 mm	"	2,696.76	2,696.76	2,696.76	
	DWV Coupler SN-2 315mm	"	4,338.18	4,338.18	4,338.18	
	DWV Coupler SN-4 315 mm	"	4,736.34	4,736.34	4,736.34	
	DWV Long Radius Bend - 90 Degree SN-8 110mm	"	1,000.76	1,000.76	1,000.76	
	DWV Long Radius Bend - 90 Degree SN-4 160 mm	"	2,786.81	2,786.81	2,786.81	
	DWV Long Radius Bend - 90 Degree SN-4 200mm	"	5,205.06	5,205.06	5,205.06	
	DWV Long Radius Bend - 90 Degree SN-4 250 mm	"	11,667.92	11,667.92	11,667.92	
	DWV Long Radius Bend - 90 Degree SN-4 315 mm	"	27,704.57	27,704.57	27,704.57	
27	<b>Multilayer Composite Pipe (Sanghai, or eqv.)</b>		-	-	-	
	<b>Cold Water Pipe (White)</b>		-	-	-	
	12-16 mm ½"	Rm	100.98	100.98	100.98	
	14-18 mm ½"	"	110.88	110.88	110.88	
	16-20 mm ½"	"	118.80	118.80	118.80	
	20-25 mm ¾"	"	180.18	180.18	180.18	
	26-32 mm 1"	"	281.16	281.16	281.16	
	32-40 mm 1¼"	"	445.50	445.50	445.50	
	41-50 mm 1½"	"	653.40	653.40	653.40	
	<b>Hot Water Pipe (Orange)</b>		-	-	-	
	12-16 mm ½"	Rm	110.88	110.88	110.88	
	14-18 mm ½"	"	122.76	122.76	122.76	
	16-20 mm ½"	"	140.58	140.58	140.58	
	20-25 mm ¾"	"	207.90	207.90	207.90	
	26-32 mm 1"	"	301.95	301.95	301.95	
	32-40 mm 1¼"	"	465.30	465.30	465.30	
	<b>Gas Lines Pipe (Yellow)</b>		-	-	-	
	12-16 mm ½"	Rm	87.12	87.12	87.12	
	14-18 mm ½"	"	87.12	87.12	87.12	
	<b>MULTILAYER COMPOSITE Fittings</b>		-	-	-	
	<b>a. Equal Straight Union</b>		-	-	-	
	½"ø (16mm ø)	रोटा	133.20	133.20	133.20	
	½"ø (18mm ø)	"	140.40	140.40	140.40	
	½"ø (20mm ø)	"	153.90	153.90	153.90	
	¾" ø (25 mm ø)	"	225.00	225.00	225.00	
	1" ø (32 mm ø)	"	351.00	351.00	351.00	
	1¼" ø (40 mm ø)	"	1,296.00	1,296.00	1,296.00	
	1½" ø (50 mm ø)	"	1,957.50	1,957.50	1,957.50	
	<b>b. Unequal Straight Union</b>		-	-	-	
	25 - 16 mm ø	"	252.00	252.00	252.00	
	25 - 18 mm ø	"	261.00	261.00	261.00	
	25 - 20 mm ø	"	274.50	274.50	274.50	
	32 - 16 mm ø	"	337.50	337.50	337.50	
	32 - 18 mm ø	"	355.50	355.50	355.50	
	32 - 20 mm ø	"	382.50	382.50	382.50	



# SANITARY WORK

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
	32 - 25 mm ø	"	409.50	409.50	409.50	
	40 - 32 mm ø	"	1,120.50	1,120.50	1,120.50	
	50 - 20 mm ø	"	1,633.50	1,633.50	1,633.50	
	50 - 32 mm ø	"	1,957.50	1,957.50	1,957.50	
	50 - 40 mm ø	"	1,845.00	1,845.00	1,845.00	
	<b>c. Male Union</b>		-	-	-	
	16mm x ½"M	रोटा	94.50	94.50	94.50	
	18mm x ½"M	"	109.80	109.80	109.80	
	20mm x ½"M	"	126.00	126.00	126.00	
	25mm x ½"M	"	153.00	153.00	153.00	
	25mm x ¾"M	"	193.50	193.50	193.50	
	25mm x 1"M	"	247.50	247.50	247.50	
	32mm x ¾"M	"	283.50	283.50	283.50	
	32mm x 1"M	"	310.50	310.50	310.50	
	32mm x 1½"M	"	315.00	315.00	315.00	
	40mm x 1"M	"	994.50	994.50	994.50	
	40mm x 1½"M	"	1,029.60	1,029.60	1,029.60	
	50mm x 1"M	"	1,563.30	1,563.30	1,563.30	
	50mm x 1¼"M	"	1,590.30	1,590.30	1,590.30	
	50mm x 1½"M	"	2,160.00	2,160.00	2,160.00	
	50mm x 2"M	"	1,622.70	1,622.70	1,622.70	
	<b>d. Female Straight Union</b>		-	-	-	
	16mm x ½"F	रोटा	103.50	103.50	103.50	
	18mm x ½"F	"	112.50	112.50	112.50	
	20mm x ½"F	"	122.40	122.40	122.40	
	25mm x ½"F	"	162.00	162.00	162.00	
	25mm x ¾"F	"	193.50	193.50	193.50	
	25mm x 1"F	"	198.00	198.00	198.00	
	32mm x ½"F	"	202.50	202.50	202.50	
	32mm x ¾"F	"	207.00	207.00	207.00	
	32mm x 1"F	"	292.50	292.50	292.50	
	40mm x 1½"F	"	1,168.20	1,168.20	1,168.20	
	50mm x 1¼"F	"	1,575.00	1,575.00	1,575.00	
	50mm x 1½"F	"	2,160.00	2,160.00	2,160.00	
	50mm x 2"F	"	1,638.00	1,638.00	1,638.00	
	<b>e. Equal Elbow</b>		-	-	-	
	½"ø (16mm ø)	रोटा	126.00	126.00	126.00	
	½"ø (18mm ø)	"	153.00	153.00	153.00	
	½"ø (20mm ø)	"	207.00	207.00	207.00	
	¾" ø (25 mm ø)	"	315.00	315.00	315.00	
	1" ø (32 mm ø)	"	508.50	508.50	508.50	
	1¼" ø (40 mm ø)	"	1,656.00	1,656.00	1,656.00	
	1½" ø (50 mm ø)	"	2,565.00	2,565.00	2,565.00	
	<b>f. Unequal Elbow</b>		-	-	-	
	40 - 32 mm ø	"	1,836.00	1,836.00	1,836.00	
	50 - 20 mm ø	"	2,115.00	2,115.00	2,115.00	
	50 - 40 mm ø	"	2,155.50	2,155.50	2,155.50	
	<b>g. Female Elbow</b>		-	-	-	
	16mm x ½"F	रोटा	166.50	166.50	166.50	
	18mm x ½"F	"	184.50	184.50	184.50	

# SANITARY WORK

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व	आ.व	आ.व	
			२०७८।७९	२०७९।८०	२०८०।८१	
	20mm x 1/2"F	"	202.50	202.50	202.50	
	25mm x 1/2"F	"	225.00	225.00	225.00	
	25mm x 3/4"F	"	279.00	279.00	279.00	
	25mm x 1"F	"	306.00	306.00	306.00	
	32mm x 3/4"F	"	329.40	329.40	329.40	
	32mm x 1"F	"	409.50	409.50	409.50	
	50mm x 1 1/4"F	"	2,115.00	2,115.00	2,115.00	
	<b>h. Male Elbow</b>		-	-	-	
	25mm x 3/4"M	"	225.00	225.00	225.00	
	25mm x 1"M	"	292.50	292.50	292.50	
	32mm x 3/4"M	"	221.40	221.40	221.40	
	32mm x 1"M	"	373.50	373.50	373.50	
	40mm x 1"M	"	1,215.00	1,215.00	1,215.00	
	50mm x 1"M	"	1,731.60	1,731.60	1,731.60	
	<b>i. Equal Tee</b>		-	-	-	
	1/2"ø (16mm ø)	गोटा	225.00	225.00	225.00	
	1/2"ø (18mm ø)	"	252.00	252.00	252.00	
	1/2"ø (20mm ø)	"	315.00	315.00	315.00	
	3/4"ø (25 mm ø)	"	454.50	454.50	454.50	
	1"ø (32 mm ø)	"	711.00	711.00	711.00	
	1 1/4"ø (40 mm ø)	"	2,657.70	2,657.70	2,657.70	
	1 1/2"ø (50 mm ø)	"	3,883.50	3,883.50	3,883.50	
	<b>j. Unequal Tee</b>		-	-	-	
	20 mm x 16 mm x 20 mm	"	202.50	202.50	202.50	
	20 mm x 18 mm x 20 mm	"	225.00	225.00	225.00	
	25 mm x 16 mm x 25 mm	"	337.50	337.50	337.50	
	25 mm x 18 mm x 25 mm	"	382.50	382.50	382.50	
	25 mm x 20 mm x 25 mm	"	396.00	396.00	396.00	
	32 mm x 16 mm x 32 mm	"	652.50	652.50	652.50	
	32 mm x 18 mm x 32 mm	"	675.00	675.00	675.00	
	32 mm x 20 mm x 32 mm	"	702.00	702.00	702.00	
	32 mm x 25 mm x 32 mm	"	720.00	720.00	720.00	
	40 mm x 32 mm x 32 mm	"	1,966.50	1,966.50	1,966.50	
	40 mm x 32 mm x 40 mm	"	2,277.90	2,277.90	2,277.90	
	50 mm x 20 mm x 50 mm	"	3,105.00	3,105.00	3,105.00	
	50 mm x 32 mm x 32 mm	"	2,046.60	2,046.60	2,046.60	
	50 mm x 32 mm x 50 mm	"	3,136.50	3,136.50	3,136.50	
	50 mm x 40 mm x 40 mm	"	3,147.30	3,147.30	3,147.30	
	50 mm x 40 mm x 50 mm	"	3,594.60	3,594.60	3,594.60	
	<b>k. Female Tee</b>		-	-	-	
	16mm x 1/2"F x 16mm	गोटा	225.00	225.00	225.00	
	18mm x 1/2"F x 18mm	"	234.00	234.00	234.00	
	20mm x 1/2"F x 20mm	"	252.00	252.00	252.00	
	25mm x 1/2"F x 25mm	"	236.70	236.70	236.70	
	25mm x 3/4"F x 25mm	"	261.00	261.00	261.00	
	25mm x 1"F x 25mm	"	338.40	338.40	338.40	
	32mm x 1/2"F x 32mm	"	364.50	364.50	364.50	
	32mm x 3/4"F x 32mm	"	373.50	373.50	373.50	
	32mm x 1"F x 32mm	"	506.70	506.70	506.70	
	40mm x 3/4"F x 32mm	"	1,495.80	1,495.80	1,495.80	

# SANITARY WORK

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
	50mm x ¾"F x 40mm	"	2,219.40	2,219.40	2,219.40	
	<b>l. Equal Ball Valve Union</b>		-	-	-	
	½"ø (16mm ø)	गोटा	261.90	261.90	261.90	
	½"ø (18mm ø)	"	290.70	290.70	290.70	
	½"ø (20mm ø)	"	382.50	382.50	382.50	
	¾" ø (25 mm ø)	"	634.50	634.50	634.50	
	1" ø (32 mm ø)	"	882.00	882.00	882.00	
	1¼" ø (40 mm ø)	"	2,881.80	2,881.80	2,881.80	
	1½" ø (50 mm ø)	"	4,158.90	4,158.90	4,158.90	
	<b>m. Female Ball Valve Union</b>		-	-	-	
	16mm x ½"F	गोटा	243.90	243.90	243.90	
	18mm x ½"F	"	279.90	279.90	279.90	
	20mm x ½"F	"	313.20	313.20	313.20	
	20mm x ¾"F	"	351.00	351.00	351.00	
	25mm x ¾"F	"	652.50	652.50	652.50	
	25mm x 1"F	"	666.00	666.00	666.00	
	32mm x 1"F	"	702.00	702.00	702.00	
	<b>n. Plug</b>		-	-	-	
	1¼" ø (40 mm ø)	"	1,440.00	1,440.00	1,440.00	
	1½" ø (50 mm ø)	"	1,980.00	1,980.00	1,980.00	
	<b>p. Wall Plated Female Elbow</b>		-	-	-	
	16mm x ½"F	गोटा	189.00	189.00	189.00	
	18mm x ½"F	"	207.00	207.00	207.00	
	20mm x ½"F	"	225.00	225.00	225.00	
	<b>q. Nipple</b>		-	-	-	
	N 1/2F*1/2F	गोटा	48.60	48.60	48.60	
	N 1/2M*1/2M	"	48.60	48.60	48.60	
	N 3/4F*1/2F	"	67.50	67.50	67.50	
	N 1F*1/2F	"	77.40	77.40	77.40	
	N 1F*3/4F	"	87.30	87.30	87.30	
	N 3/4M*1/2M	"	67.50	67.50	67.50	
	N 1M*1/2M	"	77.40	77.40	77.40	
	N 1M*3/4M	"	87.30	87.30	87.30	
	N 1/2F*1/2M	"	58.50	58.50	58.50	
	N 1/2F*3/4M	"	67.50	67.50	67.50	
	N 1/2F*1M	"	107.10	107.10	107.10	
	N 1/2M*3/4F	"	67.50	67.50	67.50	
	N 1/2M*1F	"	111.60	111.60	111.60	
	N 3/4F*3/4M	"	87.30	87.30	87.30	
	N 3/4F*1M	"	96.30	96.30	96.30	
	N 3/4M*1F	"	126.90	126.90	126.90	
28	<b>Supplying laying &amp; jointing of Nepal Plastic ( Blue colour slotted )Pvc pipe for different size of Ordinary Boring work by manually</b>		-	-	-	
	a.1) 1.5" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	486.00	486.00	486.00	
	a.2) Failure chagre per well	संख्या	1,350.00	1,350.00	1,350.00	
	b.1) 2" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	693.00	693.00	693.00	
	b.2) Failure chagre per well	संख्या	3,600.00	3,600.00	3,600.00	

# SANITARY WORK

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	c.1) 3" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	1,323.00	1,323.00	1,323.00	
	c.2) Failure chagre per well	संख्या	4,680.00	4,680.00	4,680.00	
	d.1) 4" Pvc pipe ordinary Boring with necessary materials etc.	र.मि	1,872.00	1,872.00	1,872.00	
	d.2) Failure chagre per well	संख्या	5,400.00	5,400.00	5,400.00	
	Submercible pump installation fixing position with GI touching wire all complete work	संख्या	1,575.00	1,575.00	1,575.00	
29	<b>R.C.C. Hume Pipe &amp; Hume Pipe Collar</b>		-	-	-	
	<b>PIPES</b>		-	-	-	
	<b>a) NP-2</b>		-	-	-	
	150 mm dia.	र.मि	605.00	617.00	617.00	
	200 mm dia.	"	785.40	801.00	801.00	
	250 mm dia.	"	983.40	1,003.00	1,003.00	
	300 mm dia.	"	1,331.00	1,357.00	1,357.00	
	350 mm dia.	"	1,388.20	1,415.00	1,415.00	
	375 mm dia.	"	1,520.20	1,550.00	1,550.00	
	400 mm dia.	"	1,852.40	1,889.00	1,889.00	
	450 mm dia.	"	1,960.20	1,999.00	1,999.00	
	500 mm dia.	"	2,200.00	2,244.00	2,244.00	
	600 mm dia.	"	2,901.80	2,959.00	2,959.00	
	700 mm dia.	"	3,786.20	3,861.00	3,861.00	
	750 mm dia.	"	3,864.30	3,941.00	3,941.00	
	800 mm dia.	"	4,569.40	4,660.00	4,660.00	
	900 mm dia.	"	6,173.20	6,296.00	6,296.00	
	1000 mm dia.	"	7,273.60	7,419.00	7,419.00	
	1200 mm dia.	"	8,784.59	8,960.00	8,960.00	
	1500 mm dia.	"	17,436.10	17,784.00	17,784.00	
	<b>b) NP-3</b>		-	-	-	
	150 mm dia.	र.मि	1,291.39	1,317.00	1,317.00	
	200 mm dia.	"	1,720.40	1,754.00	1,754.00	
	250 mm dia.	"	2,149.40	2,192.00	2,192.00	
	300 mm dia.	"	3,088.57	3,150.00	3,150.00	
	350 mm dia.	"	3,445.44	3,514.00	3,514.00	
	375 mm dia.	"	3,682.98	3,756.00	3,756.00	
	400 mm dia.	"	3,949.00	4,027.00	4,027.00	
	450 mm dia.	"	4,433.00	4,521.00	4,521.00	
	500 mm dia.	"	4,941.20	5,040.00	5,040.00	
	600 mm dia.	"	6,105.35	6,227.00	6,227.00	
	700 mm dia.	"	7,372.20	7,519.00	7,519.00	
	750 mm dia.	"	8,466.32	8,635.00	8,635.00	
	800 mm dia.	"	9,240.00	9,424.00	9,424.00	
	900 mm dia.	"	11,985.60	12,225.00	12,225.00	
	1000 mm dia.	"	13,316.60	13,582.00	13,582.00	
	1200 mm dia.	"	15,851.00	16,168.00	16,168.00	
	1500 mm dia.	"	24,760.77	25,255.00	25,255.00	
	<b>R.C.C. Hume Pipe Collar</b>		-	-	-	
	<b>a) NP-2</b>		-	-	-	
	150 mm dia.	सेटा	129.00	131.00	131.00	
	200 mm dia.	"	170.00	173.00	173.00	



Handwritten signature

# SANITARY WORK

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व	आ.व	आ.व	
			२०७८।७९	२०७९।८०	२०८०।८१	
	250 mm dia.	..	211.00	215.00	215.00	
	300 mm dia.	..	286.00	291.00	291.00	
	350 mm dia.	..	315.00	321.00	321.00	
	375 mm dia.	..	346.00	352.00	352.00	
	400 mm dia.	..	398.00	405.00	405.00	
	450 mm dia.	..	420.00	428.00	428.00	
	500 mm dia.	..	472.00	481.00	481.00	
	600 mm dia.	..	623.00	635.00	635.00	
	700 mm dia.	..	812.00	828.00	828.00	
	750 mm dia.	..	878.00	895.00	895.00	
	800 mm dia.	..	980.00	999.00	999.00	
	900 mm dia.	..	1,324.00	1,350.00	1,350.00	
	1000 mm dia.	..	1,545.00	1,575.00	1,575.00	
	1200 mm dia.	..	1,885.00	1,922.00	1,922.00	
	1500 mm dia.	..	3,962.00	4,041.00	4,041.00	
	<b>b) NP-3</b>		-	-	-	
	150 mm dia.	..	289.00	294.00	294.00	
	200 mm dia.	..	385.00	392.00	392.00	
	250 mm dia.	..	481.00	490.00	490.00	
	300 mm dia.	..	691.00	704.00	704.00	
	350 mm dia.	..	776.00	791.00	791.00	
	375 mm dia.	..	829.00	845.00	845.00	
	400 mm dia.	..	883.00	900.00	900.00	
	450 mm dia.	..	993.00	1,012.00	1,012.00	
	500 mm dia.	..	1,107.00	1,129.00	1,129.00	
	600 mm dia.	..	1,368.00	1,395.00	1,395.00	
	700 mm dia.	..	1,650.00	1,683.00	1,683.00	
	750 mm dia.	..	1,895.00	1,932.00	1,932.00	
	800 mm dia.	..	2,068.00	2,109.00	2,109.00	
	900 mm dia.	..	2,683.00	2,736.00	2,736.00	
	1000 mm dia.	..	2,982.00	3,041.00	3,041.00	
	1200 mm dia.	..	3,549.00	3,619.00	3,619.00	
	1500 mm dia.	..	5,577.00	5,688.00	5,688.00	
	150 mm dia.	र.मि	1,306.00	1,332.00	1,332.00	
	200 mm dia.	..	1,774.00	1,809.00	1,809.00	
	250 mm dia.	..	2,213.00	2,257.00	2,257.00	
	300 mm dia.	..	3,181.00	3,244.00	3,244.00	
	350 mm dia.	..	-	-	-	
	400 mm dia.	..	4,067.00	4,148.00	4,148.00	
	450 mm dia.	..	4,566.00	4,657.00	4,657.00	
	500 mm dia.	..	5,089.00	5,190.00	5,190.00	
	600 mm dia.	..	6,288.00	6,413.00	6,413.00	
	700 mm dia.	..	7,593.00	7,744.00	7,744.00	
	750 mm dia.	..	-	-	-	
	800 mm dia.	..	9,517.00	9,707.00	9,707.00	
	900 mm dia.	..	12,346.00	12,592.00	12,592.00	
	1000 mm dia.	..	13,717.00	13,991.00	13,991.00	
	1200 mm dia.	..	16,327.00	16,653.00	16,653.00	
	1500 mm dia.	..	26,247.00	26,771.00	26,771.00	
	1600 mm dia.	..	30,275.00	30,880.00	30,880.00	

Handwritten signature

Handwritten signature

Handwritten signature

# SANITARY WORK

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व	आ.व	आ.व	
			२०७८/७९	२०७९/८०	२०८०/८१	
	1800 mm dia.	„	40,323.00	41,129.00	41,129.00	
30	High Density Polythene Pipe(PE:100) NS-40		-	-	-	
	Pipes of different sizes, series & pressure as per NS standard		-	-	-	
	HDPE Pipe	Kg	260.00	270.00	283.50	
31	UPVC (Pipe NS 206/046			-	-	
31.1	A) pipe 2.5 kg /cm <sup>2</sup> pressure			-	-	
	a) 90 mm	र.मी	140.62	140.62	166.00	
	b) 110 mm	"	208.76	208.76	247.00	
	c) 125 mm	"	265.75	265.75	315.00	
	d) 140 mm	"	328.32	328.32	389.00	
	e) 160 mm	"	429.29	429.29	508.00	
	f) 180 mm	"	549.47	549.47	651.00	
	g) 200 mm	"	670.88	670.88	796.00	
31.2	B) PVC Pipe 4 kg / cm <sup>2</sup>			-	-	
	a) 63mm	र.मी	111.50	111.50	132.00	
	b) 75 mm	"	154.25	154.25	181.00	
	c) 90 mm	"	219.29	219.29	260.00	
	d) 110 mm	"	301.06	301.06	357.00	
	e) 125 mm	"	415.04	415.04	492.00	
	f) 140 mm	"	527.17	527.17	625.00	
	g) 160 mm	"	682.65	682.65	808.00	
	h) 180 mm	"	877.17	877.17	1,040.00	
	i) 200 mm	"	1,063.63	1,063.63	1,262.00	
31.3	C) PVC Pipe 6 Kg/ cm <sup>2</sup> pressure			-	-	
	a) 40 mm	र.मी	65.66	65.66	77.00	
	b) 50 mm	"	99.12	99.12	117.00	
	c) 63 mm	"	158.58	158.58	189.00	
	d) 75 mm	"	221.77	221.77	263.00	
	e) 90 mm	"	319.65	319.65	378.00	
	f) 110 mm	"	462.12	462.12	548.00	
	g) 125 mm	"	615.75	615.75	730.00	
	h) 140 mm	"	766.28	766.28	909.00	
	i) 160 mm	"	981.86	981.86	1,164.00	
	j) 180 mm	र.मी	1,251.95	1,251.95	1,485.00	
	k) 200 mm	„	1,533.81	1,533.81	1,819.00	
31.4	C) PVC Pipe 10 Kg/ cm <sup>2</sup> pressure			-	-	
	a) 20 mm	र.मी	25.40	25.40	30.00	
	b) 25 mm	„	39.65	39.65	47.00	
	c) 32mm	„	65.04	65.04	77.00	
	a) 40 mm	„	98.50	98.50	116.00	
	b) 50 mm	„	154.87	154.87	183.00	
	c) 63 mm	„	245.93	245.93	292.00	
	d) 75 mm	„	351.24	351.24	415.00	
	e) 90 mm	„	500.53	500.53	593.00	
	f) 110 mm	„	742.12	742.12	880.00	
	g) 125 mm	„	950.27	950.27	1,126.00	
	h) 140 mm	„	1,198.67	1,198.67	1,442.00	
	i) 160 mm	„	1,542.48	1,542.48	1,830.00	

# SANITARY WORK

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	j) 180 mm	"	1,966.19	1,966.19	2,332.00	
	k) 200 mm	"	2,431.42	2,431.42	2,883.00	
<b>31.5</b>	<b>UPVC fittings :</b>					
	<b>Coupler</b>					
	50 mm	गोटा	30.97	30.97	30.97	
	75 mm	"	74.96	74.96	74.96	
	110 mm	"	127.61	127.61	127.61	
	<b>Bend 87.5 degree</b>					
	50 mm	गोटा	45.84	45.84	45.84	
	75 mm	"	108.41	108.41	108.41	
	110 mm	"	200.09	200.09	200.09	
	<b>Bend 45 degree</b>					
	50 mm	गोटा	44.60	44.60	44.60	
	75 mm	"	87.96	87.96	87.96	
	110 mm	"	157.96	157.96	157.96	
	<b>Single Tee</b>					
	50 mm	गोटा	68.14	68.14	68.14	
	75 mm	"	146.81	146.81	146.81	
	110 mm	"	278.76	278.76	278.76	
	<b>Pipe clip</b>					
	50 mm	गोटा	14.25	14.25	14.25	
	75 mm	"	27.88	27.88	27.88	
	110 mm	"	37.17	37.17	37.17	
	<b>Bend 87.5 degree with door</b>					
	75 mm	गोटा	138.76	138.76	138.76	
	110 mm	"	241.59	241.59	241.59	
	<b>Single Tee with door</b>					
	75 mm	गोटा	198.23	198.23	198.23	
	110 mm	"	368.58	368.58	368.58	
	<b>Double Tee</b>					
	75 mm	गोटा	322.12	322.12	322.12	
	110 mm	"	509.82	509.82	509.82	
	<b>Double Tee with door</b>					
	75 mm	गोटा	427.43	427.43	427.43	
	110 mm	"	662.21	662.21	662.21	
	<b>Vent cowl</b>					
	75 mm	गोटा	52.65	52.65	52.65	
	110 mm	"	87.35	87.35	87.35	
	<b>Socket plug</b>					
	75 mm	गोटा	66.28	66.28	66.28	
	110 mm	"	107.79	107.79	107.79	
	<b>Single "Y"</b>					
	75 mm	गोटा	189.56	189.56	189.56	
	110 mm	"	363.01	363.01	363.01	
	<b>Single "Y" with door</b>					
	75 mm	गोटा	230.44	230.44	230.44	
	110 mm	"	437.96	437.96	437.96	
	<b>Double "Y"</b>					
	75 mm	गोटा	253.36	253.36	253.36	
	110 mm	"	499.29	499.29	499.29	

# SANITARY WORK

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	<b>Double "Y" with door</b>			-	-	
	75 mm	गोटा	324.60	324.60	324.60	
	110 mm	"	522.83	522.83	522.83	
	<b>Cleaning pipe</b>			-	-	
	75 mm	"	147.43	147.43	147.43	
	110 mm	"	284.34	284.34	284.34	
	<b>Reducer</b>			-	-	
	110x 75 mm	"	131.33	131.33	131.33	
	75X50 mm	"	68.76	68.76	68.76	
	<b>P -Trap</b>			-	-	
	125mmx110mm	"	538.94	538.94	538.94	
	110mmx110mm	"	505.49	505.49	505.49	
	75mmx75mm	"	193.27	193.27	193.27	
	<b>Multi-Floor -Trap</b>			-	-	
	110mmx75mm	"	280.00	280.00	280.00	
	<b>Nahani-Trap</b>			-	-	
	110mmx75mm	"	255.22	255.22	255.22	
	<b>W.C. Connector (bent type)</b>			-	-	
	110mmx75mm	"	260.80	260.80	260.80	
	<b>Square tile with jali</b>			-	-	
	110mmx75mm	"	83.63	83.63	83.63	
	<b>Round jali</b>			-	-	
	110mmx75mm	"	38.41	38.41	38.41	
	<b>End cap 50mm</b>			-	-	
	110mmx75mm	"	24.78	24.78	24.78	
32.0	<b>G.I Pipe threaded , 6 m. length With Cap</b>			-	-	
	<b>a) Light class</b>			-	-	
	i. ½" (15 mm)	र.मी	185.53	185.53	185.53	
	ii. ¾" (20 mm)	"	252.08	252.08	252.08	
	iii. 1" (25 mm)	"	351.67	351.67	351.67	
	iv. 1 ¼" (32 mm)	"	451.33	451.33	451.33	
	v. 1 ½" (40 mm)	"	555.67	555.67	555.67	
	vi. 2" (50 mm)	"	702.00	702.00	702.00	
	vii. 2 ½" (65 mm)	"	966.00	966.00	966.00	
	viii. 3" (80 mm)	"	1,135.33	1,135.33	1,135.33	
	ix. 4" (100 mm)	"	1,622.50	1,622.50	1,622.50	
	x. 5" (125 mm)	"	2,725.00	2,725.00	2,725.00	
	xi. 6" (150 mm)	"	3,237.50	3,237.50	3,237.50	
	xii. 8" (200 mm)	"	3,523.33	3,523.33	3,523.33	
	<b>b) Medium class</b>			-	-	
	i. ½" (15 mm)	र.मी	216.00	216.00	216.00	
	ii. ¾" (20 mm)	"	274.83	274.83	274.83	
	iii. 1" (25 mm)	"	411.67	411.67	411.67	
	iv. 1 ¼" (32 mm)	"	536.50	536.50	536.50	
	v. 1 ½" (40 mm)	र.मि	615.67	615.67	615.67	
	vi. 2" (50 mm)	"	840.00	840.00	840.00	
	vii. 2 ½" (65 mm)	"	1,072.83	1,072.83	1,072.83	
	viii. 3" (80 mm)	"	1,329.67	1,329.67	1,329.67	
	ix. 4" (100 mm)	"	1,975.33	1,975.33	1,975.33	
	x. 5" (125 mm)	"	2,736.00	2,736.00	2,736.00	
	xi. 6" (150 mm)	"	3,307.33	3,307.33	3,307.33	
	xii. 8" (200 mm)	"	4,003.33	4,003.33	4,003.33	
	<b>c) Heavy duty</b>			-	-	
	i. ½" (15 mm)	र.मि	242.00	242.00	242.00	



# SANITARY WORK

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			२०७८/७९	२०७९/८०	२०८०/८१	
ii.	¾" (20 mm)	"	321.67	321.67	321.67	
iii.	1" (25 mm)	"	482.50	482.50	482.50	
iv.	1 ¼" (32 mm)	"	615.67	615.67	615.67	
v.	1 ½" (40 mm)	"	710.50	710.50	710.50	
vi.	2" (50 mm)	"	1,034.50	1,034.50	1,034.50	
vii.	2 ½" (65 mm)	"	1,294.83	1,294.83	1,294.83	
viii.	3" (80 mm)	"	1,525.33	1,525.33	1,525.33	
ix.	4" (100 mm)	"	2,365.33	2,365.33	2,365.33	
x.	5" (125 mm)	"	3,063.67	3,063.67	3,063.67	
xi.	6" (150 mm)	"	3,475.33	3,475.33	3,475.33	
xii.	8" (200 mm)	"	4,243.33	4,243.33	4,243.33	
33.0	<b>G.I. Pipe fittings ISI or NS Standard</b>			-	-	
	<b>a) G.M. Gate valve</b>			-	-	
i.	½ "	गोटा	881.88	925.00	925.00	
ii.	¾"	"	1,098.25	1,153.00	1,153.00	
iii.	1"	"	1,768.30	1,856.00	1,856.00	
iv.	1 ¼"	"	2,522.89	2,649.00	2,649.00	
v.	1 ½"	"	3,177.48	3,336.00	3,336.00	
vi.	2"	"	5,059.42	5,312.00	5,312.00	
vii.	2 ½"	"	10,459.77	10,982.00	10,982.00	
viii.	3"	"	13,005.39	13,655.00	13,655.00	
ix.	4"	"	21,301.38	22,366.00	22,366.00	
	<b>b) G.M Check valve</b>			-	-	
i.	½ "	गोटा	818.24	859.00	893.00	
ii.	¾"	"	1,100.07	1,155.00	1,201.00	
iii.	1"	"	1,627.38	1,708.00	1,776.00	
iv.	1 ¼"	"	2,404.70	2,524.00	2,625.00	
v.	1 ½"	"	2,782.00	2,921.00	3,038.00	
vi.	2"	"	4,613.94	4,844.00	5,038.00	
vii.	2 ½"	"	9,373.34	9,842.00	10,236.00	
viii.	3"	"	12,519.00	13,144.00	13,670.00	
ix.	4"	"	17,692.06	18,576.00	19,319.00	
	<b>c) G.I. Ebow</b>			-	-	
i.	½ "	गोटा	47.47	49.00	49.00	
ii.	¾"	"	85.28	89.00	89.00	
iii.	1"	"	133.56	140.00	140.00	
iv.	1 ¼"	"	201.14	211.00	211.00	
v.	1 ½"	"	283.20	297.00	297.00	
vi.	2"	"	425.61	446.00	446.00	
vii.	2 ½"	"	738.58	775.00	775.00	
viii.	3"	"	1,148.10	1,205.00	1,205.00	
ix.	4"	"	1,978.41	2,077.00	2,077.00	
x.	5"	"	4,897.34	5,142.00	5,142.00	
xi.	6"	"	5,893.38	6,188.00	6,188.00	
	<b>d) G.I. Tee</b>			-	-	
i.	½ "	गोटा	73.21	76.00	76.00	
ii.	¾"	"	116.66	122.00	122.00	
iii.	1"	"	169.76	178.00	178.00	
iv.	1 ¼"	"	271.94	285.00	285.00	

# SANITARY WORK

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
v.	1 1/2 "	"	375.73	394.00	394.00	
vi.	2"	"	614.68	645.00	645.00	
vii.	2 1/2 "	"	965.47	1,013.00	1,013.00	
viii.	3"	"	1,305.80	1,371.00	1,371.00	
ix.	4"	"	2,371.84	2,490.00	2,490.00	
x.	5"	"	6,563.58	6,891.00	6,891.00	
xi.	6"	"	7,606.29	7,986.00	7,986.00	
<b>e) G.I Union</b>				-	-	
i.	1/2 "	गोटा	155.28	163.00	163.00	
ii.	3/4"	"	218.04	228.00	228.00	
iii.	1"	"	320.21	336.00	336.00	
iv.	1 1/4"	"	440.09	462.00	462.00	
v.	1 1/2 "	"	544.69	571.00	571.00	
vi.	2"	"	810.19	850.00	850.00	
vii.	2 1/2 "	"	1,658.19	1,741.00	1,741.00	
viii.	3"	"	2,233.45	2,345.00	2,345.00	
ix.	4"	"	2,942.27	3,089.00	3,089.00	
x.	5"	"	6,563.58	6,891.00	6,891.00	
xi.	6"	"	7,940.98	8,338.00	8,338.00	
<b>f) G.I. Socket</b>				-	-	
i.	1/2 "	गोटा	42.64	44.00	44.00	
ii.	3/4"	"	66.78	70.00	70.00	
iii.	1"	"	90.92	95.00	95.00	
iv.	1 1/4"	"	140.80	147.00	147.00	
v.	1 1/2 "	"	189.88	199.00	199.00	
vi.	2"	"	279.99	293.00	293.00	
vii.	2 1/2 "	"	507.68	533.00	533.00	
viii.	3"	"	749.04	786.00	786.00	
ix.	4"	"	1,296.95	1,361.00	1,361.00	
x.	5"	"	3,239.95	3,401.00	3,401.00	
xi.	6"	"	4,355.87	4,573.00	4,573.00	
<b>g) C.I. Plug</b>				-	-	
i.	1/2 "	गोटा	27.27	28.00	29.00	
ii.	3/4"	"	36.37	38.00	40.00	
iii.	1"	"	45.46	47.00	49.00	
iv.	1 1/4"	"	90.01	94.00	98.00	
v.	1 1/2 "	"	113.64	119.00	124.00	
vi.	2"	"	136.37	143.00	149.00	
vii.	2 1/2 "	"	195.47	205.00	213.00	
viii.	3"	"	400.03	420.00	437.00	
ix.	4"	"	768.23	806.00	838.00	
<b>h) Hex Nipple</b>				-	-	
i.	1/2 "	गोटा	51.49	54.00	56.00	
ii.	3/4"	"	78.85	82.00	85.00	
iii.	1"	"	127.92	134.00	139.00	
iv.	1 1/4"	"	198.73	208.00	216.00	
v.	1 1/2 "	"	251.83	264.00	275.00	
vi.	2"	"	374.92	393.00	409.00	
vii.	2 1/2 "	"	687.09	721.00	750.00	
viii.	3"	"	888.23	932.00	969.00	

# SANITARY WORK

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
ix.	4"	"	1,360.51	1,428.00	1,485.00	
<b>i) Reducing Tee</b>				-	-	
i.	¾"	सोटा	127.92	134.00	134.00	
ii.	1"	"	187.46	196.00	196.00	
iii.	1 ¼"	"	297.69	312.00	312.00	
iv.	1 ½"	"	413.54	434.00	434.00	
v.	2"	"	675.83	709.00	709.00	
vi.	2 ½"	"	1,063.63	1,116.00	1,116.00	
vii.	3"	"	1,437.74	1,509.00	1,509.00	
viii.	4"	"	2,626.88	2,758.00	2,758.00	
x.	5"	"	7,226.54	7,587.00	7,587.00	
xi.	6"	"	8,365.79	8,784.00	8,784.00	
<b>i) Reducing Elbow</b>				-	-	
i.	¾"	सोटा	94.13	98.00	102.00	
ii.	1"	"	146.43	153.00	159.00	
iii.	1 ¼"	"	222.86	234.00	243.00	
iv.	1 ½"	"	313.78	329.00	342.00	
v.	2"	"	469.06	492.00	512.00	
vi.	2 ½"	"	809.38	849.00	883.00	
vii.	3"	"	1,247.87	1,310.00	1,362.00	
viii.	4"	"	2,209.31	2,319.00	2,412.00	
x.	5"	"	5,388.12	5,657.00	5,883.00	
xi.	6"	"	6,483.12	6,807.00	7,079.00	
<b>j) Reducing socket</b>				-	-	
i.	¾"	सोटा	74.02	77.00	77.00	
ii.	1"	"	98.96	103.00	103.00	
iii.	1 ¼"	"	154.48	162.00	162.00	
iv.	1 ½"	"	206.77	217.00	217.00	
v.	2"	"	308.95	324.00	324.00	
vi.	2 ½"	"	552.73	580.00	580.00	
vii.	3"	"	788.47	827.00	827.00	
viii.	4"	"	1,422.46	1,493.00	1,493.00	
x.	5"	"	4,067.04	4,270.00	4,270.00	
xi.	6"	"	4,781.49	5,020.00	5,020.00	
<b>K) Short bend</b>				-	-	
i.	½"	सोटा	127.28	133.00	133.00	
ii.	¾"	"	195.47	205.00	205.00	
iii.	1"	"	300.02	315.00	315.00	
iv.	1 ¼"	"	577.31	606.00	606.00	
v.	1 ½"	"	872.78	916.00	916.00	
vi.	2"	"	1,277.36	1,341.00	1,341.00	
vii.	2 ½"	"	3,277.49	3,441.00	3,441.00	
viii.	3"	"	5,082.15	5,336.00	5,336.00	
ix.	4"	"	7,200.47	7,560.00	7,560.00	
<b>l) Cross Tee</b>				-	-	
i.	½"	सोटा	119.88	125.00	130.00	
ii.	¾"	"	170.57	179.00	186.00	
iii.	1"	"	268.72	282.00	293.00	
iv.	1 ¼"	"	466.64	489.00	509.00	
v.	1 ½"	"	559.97	587.00	610.00	

# SANITARY WORK

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
vi.	2"	"	907.54	952.00	990.00	
vii.	2 ½ "	"	1,531.07	1,607.00	1,671.00	
viii.	3"	"	2,218.97	2,329.00	2,422.00	
ix.	4"	"	2,995.37	3,145.00	3,271.00	
<b>M) Tanki nipple</b>				-	-	
i.	½ "	गोटा	140.80	147.00	153.00	
ii.	¾"	"	196.31	206.00	214.00	
iii.	1"	"	292.05	306.00	318.00	
iv.	1 ¼"	"	440.09	462.00	480.00	
v.	1 ½ "	"	559.97	587.00	610.00	
vi.	2"	"	907.54	952.00	990.00	
vii.	2 ½ "	"	1,746.69	1,834.00	1,907.00	
viii.	3"	"	2,325.98	2,442.00	2,540.00	
ix.	4"	"	3,086.28	3,240.00	3,370.00	
<b>G.I. Nipple Medium Class ISI or NS</b>				-	-	
<b>2" Long</b>				-	-	
i.	½ "	गोटा	23.33	24.00	24.00	
ii.	¾"	"	34.60	36.00	36.00	
iii.	1"	"	46.66	48.00	48.00	
iv.	1 ¼"	"	62.76	65.00	65.00	
v.	1 ½ "	"	76.43	80.00	80.00	
vi.	2"	"	116.66	122.00	122.00	
<b>3" Long</b>				-	-	
i.	½ "	गोटा	34.60	36.00	36.00	
ii.	¾"	"	51.49	54.00	54.00	
iii.	1"	"	69.19	72.00	72.00	
iv.	1 ¼"	"	93.33	97.00	97.00	
v.	1 ½ "	"	115.86	121.00	121.00	
vi.	2"	"	172.98	181.00	181.00	
vii.	2 ½ "	"	237.34	249.00	249.00	
viii.	3"	"	345.96	363.00	363.00	
<b>4" Long</b>				-	-	
i.	½ "	गोटा	46.66	48.00	48.00	
ii.	¾"	"	68.39	71.00	71.00	
iii.	1"	"	92.52	97.00	97.00	
iv.	1 ¼"	"	124.71	130.00	130.00	
v.	1 ½ "	"	151.26	158.00	158.00	
vi.	2"	"	231.71	243.00	243.00	
vii.	2 ½ "	"	317.80	333.00	333.00	
viii.	3"	"	462.62	485.00	485.00	
ix.	4"	"	595.37	625.00	625.00	
<b>6" Long</b>				-	-	
i.	½ "	गोटा	69.19	72.00	72.00	
ii.	¾"	"	102.98	108.00	108.00	
iii.	1"	"	138.38	145.00	145.00	
iv.	1 ¼"	"	188.27	197.00	197.00	
v.	1 ½ "	"	231.71	243.00	243.00	
vi.	2"	"	347.57	364.00	364.00	
vii.	2 ½ "	"	474.69	498.00	498.00	
viii.	3"	"	679.85	713.00	713.00	

# SANITARY WORK

सि.नं	निर्माण सामग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
ix.	4"	"	840.76	882.00	882.00	
<b>9" Long</b>				-	-	
i.	½"	सोटा	103.79	108.00	108.00	
ii.	¾"	"	152.87	160.00	160.00	
iii.	1"	"	185.05	194.00	194.00	
iv.	1 ¼"	"	281.60	295.00	295.00	
v.	1 ½"	"	378.14	397.00	397.00	
vi.	2"	"	521.35	547.00	547.00	
vii.	2 ½"	"	703.99	739.00	739.00	
viii.	3"	"	1,041.90	1,093.00	1,093.00	
ix.	4"	"	4,465.29	4,688.00	4,688.00	
<b>12" Long</b>				-	-	
i.	½"	सोटा	138.38	145.00	145.00	
ii.	¾"	"	202.75	212.00	212.00	
iii.	1"	"	230.10	241.00	241.00	
iv.	1 ¼"	"	376.53	395.00	395.00	
v.	1 ½"	"	462.62	485.00	485.00	
vi.	2"	"	694.33	729.00	729.00	
vii.	2 ½"	"	937.31	984.00	984.00	
viii.	3"	"	1,387.86	1,457.00	1,457.00	
ix.	4"	"	1,657.39	1,740.00	1,740.00	
<b>18" Long</b>				-	-	
i.	½"	सोटा	207.58	217.00	226.00	
ii.	¾"	"	255.85	268.00	279.00	
iii.	1"	"	345.96	363.00	378.00	
iv.	1 ¼"	"	563.19	591.00	615.00	
v.	1 ½"	"	691.92	726.00	755.00	
vi.	2"	"	1,041.90	1,093.00	1,137.00	
vii.	2 ½"	"	1,407.98	1,478.00	1,537.00	
viii.	3"	"	2,061.28	2,164.00	2,251.00	
ix.	4"	"	2,514.24	2,639.00	2,745.00	
<b>G.I./G.I. Flange</b>				-	-	
i.	1 ¼"	सोटा	883.03	927.00	964.00	
ii.	1 ½"	"	1,086.80	1,141.00	1,187.00	
iii.	2"	"	1,332.38	1,398.00	1,454.00	
iv.	2 ½"	"	1,557.05	1,634.00	1,699.00	
v.	3"	"	1,734.70	1,821.00	1,894.00	
vi.	4"	"	2,152.70	2,260.00	2,350.00	
vii.	5"	"	3,077.53	3,231.00	3,360.00	
viii.	6"	"	3,197.70	3,357.00	3,491.00	
ix.	8"	"	6,369.28	6,687.00	6,954.00	
<b>G.I./HDP Flange</b>				-	-	
i.	1 ¼"	सोटा	950.95	998.00	1,038.00	
ii.	1 ½"	"	1,212.20	1,272.00	1,323.00	
iii.	2"	"	1,431.65	1,503.00	1,563.00	
iv.	2 ½"	"	1,672.00	1,755.00	1,825.00	
v.	3"	"	1,786.95	1,876.00	1,951.00	
vi.	4"	"	2,204.95	2,315.00	2,408.00	
vii.	5"	"	3,077.53	3,231.00	3,360.00	
viii.	6"	"	3,213.38	3,374.00	3,509.00	

# SANITARY WORK

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
ix.	8"		6,991.05	7,340.00	7,634.00	
	<b>HDP/HDP Flange set with adaptor</b>			-	-	
i.	1 ¼"	गोटा	950.95	998.00	1,038.00	
ii.	1 ½"	"	1,212.20	1,272.00	1,323.00	
iii.	2"	"	1,431.65	1,503.00	1,563.00	
iv.	2 ½"	"	1,672.00	1,755.00	1,825.00	
v.	3"	"	1,786.95	1,876.00	1,951.00	
vi.	4"	"	2,204.95	2,315.00	2,408.00	
vii.	5"	"	3,495.53	3,670.00	3,817.00	
viii.	6"	"	3,213.38	3,374.00	3,509.00	
ix.	8"	"	6,991.05	7,340.00	7,634.00	
	<b>Brass tap ½"</b>			-	-	
i.	½" (Wt. 400 gm)	गोटा	830.78	872.00	872.00	
ii.	½" ordinary	गोटा	188.10	197.00	197.00	
	<b>Globe Valve (GM)</b>			-	-	
i.	½"	गोटा	846.45	888.00	924.00	
ii.	¾"	"	1,379.40	1,448.00	1,506.00	
iii.	1"	"	1,703.35	1,788.00	1,860.00	
iv.	1 ¼"	"	2,706.55	2,841.00	2,955.00	
v.	1 ½"	"	3,406.70	3,577.00	3,720.00	
vi.	2"	"	4,253.15	4,465.00	4,644.00	
vii.	2 ½"	"	8,354.78	8,772.00	9,123.00	
viii.	3"	"	13,804.45	14,494.00	15,074.00	
ix.	4"	"	22,321.20	23,437.00	24,374.00	
	<b>Float Valve</b>			-	-	
i.	½"	गोटा	1,039.78	1,091.00	1,135.00	
ii.	¾"	"	1,175.63	1,234.00	1,283.00	
iii.	1"	"	1,426.43	1,497.00	1,557.00	
iv.	1 ¼"	"	2,466.20	2,589.00	2,693.00	
v.	1 ½"	"	3,704.53	3,889.00	4,045.00	
vi.	2"	"	4,932.40	5,179.00	5,386.00	
	<b>C.I. Air valve (Heavy)</b>			-	-	
i.	½"	गोटा	3,443.28	3,615.00	3,615.00	
ii.	¾"	"	4,749.53	4,987.00	5,186.00	
iii.	1"	"	5,266.80	5,530.00	5,751.00	
	<b>Brass Union with Adopter</b>			-	-	
i.	½"	गोटा	224.68	235.00	235.00	
ii.	¾"	"	344.85	362.00	362.00	
iii.	1"	"	522.50	548.00	548.00	
iv.	1 ¼"	"	679.25	713.00	713.00	
v.	1 ½"	"	1,212.20	1,272.00	1,272.00	
vi.	2"	"	1,797.40	1,887.00	1,887.00	
	<b>Saddle Ferrule</b>			-	-	
i.	1 ½"	गोटा	323.95	340.00	340.00	
ii.	2"	"	428.45	449.00	449.00	
iii.	2 ½"	"	1,196.53	1,256.00	1,256.00	
iv.	3"	"	1,583.18	1,662.00	1,662.00	
v.	4"	"	2,257.20	2,370.00	2,370.00	
	<b>Flow Regulating Valve (G.M.)</b>			-	-	

# SANITARY WORK

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
	i. 1/2"	गोटा	1,212.20	1,272.00	1,323.00	
	<b>C.I Sluice Valve</b>					
	i. 1 1/2 "	गोटा	6,275.23	6,588.00	6,588.00	
	ii. 2"	"	8,370.45	8,788.00	8,788.00	
	iii. 2 1/2 "	"	10,455.23	10,977.00	10,977.00	
	iv. 3"	"	12,549.41	13,176.00	13,176.00	
	v. 4"	"	16,728.36	17,564.00	17,564.00	
	v. 5"	"	25,424.85	26,696.00	26,696.00	
	v. 6"	"	30,514.00	32,039.00	32,039.00	
	v. 8"	"	42,719.60	44,855.00	44,855.00	
	<b>Brass Ferrule Cock</b>					
	i. 1/2 "	गोटा	1,379.40	1,448.00	1,448.00	
	ii. 3/4"	"	1,797.40	1,887.00	1,887.00	
	iii. 1"	"	2,638.63	2,770.00	2,770.00	
	<b>Ball valve</b>					
	a) 15mm	गोटा	470.25	493.00	513.00	
	b) 20 mm	"	595.65	625.00	650.00	
	c) 25 mm	"	799.43	839.00	873.00	
	d) 32 mm	"	963.49	1,011.00	1,051.00	
	e) 40 mm	"	1,865.33	1,958.00	2,036.00	
	f) 50 mm	"	3,061.85	3,214.00	3,343.00	
<b>34.0</b>	<b>Supplying of RCC Ring for Construction of Well</b>					
<b>34.1</b>	<b>Ring</b>					
	i) 28" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	580.00	580.00	580.00	
	ii) 36" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	718.00	718.00	718.00	
	iii) 42" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	835.00	835.00	835.00	
	iv) 48" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	1,106.00	1,106.00	1,106.00	
<b>34.2</b>	<b>Supplying &amp; fixing of metal frame and Rec cover</b>					
	i) 28" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	1,751.00	1,751.00	1,751.00	
	i) 36" dia. 60m thick R.C.C. ring cover with metal frame	"	2,318.00	2,318.00	2,318.00	
	i) 42" dia. 60m thick R.C.C. ring cover with metal frame	"	2,544.00	2,544.00	2,544.00	
	i) 48" dia. 60m thick R.C.C. ring cover with metal frame	"	3,039.00	3,039.00	3,039.00	
<b>35.0</b>	<b>ईनार खन्को लागि R.C.C. रिङ्ग आपूर्ति गरि माटो खन्ने ,आवरयक फिल्टर सामाग्री राख्ने तथा जडान समेतको सबै कार्यहरु (२० देखि २५फीट सम्म को गहीराइमा ढक्कन बाहेक)</b>					
	i) 28" dia. R.C.C. Ring	र.मि	4,009.00	4,009.00	4,009.00	
	ii) 36" dia. R.C.C. Ring	"	5,088.00	5,088.00	5,088.00	
	iii) 42" dia. R.C.C. Ring	"	5,922.00	5,922.00	5,922.00	
	iv) 48" dia. R.C.C. Ring	"	7,305.00	7,305.00	7,305.00	
<b>35.1</b>	<b>२५ फीट देखि माथीको गहीराइ भएमा</b>					
	ईनार खन्को लागि R.C.C. रिङ्ग आपूर्ति गरि माटो खन्ने ,आवरयक फिल्टर सामाग्री राख्ने तथा जडान समेतको सबै कार्यहरु (२५ फीट देखि माथीको गहीराइ भएमा मात्र ढक्कन बाहेक)					
	i) 28" dia. R.C.C. Ring	र.मि	5,380.00	5,380.00	5,380.00	
	ii) 36" dia. R.C.C. Ring	"	9,097.00	9,097.00	9,097.00	
	iii) 42" dia. R.C.C. Ring	"	11,011.00	11,011.00	11,011.00	
	iv) 48" dia. R.C.C. Ring	"	13,228.00	13,228.00	13,228.00	

## SANITARY WORK

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
36.0	Accessories for Deep boring works by machine .			-	-	
	i) MS Slotted pipe	Kg		-	-	
	ii) Submersible pump with motor 15 hp per set, head 80 m discharge 10 lps. with control pannel	Set	-	-	-	
	iii) Submersible pump with motor 12.5 hp per set, head 80 m discharge 8 lps. with control pannel	"	-	-	-	
	iv) Submersible pump with motor 10 hp per set, head 70 m discharge 7 lps. with control pannel	"	-	-	-	
	v) Submersible pump with motor 7.5 hp per set, head 70 m discharge 5 lps. with control pannel	"	-	-	-	
	vi) 10 mm sq. submersible Cable three phase per meter	र मि	-	-	-	
	vii) 6 mm sq. submersible Cable three phase per meter	"	-	-	-	
	viii) 4 mm sq. submersible Cable three phase per meter	"	-	-	-	
	ix) 2.5 mm sq. submersible Cable three phase per meter	"	-	-	-	
	x) Pannel Board Suitable for above pumps 20 H P	set	-	-	-	
	xi) Pannel Board Suitable for above pumps 15 H P	"	-	-	-	
	xii) Pannel Board Suitable for above pumps 12.50 H P	"	-	-	-	
	xiii) Pannel Board Suitable for above pumps 10 H P	"	-	-	-	
	xiv) Pannel Board Suitable for above pumps 7.5 H P	"	-	-	-	
	xv) 10" dia flange and flange cover with nut bolt , thickness 10 mm	"	-	-	-	
	xvi) 8" dia flange and flange cover with nut bolt , thickness 10 mm	"	-	-	-	
	xvii) 6" dia flange and flange cover with nut bolt , thickness 10 mm	"	-	-	-	
	xviii) 10" MS collar (socket) suitable for above pipe thickness 7 mm	"	-	-	-	
	xix) 8" MS collar (socket) suitable for above pipe thickness 6 mm	"	-	-	-	
	xx) 6" MS collar (socket) suitable for above pipe thickness 6 mm	"	-	-	-	
	xxi) 4" MS collar (socket) suitable for above pipe thickness 6 mm	"	-	-	-	
	vi) 200 mm dia ms pipe of 7 mm thick	र मि	-	-	-	
	vi) 200 mm dia ms pipe of 7 mm thick Slotted pipe	"	-	-	-	
	vi) 150 mm dia ms pipe of 5.4 mm thick	"	-	-	-	
	vi) 150 mm dia ms pipe of 5.4 mm thick Slotted pipe	"	-	-	-	
	<b>Construction material for deep boring</b>		-	-	-	
	Bentonite	Ton	-	-	-	
	Barite	Ton	-	-	-	
	Drill bit	nos	-	-	-	
	Oxyzen gs	cy.	-	-	-	
	Acetelyne gas	cy.	-	-	-	
	Bucket	nos	-	-	-	
	Liner	nos	-	-	-	
	Piston rod	nos	-	-	-	
	Gland packing	set	-	-	-	
	swivel packing	Set	-	-	-	
	V-packing	Set	-	-	-	
	Valve / Steel ball	nos	-	-	-	
	Valve sheat	nos	-	-	-	
	Valve Packing	nos	-	-	-	
	<b>Machinery for Deep boring</b>		-	-	-	



# SANITARY WORK

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
	Rig machine	Hrs	-	-	-	
	Elec. Generetor	"	-	-	-	
	Water truck	"	-	-	-	
	Cargo truck	"	-	-	-	
	Picup truck	"	-	-	-	
	Water pump	"	-	-	-	
	Electric logger	"	-	-	-	
37.0	Sanitary Tools					
a	Adjustable spanner					
	10"	Pc	247.50	247.50	265.00	
	12"	Pc	467.50	467.50	500.00	
	15"	Pc	1,347.50	1,347.50	1,442.00	
	18"	Pc	1,595.00	1,595.00	1,707.00	
b	Blow Torch					
	1/2 pint	Pc	1,391.50	1,391.50	1,489.00	
	1 pint	Pc	1,716.00	1,716.00	1,836.00	
c	Building Trowel	Pc	77.00	77.00	82.00	
d	Chain Pipe wrench					
	50mm	Pc	1,595.00	1,595.00	1,707.00	
	75mm	Pc	1,897.50	1,897.50	2,030.00	
	100mm	Pc	2,227.50	2,227.50	2,383.00	
	150mm	Pc	3,135.00	3,135.00	3,354.00	
	200mm	Pc	5,335.00	5,335.00	5,708.00	
e	Chain Pulley in Ton					
	3 ton	Pc	17,050.00	17,050.00	18,244.00	
	5 ton	Pc	28,160.00	28,160.00	30,131.00	
f	Stone Chisel 1"x12"	Pc	357.50	357.50	383.00	
g	Die teeth oil with cane (250 ml size)	Pc	275.00	275.00	294.00	
h	Smooth steel file half round					
	8"	Pc			560.00	
	10"	Pc	1,001.00	1,001.00	1,071.00	
i	Flat file 10"	Pc	522.50	522.50	559.00	
j	Hacksaw Blade					
	Single	Pc	4.40	4.40	4.40	
	double	Pc	8.80	8.80	8.80	
k	Hacksaw Frame 6mm	Pc	187.00	187.00	187.00	
l	Handle die set					
	25 mm	Pc	3,107.50	3,107.50	3,325.00	
	50 mm	Pc	3,520.00	3,520.00	3,766.00	
	60 mm	Pc	9,350.00	9,350.00	10,005.00	
m	Heating Plate					
	80 mm	Pc	935.00	935.00	1,000.00	
	100 mm	Pc	1,072.50	1,072.50	1,148.00	
	125 mm	Pc	1,375.00	1,375.00	1,471.00	
	150 mm	Pc	1,639.00	1,639.00	1,754.00	
	200 mm	Pc	2,651.00	2,651.00	2,837.00	
	250 mm	Pc	3,212.00	3,212.00	3,437.00	
	300 mm	Pc	3,751.00	3,751.00	4,014.00	
n	Iron Brush 12"	Pc	71.50	71.50	77.00	
o	Iron Pan (madium)	Pc	253.00	253.00	271.00	

# SANITARY WORK

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
p	Pick Axe 1.7 Kg.	Pc	418.00	418.00	447.00	
q	Pipe Cutter			-	-	
	15-50 mm	Pc	1,980.00	1,980.00	2,119.00	
	65-80 mm	Pc	3,080.00	3,080.00	3,296.00	
	100 mm	Pc	4,950.00	4,950.00	5,297.00	
	125 mm	Pc	5,500.00	5,500.00	5,885.00	
	150 mm	Pc	9,790.00	9,790.00	10,475.00	
r	Pipe Jack Machine (Heavy)	Pc	31,350.00	31,350.00	33,545.00	
s	Pipe Vice			-	-	
	2"	Pc	2,420.00	2,420.00	2,589.00	
	3"	Pc	3,520.00	3,520.00	3,766.00	
	4"	Pc	5,307.50	5,307.50	5,679.00	
	5"	Pc	9,845.00	9,845.00	10,534.00	
t	Pipe Wrench			-	-	
	10"	Pc	308.00	308.00	330.00	
	12"	Pc	572.00	572.00	612.00	
	14"	Pc	682.00	682.00	730.00	
	18"	Pc	1,083.50	1,083.50	1,159.00	
	24"	Pc	1,496.00	1,496.00	1,601.00	
	36"	Pc	5,280.00	5,280.00	5,650.00	
	48"	Pc	9,350.00	9,350.00	10,005.00	
u	Plumb Bob Line	Pc	88.00	88.00	94.00	
v	Racet Die Set			-	-	
	1/2"-1"	Pc	4,180.00	4,180.00	4,473.00	
	1 1/4" -2"	Pc	7,810.00	7,810.00	8,357.00	
	2 1/2"-3"	Pc	17,050.00	17,050.00	18,244.00	
w	Round File 10"	Pc	357.50	357.50	383.00	
x	Screw Driver 12"	Pc	198.00	198.00	212.00	
y	Shovel 1.5 Kg	Pc	357.50	357.50	383.00	
z	Slide wrench			-	-	
	10"	Pc	352.00	352.00	377.00	
	12"	Pc	473.00	473.00	506.00	
	15"	Pc	1,380.50	1,380.50	1,477.00	
aa	Spade	Pc	429.00	429.00	459.00	
A	Spare Die Teeth			-	-	
	15 mm	Pc	572.00	572.00	612.00	
	20 mm	Pc	572.00	572.00	612.00	
	25 mm	Pc	572.00	572.00	612.00	
	32 mm	Pc	907.50	907.50	971.00	
	40 mm	Pc	1,551.00	1,551.00	1,660.00	
	50 mm	Pc	1,567.50	1,567.50	1,677.00	
	65 mm	Pc	1,815.00	1,815.00	1,942.00	
	80 mm	Pc	2,035.00	2,035.00	2,177.00	
B	Telflon Cover			-	-	
	5'x5'	Pc	302.50	302.50	324.00	
	7'x7'	Pc	412.50	412.50	441.00	
C	Telflon Cloth	m	3,327.50	3,327.50	3,560.00	
D	Telflon Tape 10 mm roll	Roll	16.50	16.50	18.00	
E	Thermochrome Crayon			-	-	
	Indian	Pc	742.50	742.50	794.00	

## SANITARY WORK

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
	Germany	Pc	1,485.00	1,485.00	1,589.00	
F	Tool Box (14"x8"x22")	Pc	2,040.50	2,040.50	2,183.00	
38	Anaerobic treatment for waste water ( sintex/ equivalent)As per ASTM-D-2583 (. Should be FRP based Septic tank along with fixed film aeration tank, Should operate in zero load as well. Exterior/Interior surface shall be reasonably smooth No fibers loosely attached minimum Internal Vacuum test As per UL-1316/CSI Each tank to withstand internal partial vacuum without rupture as under Vacuum as per equation in Std. UL-1316Clause18 Deformation test As per Product Specifications ≤37.5 mm Interior surface shall be resin rich with no exposed					
	800 lts for 4 persons	nos	63,750.00	63,750.00	63,750.00	
	1200 lts for 6 people	nos	79,050.00	79,050.00	79,050.00	
	1600 lts for 10 persons	nos	95,200.00	95,200.00	95,200.00	
39	Irrigation Works excluding pipes including installation ( Rainbird or equivalent)			-	-	
1	Supply flexible,kink resistant pressure compensating inline tubing and resistance to UV damage and algae growth brown in colour with discharge 0.9GPH XF series pressure rating 0.58 to 4.1 bar wall thickness 1.2mm	Rm	150.00	150.00	150.00	
2	Supplyof Xeri bug emitter pressure compensating with selfpiercing barbs,flow rates 1.89LPH to7.57LPH UV resistant colour coded with working pressure 1.0to 3.5bar	Nos	30.00	30.00	30.00	
3	SPRINKLERS & ACCESSORIES		-	-	-	
	Unispray	No.	660.00	660.00	660.00	
	Providing of Pop up spray head having and two piece stem ratchet ( 0 to 360 degrees)nozzle capable of covering 1.2*8.5 Bars with a STRIP NOZZLE discharge rate of 0.075lps.The Spray Head body, stem, nozzle ,ratchet and screen shall be constructed f heavy-duty, ultraviolet resistant plastic and stainless steel with multifunctional wiper seal with small exposed cover 15SST	No.	1,200.00	1,200.00	1,200.00	
	Providing of Shrub spray head having variable adjustable arc ( 0 to 360 degrees)nozzle capable of covering 4.5-5.4m at 2.0 Bars with a discharge rate of 0.23- 0.33lps.The Spray nozzle and screen shall be constructed heavy-duty, ultraviolet resistant plastic and stainless steel with multifunctional wiper seal with small exposed cover PA series	No.	1,200.00	1,200.00	1,200.00	
	gear rotors 5004	No.	3,100.00	3,100.00	3,100.00	

## SANITARY WORK

सि.नं	निर्माण सामाग्री को विवरण	एकाई	मु.अ.क बाहेकको दररेट			कैफियत
			आ.व २०७८।७९	आ.व २०७९।८०	आ.व २०८०।८१	
	Providing of 1/2" Pop up Connecting <b>Swing joint Assembly</b> . The tubing shall be made of polyethylene having wall thickness of 2.3mm ,a working pressure of 5.5 kg/cm2 at 43oC and a surge pressure of 16.6 kg/cm2. The fittings shall be made of UV resistant thermo plastic. <b>SA Series</b>	No.	390.00	390.00	390.00	
	Providing of 3/4" Pop up Connecting <b>Swing joint Assembly</b> . The tubing shall be made of polyethylene having wall thickness of 2.3mm ,a working pressure of 5.5 kg/cm2 at 43oC and a surge pressure of 16.6 kg/cm2. The fittings shall be made of UV resistant thermo plastic <b>SA</b>	No.	480.00	480.00	480.00	
	Providing and fixing of <b>HDPE service saddle</b> of varying size		850.00	850.00	850.00	
<b>4</b>	<b>VALVES &amp; ACCESSORIES</b>		-	-	-	
	Providing and fixing <b>PVC Ball Valve</b> ,security pivot to maintain lever in space,double water tight joint,direct injection stem non mechanical ,with a base which permits maximum penetration into the valve of size 63mm.	No.	1,800.00	1,800.00	1,800.00	
	Providing & fixing of a double acting <b>Air release valve 3/4"</b> made of high strength aluminium / plastic with fibre glass reinforced . The Air release valve shall be capable of both releasing and admitting air from and into the line. The working pressure shall be 5 bar.	No.	2,100.00	2,100.00	2,100.00	
	12" Rectangular Valve Box with <b>greenlid and corrugated structure</b> with unique shovel access slot and bolt hole knockout	No.	7,500.00	7,500.00	7,500.00	
	6"Round box.	No.	1,250.00	1,250.00	1,250.00	
	Quick coupling valve made up of solid brass with locking cover corrosion resistant and stainless steel spring <b>3RC</b>	No.	13,500.00	13,500.00	13,500.00	
	Key threads into top of QCV to provide water access <b>33DK</b>	No.	9,750.00	9,750.00	9,750.00	

नोट : माथि उल्लेखित दररेटमा नपरेका सामानहरु काठमाडौं तथा अन्य जोडिएका जिल्लाहरुले निर्धारण गरेको स्वीकृत दररेटलाई आधार मानी ढुवानी दिनु पर्ने भए सो समेत जोडी नर्स अनुसार दर निर्धारण गरी कार्यान्वयन गर्ने निर्णय गरियो ।

सरकारी कार्यालयमा आवश्यक हुने वायो-इन्जिनियरिङ्ग एवं अन्य मालसामान सम्बन्धि दर तपसिल अनुसार कायम गर्ने निर्णय गरियो ।

सि.नं.	कामको विवरण	इकाई	मु.अ.क. बाहेकको दर (रु.)			कैफियत
			आ.व.	०७८/७९	०७९/८०	
५.	भु-संरक्षण सम्बन्धा काय					
क)	<b>Grass Seeds</b>	के.जी				
i)	घाँसको बिज र औषधि जिल्ला भित्र दुवानी गर्दा	"	१.००	१.००	१.००	
ii)	घाँसको बिज जिल्ला बाहिरबाट दुवानी गर्दा	"	२.००	२.००	२.००	
iii)	२०० गजको बिरुवा उमाने कालो चार प्वाल भएको बिभिन्न साईज भएको पोलीथैला	"	४६२.००	४६२.००	४६२.००	
iv)	माटा भर्ने खालो बारा	गाटा	१६.००	१६.००	१६.००	
v)	बास काटेको सिगा घना	घना	४६२.००	४६२.००	४६२.००	
vi)	बासको काटेग स्टम्प बिरुवा (१५ माहिने नसरो राखेको) १'६" देखि २' लामो	प्रति काटेग	१९८.००	१९८.००	१९८.००	
vii)	बासको पोलिट्युब १ बर्ष	गाटा	७३.००	७३.००	७३.००	
viii)	बासको पोलिट्युब २ बर्ष	गाटा	१६५.००	१६५.००	१६५.००	
ब)	<b>Vegetation/Shrubs Cuttings/Slip/Plants/etc.</b>					
i)	अलेची गानो	"	१५.००	१५.००	१५.००	
ii)	अलेची बिरुवा	"	११.००	११.००	११.००	
iii)	हाडउड कोटङ्गस् (बैस) पौन्सल साइज	"	७.००	७.००	७.००	
iv)	नोपियर कोटङ्गस्	"	३.००	३.००	३.००	
v)	NB <sub>21</sub> घाँस	Slip	३.००	३.००	३.००	
vi)	निगालो राइजोम	set	६६.००	६६.००	६६.००	
vii)	बाबियो ताइवानी दुबो	"	४.००	४.००	४.००	
viii)	सिजनल फुल ८ इन्च पोली	गाटा	५०.००	५०.००	५०.००	
ix)	गुलाफ फुल ८ इन्च पोली	"	१९८.००	१९८.००	१९८.००	
x)	हेज ८ इन्च पोली	"	४०.००	४०.००	४०.००	
xi)	कापेट दुबो	व.फा.	४०.००	४०.००	४०.००	
xii)	कापेट दुबो को लागो छान्ने कायको ज्याला	"	२७.००	२७.००	२७.००	
xiii)	निगालो (जरा सहीत)	गाटा	१६.००	१६.००	१६.००	
xiv)	स्थानीय स्तरमा उत्पादित बिरुवा फलफुल बाहेक	"	७.००	७.००	७.००	
xv)	गाठ मल तयारी	क.जी.	७.००	७.००	७.००	
xvi)	डाले घासको बिरुवा (नागो जरा)	गाटा	८.००	८.००	८.००	
xvii)	डाले घासको बिरुवा (पोलिब्याग थैला)	गाटा	२०.००	२०.००	२०.००	
xviii)	मालाटा बिरुवा	"	३.००	३.००	३.००	
xix)	नरोवल डारी	क.जी.	१६०.००	१६०.००	१६०.००	
xx)	नाइलन डारी	"	३३०.००	३३०.००	३३०.००	
ग)	बन कार्यालयबाट सम्पादन गरिने कार्यहरु(काठ लोड अनलोड तथा दुवानीआदि)					
१	रुख/गोलिया काठ कटान मुछान					
१.१	रुख छपान	संख्या	४०.००	४०.००	४०.००	
१.२	गोलिया कटान मुछान	घनफिट	४४.००	४४.००	४४.००	
१.३	गोलियाको बोका फिकने, रिङ्ग काट्ने	घनफिट	१.००	१.००	१.००	
१.४	गोलिया लोडिङ्ग	घनफिट	४४.००	४४.००	४४.००	
१.५	गोलिया अनलोडिङ्ग	घनफिट	१८.००	१८.००	१८.००	
१.६	गोलिया जंगल यार्डिङ्ग	घनफिट	४५.००	४५.००	४५.००	



Handwritten signature/initials

सि.नं.	कामको विवरण	इकाई	मु.अ.क. बाहेकको दर (रु.)			कैफियत
			आ.व.	०७८/७९	०७९/८०	
१.७	गोलिया पाईलिङ्ग	घनफिट	१४.००	१४.००	१४.००	
२	गोलिया काठ ढूवानी					
२.१	०-५ कि.मि.सम्मको ढूवानी	घनफिट	६१.००	६१.००	६१.००	
२.२	५-१० कि.मि.सम्मको ढूवानी	घनफिट	८०.००	८०.००	८०.००	
२.३	१०-१५ कि.मि.सम्मको ढूवानी	घनफिट	८६.००	८६.००	८६.००	
२.४	१५-२० कि.मि.सम्मको ढूवानी	घनफिट	९३.००	९३.००	९३.००	
२.५	२० कि.मि. देखि माथिको ढूवानी	घनफिट	१०६.००	१०६.००	१०६.००	
२.६	बाहिरी जिल्ला बाट शाखा रोड तथा राजमार्ग हुदै जिल्ला भित्र ढूवानी गर्दा	प्रति घनफिट प्रति कि.मि	२.००	२.००	२.००	
३	दाउरा कटान मूछान					
३.१	कटान मूछान	चट्टा	७२६०.००	७२६०.००	७२६०.००	
३.२	लोडिङ्ग	चट्टा	३९६०.००	३९६०.००	३९६०.००	
३.३	अनलोडिङ्ग	चट्टा	१५८४.००	१५८४.००	१५८४.००	
३.४	चट्टा निर्माण	चट्टा	१९८०.००	१९८०.००	१९८०.००	
४	दाउरा ढूवानी			०.००		
४.१	०-५ कि.मि.सम्मको ढूवानी	चट्टा	३९६०.००	३९६०.००	३९६०.००	
४.२	५-१० कि.मि.सम्मको ढूवानी	चट्टा	४६२०.००	४६२०.००	४६२०.००	
४.३	१०-१५ कि.मि.सम्मको ढूवानी	चट्टा	५२८०.००	५२८०.००	५२८०.००	
४.४	१५ कि.मि. देखि माथिको ढूवानी	चट्टा	५८०८.००	५८०८.००	५८०८.००	
५	गोलिया काठ स:मिलमा ल्याई चिरान गरिने कार्यको लागि					
५.१	चिरान ज्याला (चिरान गरी साईज चिरान, वाकल, अनसाईज चिरान, भुस समेतका उत्पादनलाई मिल	घनफिट	९३.००	९३.००	९३.००	
५.२	चिरान लोडिङ्ग	घनफिट	२७.००	२७.००	२७.००	
५.३	चिरान अनलोडिङ्ग	घनफिट	१२.००	१२.००	१२.००	
५.४	वाकल लोडिङ्ग	क्विण्टल	३३.००	३३.००	३३.००	
५.५	वाकल अनलोडिङ्ग	क्विण्टल	१२.००	१२.००	१२.००	
५.६	चिरान पाइलिङ्ग	घनफिट	९.००	९.००	९.००	
५.७	गोलिया मिल थाडि (१०० मि.सम्म)	घनफिट	१२.००	१२.००	१२.००	
५.८	घाटगद्दीबाट मिल सम्मको गोलिया सिपमेण्ट (जिल्लाभरबाट)	घनफिट	५३.००	५३.००	५३.००	
५.९	मिल सिपमेण्टको लागि गोलिया लोडिङ्ग	घनफिट	४४.००	४४.००	४४.००	
५.१०	मिल सिपमेण्टको लागि गोलिया अनलोडिङ्ग	घनफिट	१५.००	१५.००	१५.००	
६	चिरान ढूवानी			०.००	०.००	
६.१	०-५ कि.मि.सम्मको ढूवानी	घनफिट	३३.००	३३.००	३३.००	
६.२	५-१० कि.मि.सम्मको ढूवानी	घनफिट	३७.००	३७.००	३७.००	
६.३	१० कि.मि. भन्दा बढीको ढूवानी	घनफिट	४३.००	४३.००	४३.००	
७	बाकल/अनसाईज/कटपीस ढूवानी			०.००	०.००	
७.१	०-५ कि.मि.सम्मको ढूवानी	क्विण्टल	१३२.००	१३२.००	१३२.००	
७.२	५-१० कि.मि.सम्मको ढूवानी	क्विण्टल	१४६.००	१४६.००	१४६.००	

Handwritten signature/initials

Handwritten signature/initials

Handwritten signature/initials

Handwritten signature/initials

सि.नं.	कामको विवरण	इकाई	मु.अ.क. बाहेकको दर (रु.)			कैफियत
			०७८/७९	०७९/८०	०८०/८१	
७.३	१० कि.मि. भन्दा बढीको ढुवानी	क्विण्टल	१७२.००	१७२.००	१७२.००	
८	विरुवा खरिद (अनमिण्टल विरुवा)				०.००	
८.१	अशोक (ठूलो)	गोटा	५९४.००	५९४.००	५९४.००	
८.२	अशोक (सानो)	गोटा	९३.००	९३.००	९३.००	
८.३	कल्कीफूल	गोटा	८६.००	८६.००	८६.००	
८.४	ज्याकारान्डा	गोटा	६६.००	६६.००	६६.००	
८.५	गोल्डमोहर	गोटा	५३.००	५३.००	५३.००	
८.६	काँगियो	गोटा	८६.००	८६.००	८६.००	
८.७	म्याङ्गोस्टिक	गोटा	२१८.००	२१८.००	२१८.००	
८.८	बोटल पाम	गोटा	६६०.००	६६०.००	६६०.००	
८.९	फिसटेल पाम	गोटा	५२८.००	५२८.००	५२८.००	
८.१०	एरिका पाम	गोटा	५२८.००	५२८.००	५२८.००	
८.११	कपुर	गोटा	८६.००	८६.००	८६.००	
८.१२	धुपी	गोटा	८६.००	८६.००	८६.००	
८.१३	क्यासिया	गोटा	३३.००	३३.००	३३.००	
८.१४	क्रिसमस टि (सानो)	गोटा	६००.००	६००.००	६००.००	
८.१५	क्रिसमस टि (ठूलो)	गोटा	१०००.००	१०००.००	१०००.००	
९	विरुवा खरिद (बहुउपयोगी वन विरुवा)				०.००	
९.१	बोधिचित्त	गोटा	७९२.००	७९२.००	७९२.००	
९.२	रुद्राक्ष	गोटा	४६२.००	४६२.००	४६२.००	
९.३	लप्सी (ग्राफिटड)	गोटा	८०.००	८०.००	८०.००	
९.४	चिराइतो	गोटा	११.००	११.००	११.००	
९.५	तेजपात, सुगन्धकोकिला, ठूलो अमला	गोटा	४०.००	४०.००	४०.००	
९.६	टिमुर	गोटा	५०.००	५०.००	५०.००	
९.७	लौठ सल्ला (नेपाली) बीउबाट	गोटा	१५०.००	१५०.००	१५०.००	
९.८	लौठ सल्ला (नेपाली) कटिड	गोटा	९०.००	९०.००	९०.००	
९.९	बेल	गोटा	४०.००	४०.००	४०.००	
९.१०	एभोकाडो	गोटा	१५०.००	१५०.००	१५०.००	
९.११	सतुवा	गोटा	६०.००	६०.००	६०.००	
९.१२	जडिबुटी (अन्य)	गोटा	६०.००	६०.००	६०.००	
९.१३	टिक, सिसौ, वकाइनो, इपिल इपिल, जेट्रोफा, जामुन, चिउरी, हर्रो, बर्रो आदी	गोटा	२०.००	२०.००	२०.००	स्टम्प कटिड, न्याकेट रुटा प्रचलित बजारको दरभाउमा आधारित



सि.नं.	कामको विवरण	इकाई	मु.अ.क. बाहेकको दर (र.)			कैफियत
			०७८/७९	०७९/८०	०८०/८१	
९.१४	शिरिष, बकाइनो, कपोक, मसला, ववुल, इपिल इपिल, टाँकी, कोईरालो, काब्रो, कोइरालो, कूटमेरो, राजवृक्ष, कदम, खयर, अमला, टुनी, सल्लो, उत्तिस, सिसौ, बाँझी, बाँझ, जेट्रोफा, जामुन, हरो, बरो आदी	गोटा	२७.००	२७.००	२७.००	३"×७", ४"×७" साईजको प्लाष्टिक थैलोमा ट्रान्सप्लान्ट गरी तयार गरिएको
९.१५	निमारो, वडहर, राईखन्यु, निम, टिक, चिउरी, कटहर आदी	गोटा	५०.००	५०.००	५०.००	३"×७", ४"×७" साईजको प्लाष्टिक थैलोमा ट्रान्सप्लान्ट गरी तयार गरिएको
९.१६	अम्रिसो गानो	गोटा	८.००	८.००	८.००	
९.१७	नेपियर सेट्स	गोटा	४.००	४.००	४.००	
९.१८	नेपियर जरा सहितको	गोटा	५.००	५.००	५.००	
९.१९	बाँस कटिड/राईजोम (२ वर्षे)	गोटा	१९८.००	१९८.००	१९८.००	
९.२०	बिरुवा (उचाई अनुसार)				०.००	
	४ फिट सम्मका	गाटा	९९०.००	९९०.००	९९०.००	
	४-५ फिट सम्मका	गाटा	१४५२.००	१४५२.००	१४५२.००	
	५-६ फिट सम्मका	गाटा	१७४९.००	१७४९.००	१७४९.००	
	६ फिट भन्दा अग्ला	गाटा	२१७८.००	२१७८.००	२१७८.००	
९.२१	मेकाडामिया	गोटा			२००.००	
९.२२	पिकानट	गोटा			३००.००	
९.२२	भेटिभर ग्रास	गोटा			१०.००	
१०	बिरुवा रोपण					
१०.१	ठूला बिरुवा (५-१० फिट)	गोटा	१७५.००	१७५.००	१७५.००	
१०.२	अग्ला बिरुवा (१०-१५ फिट)	गोटा	२५०.००	२५०.००	२५०.००	
११	सुराको भत्ता	माहिना	१०५६०.००	१०५६०.००	१०५६०.००	
१२	काठ विक्री डिपो चौकदार	माहिना	१९८००.००	१९८००.००	१९८००.००	
१३	वृक्षारोपण चौकदार	माहिना	१३२००.००	१३२००.००	१३२००.००	
१४	नसरी नाइक (चौकदार)	माहिना	१९८००.००	१९८००.००	१९८००.००	
१५	खरघाँस खारेद (नसरी प्रयोजन)	मुट्टा	६६.००	६६.००	६६.००	
१६	३"×७", ४"×७" साईजको प्लाष्टिक थैला खरिद	कि.ग्रा.	५२८.००	५२८.००	५२८.००	
१७	३"×७", ४"×७" साईजको प्लाष्टिक थैलोमा ट्रान्सप्लान्ट गरी तयार गरिएको बिरुवा ढुवानी (०-१० कि.मी. सम्म)	गोटा	७.००	७.००	७.००	
१८	आर.सि.सि. पोल (फेन्सिड प्रयोजनको लागि) ४"×४"×७.५' साईजको	गोटा	१२००.००	१२००.००	१२००.००	
					०.००	
घ)	पशु सेवा कार्यालयबाट सम्पादन गरिन कायहरु				०.००	



सि. नं.	कामको विवरण	इकाई	मु.अ.क. बाहेकको दर (रु.)			कैफियत
			०७८/७९	०७९/८०	०८०/८१	
i)	जई	कं.जी.	७५.००	८५.००	९०.००	
ii)	वासिम	"	१७५.००	२००.००	२२०.००	
iii)	भेच	"	१५०.००	१६०.००	१७०.००	
iv)	वाडी, कंराउ र भटमास	"	१५०.००	१६०.००	१७०.००	
v)	स्टाइलो कुक	"	६५०.००	७५०.००	८००.००	
vi)	स्टाइलो हमटा	"	३००.००	३५०.००	३५०.००	
vii)	ज्वाइन्टभेच	"	२००.००	२२५.००	२३५.००	
viii)	मोलासस	"	२५०.००	२७५.००	२८५.००	
ix)	ट्वाइटक्लाभर	"	७५०.००	८५०.००	९३०.००	
x)	राइग्रास	"	४००.००	४५०.००	४७५.००	
xi)	पास्पलनबीव	"	३००.००	३००.००	३१०.००	
xii)	कस्सफुट	"	५५०.००	५७५.००	६२५.००	
xiii)	टियोसेन्टी	"	१५०.००	१७५.००	१९०.००	
xiv)	सेटरिया	"	३५०.००	३५०.००	३६०.००	
xv)	कुड्जु	"	३००.००	३००.००	३१०.००	
xvi)	ग्लाइसिन	"	२००.००	२००.००	२१०.००	
xvii)	डिस्मोडियम	"	२७५.००	२७५.००	२८५.००	
xviii)	लुसिन	"	४५०.००	४५०.००	४७५.००	
xix)	डाले घासको बिरुवा बडहर, राइखन्त्यु, निमारो	गोटा	१५.००	२०.००	२२.००	
xx)	अन्य डाले घासको बिरुवा	गोटा	१०.००	१५.००	१६.००	
xxi)	ग्वाटेमाला प्रति गानो प्रतिसेट	गानो	३.००	५.००	५.००	
xxii)	मन्डुला/भटमास	कं.जी.	३००.००	३३०.००	३४०.००	
xxiii)	प्रजनन योग्य बोका स्थानीय जात	के.जी.		८००.००	८००.००	
	प्रजनन योग्य बोका ५०% वीयर कस	के.जी.		२०००.००	१५००.००	
	प्रजनन योग्य बोका ७५% वीयर कस	के.जी.		२५००.००	२०००.००	
	प्रजनन योग्य बोका ७५% भन्दा माथि वीयर कस	के.जी.		३०००.००	२५००.००	
	प्रजनन योग्य स्थानीय खरी बाखा	के.जी.			५००.००	
xxiv)	चौरी	गोटा	६००००.००	६००००.००	६५०००.००	
xxv)	प्रजनन योग्य याक	गोटा			१०००००.००	
xxvi)	थुमा	गोटा	१२०००.००	१३५००.००	१४०००.००	
xxvii)	बंगुरको पाठा/पाठी, ४० दिनको	गोटा	५०००.००	५५००.००	५५००.००	
xxviii)	प्रजनन योग्य बगुर माउ	के.जी.			३००.००	
xxix)	प्रजनन योग्य बगुर बिबर	के.जी.			३५०.००	
xxx)	मुर्दा कस लेना भर्सा	गोटा			१३००००.००	
xxxi)	जर्सी गाई लेना	गोटा			९००००.००	
xxxii)	होलिषाटन गाई लेना	गोटा			१०००००.००	

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*